

Lumiance

EUROPE

Head Office

London
info.eu@havells-sylvania.com

Austria

Vienna
T. +43 (0)1617 4480
F. +43 (0)1617 4481
info.at@havells-sylvania.com

Belgium

Antwerp
T. +32 (0)3 610 44 44
F. +32 (0)3 610 44 57
info.be@havells-sylvania.com

Czech Republic, Slovakia,
Slovenia and Croatia

Erlangen
T. +49 9131 793 143
F. +49 9131 793 468
info.cz@havells-sylvania.com

Estonia, Latvia, Lithuania

Erlangen
T. +49 9131 793 143
F. +49 9131 793 468
info.bal@havells-sylvania.com

Finland

Helsinki
T. +358 (0)9 5421 2100
F. +358 (0)9 5421 2130
info.fi@havells-sylvania.com

France

Paris
T. +33 (0)1 55 51 11 00
F. +33 (0)1 55 51 11 15
info.fr@havells-sylvania.com

Germany

Havells Sylvania Germany GmbH
Erlangen
T. +49 9131 793 0
F. +49 9131 793 345
info.de@havells-sylvania.com

Greece

Athens
T. +30 210 996 65 61
F. +30 210 996 90 29
info.gr@havells-sylvania.com

Hungary

Budapest
T. +36 (30) 274 5882
F. +36 (24) 9131 793 468
info.hu@havells-sylvania.com

Italy

Milan
T. +39 02 24 12 58 11
F. +39 02 24 12 58 80
info.it@havells-sylvania.com

Netherlands

Breda
T. +31 (0)76 750 44 44
F. +31 (0)76 750 44 56
info.nl@havells-sylvania.com

Norway

Oslo
T. +47 23 067470
F. +47 23 067471
info.no@havells-sylvania.com

Poland

Warsaw
T. +48 728 888 277
F. +48 22 811 60 33
info.pl@havells-sylvania.com

Portugal

Lisbon
T. +351 21 793 77 36/37
F. +351 21 793 77 38
info.pt@havells-sylvania.com

Romania / Bulgaria

Bucharest
T. +40 (0) 720 724 647
info.ro@havells-sylvania.com

Russia

Moscow
T. +7 495 935 70 48
F. +7 495 937 70 08
info.ru@havells-sylvania.com

Spain

Madrid
T. +34 91 669 90 00
F. +34 91 673 73 64
info.es@havells-sylvania.com

Sweden

Stockholm
T. +46 8 556 322 00
F. +46 8 556 322 10
info.se@havells-sylvania.com

Switzerland

Zurich
T. +41 44305 31 80
F. +41 44305 31 81
info.ch@havells-sylvania.com

Turkey

Istanbul
T. +90 216 594 54 70
F. +90 216 594 54 72
info.tr@havells-sylvania.com

UK

Newhaven
T. +44 870 606 2030
F. +44 1273 512 688
info.uk@havells-sylvania.com

MIDDLE EAST

United Arab Emirates

Dubai
T. +971 4 2998141
F. +971 4 2998142
info.ae@havells-sylvania.com

AFRICA

South Africa

Johannesburg
T. +27 (0)11 9582 338
F. +27 (0)11 9582 344
sales.sa@havells-sylvania.com

ASIA

China

Guangzhou
T. +86 20 3815 1138
F. +86 20 3869 7572
info.cn@havells-sylvania.com

India

Noida
T. +91 120 477 1000
F. +91 120 477 2000
marketing@havells.com

Malaysia

Kuala Lumpur
T. +603 2031 8788
F. +603 2031 4788
info.my@havells-sylvania.com

Thailand

Bangkok
T. +66 2656 9039
F. +66 2254 3369
info.th@havells-sylvania.com

Vietnam

Hanoi
T. +844 37 151 604
F. +844 37 151 605
info.vn@havells-sylvania.com

AMERICAS

Argentina, Paraguay, Uruguay

Buenos Aires
T. +54 11 4546 4200
F. +54 11 4546 4228
info.ar@havells-sylvania.com

Brazil

São Paulo
T. +55 11 3133 2400
F. +55 11 5521 3660
info.br@havells-sylvania.com

Caribbean

Honduras, Nicaragua

San José
T. +506 22 107 678
F. +506 22 328 723
info.cr@havells-sylvania.com

Chile

Santiago
T. +56 2 365 1767
F. +56 2 365 1772
info.cl@havells-sylvania.com

Colombia

Santafé de Bogota
T. +57 1 782 5200
F. +57 1 719 9621
info.co@havells-sylvania.com

Costa Rica

San José
T. +506 22 107 678
F. +506 22 200 338
sales@havells-sylvania.com

Ecuador

Quito
T. +593 2 328 4407
F. +593 2 281 0007
info.ec@havells-sylvania.com

El Salvador

San Salvador
T. +503 2239 2239
F. +503 2284 9670
info.sv@havells-sylvania.com

Guatemala

Guatemala City
T. +502 2387 5300
F. +502 2387 5301
info.gt@havells-sylvania.com

Mexico

Mexico D.F.
T. +52 55 5387 7670
F. +52 55 5387 7671
info.mx@havells-sli.com

Panama

Panama City
T. +507 236 1000
F. +507 236 1315
info.pa@havells-sylvania.com

USA

Atlanta, GA
T. +1 678 420 3700
F. +1 404 349 2434
www.havells-usa.com

Venezuela

Caracas
T. +58 212 381 0452
F. +58 212 381 0350
info.ve@havells-sylvania.com

Lumiance



STEG

A new angle on hospitality lighting

Information provided herein does not assure any quality features. Although every effort has been made to ensure accuracy in the compilation of technical information, specifications and performance are subject to change without notice. We expressly exclude liability for any such inaccuracies or errors to the fullest extent permitted by law.

Copyright Havells Sylvania June 2015

Steg – A new angle on hospitality lighting


Dynamic, contemporary and with infinite composition opportunities, Steg combines light functionality with beautiful design, to enable the creation of stunning light installations. With the careful attention given to the product's design it is possible to create unique lighting drama in any hospitality, retail or residential application.



Inspired by the faceted design trend and the extraordinary structures created by origami, Steg replicates this in its unique range of wall mounted, pendant, table and floor standing variants. Incorporating the Decor Hub light engine, Steg brings artistic creation to high quality LED lighting.

Steg Wall Mounted

Through its faceted design, the wall mounted version of Steg can be tessellated on a wall, creating bespoke light art installations. It delivers both direct and indirect light, from the base and the top of the luminaire, maximising the scheme’s visual impact. In addition, the Steg wall mounted luminaire has been designed in both left- and right-angled versions, so that uniquely mixed patterns can be created on any surface.



Features

Through its faceted design, it offers complete freedom to the end user through the ability to create infinite lighting features on a surface

- Start by specifying the desired LED Decor Hub and the equivalent sized Wall trim
- Direct/indirect lighting


- Available in 2 sizes:
 - Small (260mm) (lumen output equivalent to a 75W QT12 halogen or 18W CFL product)
 - Large (400mm) (lumen output equivalent to a 100W QT32 halogen or 2x18W CFL product)
- 1 standard body colour: matte white
- Custom colours available upon request – please consult your local salesforce for more information

Colour Options

* Colour available on request




Matte White




Pastel Blue*

Steg 260 Dimensions (mm)





Steg 260 Wall Trim Small Left Hand Side (LHS)




Steg 260 Wall Trim Small Right Hand Side (RHS)


Tessellation line diagrams




Steg 400 Dimensions (mm)



Steg 400 Wall Trim Large Left Hand Side (LHS)



Steg 400 Wall Trim Large Right Hand Side (RHS)




Wall Mounted Ordering Guide

Item	Description	Body size (mm)	Body colour	IP rating	Paired With	Colour Temperature (K)	Colour name	Energy class	Voltage (V)	Drive current (mA)	System power consumption (W)	Luminaire lumen output (lm)	Life (h)
3064601	Steg 260 Wall Trim LHS White	260	White RAL9016	20	Decor Hub Small	(order in addition to Decor Hub Small 2700K/4000K - see Decor Hub for technical details)							
3064600	Steg 260 Wall Trim RHS White	260	White RAL9016	20	Decor Hub Small	(order in addition to Decor Hub Small 2700K/4000K - see Decor Hub for technical details)							
3064603	Steg 400 Wall Trim LHS White	400	White RAL9016	20	Decor Hub Large	(order in addition to Decor Hub Large 2700K/4000K - see Decor Hub for technical details)							
3064602	Steg 400 Wall Trim RHS White	400	White RAL9016	20	Decor Hub Large	(order in addition to Decor Hub Large 2700K/4000K - see Decor Hub for technical details)							

Legend: LHS = Left Hand Side; RHS = Right Hand Side

The Decor Hub

Enabling designers to harness their artistic vision to design exciting light installations, Steg draws its design heritage from the faceted trend prevalent in modernist architecture. Beautifully engineered and simple to install, Steg compliments the existing Lumiance Hospitality offering. The Decor Hub LED light engine at Steg’s core, will also feature in other upcoming decorative models.




Features

- The Decor Hub is the core of the Steg Wall range
- The modular LED engine has multiple cable in points for tessellation of ‘Steg’ and other future wall mount Decor trims
- Interchangeable wall trims allow for a change in style
- Amber white (2,700K) or neutral white (4,000K) colour temperatures
- Direct / Indirect light source
- Available in 2 sizes:
 - Small Decor Hub (for 260mm wall trims)
 - Large Decor Hub (for 400mm wall trims)
- Available in non-dimmable as standard (1-10V analogue dimmable or DALI dimmable on request)
- Screw holes allow for easy adjusting on-site for perfect alignment
- Manufactured from robust polycarbonate mouldings
- IP20 (with trim)
- Ordered separately along with Steg Wall Mounted small or large trims





*Decor Hub Small
**Decor Hub Large

Decor Hub Small



Decor Hub Large



LED Decor Hub Module Ordering Guide

Item	Description	Body size (mm)	Body colour	IP rating	Paired With	Colour Temperature (K)	Colour name	Energy class	Voltage (V)	Drive current (mA)	System power consumption (W)	Luminaire lumen output (lm)	Life (h)
3064606	Decor Hub Small LED 2700K EB	177 x 138	-	20	Steg 260 Wall Trim	2,700	Amber white	A++, A+, A	220-240	700	2 x 5.5	565	50,000
3064604	Decor Hub Small LED 4000K EB	177 x 138	-	20	Steg 260 Wall Trim	4,000	Neutral white	A++, A+, A	220-240	700	2 x 5.5	631	50,000
3064607	Decor Hub Large LED 2700K EB	245 x 190	-	20	Steg 400 Wall Trim	2,700	Amber white	A++, A+, A	220-240	700	2 x 9	924	50,000
3064605	Decor Hub Large LED 4000K EB	245 x 190	-	20	Steg 400 Wall Trim	4,000	Neutral white	A++, A+, A	220-240	700	2 x 9	1,032	50,000

Legend: EB = Electronic Ballast

Steg Pendant

Its faceted design creating different shapes when hung from the top or base, the Decor Hub LED light engine encapsulated within ensures that direct and indirect light is shone spectacularly, no matter which way up it is positioned.



Features

- 400 version equivalent to a 2x18W direct/indirect CFL wall light
- 260 version equivalent to a 2x13W direct/indirect CFL wall light
- Twist to lock & tool removable ceiling rose
- Suspension height can be adjusted in the ceiling rose
- Supplied with 2m black cable
- Non-dimming as standard, can be offered as 1-10V dimmable/DALI on request
- Colour braided cables available on request for a contemporary aesthetic look
- Inverted version available on request
- Also available in wall mounted, table and floor lamp versions

50,000H

12W*

18W**

220V-240V

*Steg 260 Pendant
**Steg 400 Pendant

Colour Options

* Colour available on request




Matte White




Pastel Green*

Steg 260 Dimensions (mm)



Steg 400 Dimensions (mm)



Pendant Ordering Guide

Item	Description	Body size (mm)	Body colour	IP rating	Paired With	Colour Temperature (K)	Colour name	Energy class	Voltage (V)	Drive current (mA)	System power consumption (W)	Luminaire lumen output (lm)	Life (h)
3064612	Steg 260 Pendant 2700K EB WHT	260	White RAL9016	20	-	2,700	Amber white	A++,A+,A	220-240	700	2 x 5.5	565	50,000
3064613	Steg 260 Pendant 4000K EB WHT	260	White RAL9016	20	-	4,000	Neutral white	A++,A+,A	220-240	700	2 x 5.5	631	50,000
3064614	Steg 400 Pendant 2700K EB WHT	400	White RAL9016	20	-	2,700	Amber white	A++,A+,A	220-240	700	2 x 9	924	50,000
3064615	Steg 400 Pendant 4000K EB WHT	400	White RAL9016	20	-	4,000	Neutral white	A++,A+,A	220-240	700	2 x 9	1,032	50,000

Legend: EB = Electronic Ballast; WHT = White

Steg Table Lamp

A unique faceted design using the 260 wall trims and integrated Decor Hub LED light engine; the Steg Table Lamp is a modern addition to any interior that delivers both direct and indirect light.

The Steg Table Lamp compliments the Wall, Pendant and Floor range for lounge or dining areas, to provide a consistent design language throughout a scheme.



Features

- Equivalent to table luminaire using a 15W GLS 820lm lamp
- Based around the 260 wall trims
- Integrated dimming system as standard (on the neck of the product)
- UK and EU plug versions available
- Also available in wall mounted, pendant and floor lamp versions

50,000H

12W

220V-240V

DIMMABLE

IP20

Colour Options

* Colour available on request



Matte White



Pastel Green*



Dimensions (mm)




Table Lamp Ordering Guide

Item	Description	Body size (mm)	Body colour	IP rating	Paired With	Colour Temperature (K)	Colour name	Energy class	Voltage (V)	Drive current (mA)	System power consumption (W)	Luminaire lumen output (lm)	Life (h)
3064616	Steg 260 Table Lamp 2700K 1-10V WHT UK	260	White RAL9016	20	-	2,700	Amber white	A++, A+, A	220-240	700	2 x 5.5	565	50,000
3064617	Steg 260 Table Lamp 4000K 1-10V WHT UK	260	White RAL9016	20	-	4,000	Neutral white	A++, A+, A	220-240	700	2 x 5.5	631	50,000
3064608	Steg 260 Table Lamp 2700K 1-10V WHT EU	260	White RAL9016	20	-	2,700	Amber white	A++, A+, A	220-240	700	2 x 5.5	565	50,000
3064609	Steg 260 Table Lamp 4000K 1-10V WHT EU	260	White RAL9016	20	-	4,000	Neutral white	A++, A+, A	220-240	700	2 x 5.5	631	50,000

Legend: 1-10V = Analogue 1-10V dimmable; WHT = White; UK = UK plug; EU = EU plug

Steg Floor Lamp

Its unique faceted design and integrated Decor Hub LED light engine, that delivers both direct and indirect light, the Steg Floor Lamp is a dramatic modern addition to any interior.

Features


- Equivalent to a floor standing luminaire using a 23W E27 1,520lm lamp
- Based around the 400 wall trims
- Perfect for reading areas
- Integrated dimming system as standard (on the neck of the product)
- UK and EU plug versions available

50,000H

18W

220V-240V

Dimensions (mm)



Colour Options

* Colour available on request



Matte White



Pastel Blue*



Pastel Green*




Floor Lamp Ordering Guide

Item	Description	Body size (mm)	Body colour	IP rating	Paired With	Colour Temperature (K)	Colour name	Energy class	Voltage (V)	Drive current (mA)	System power consumption (W)	Luminaire lumen output (lm)	Life (h)
3064618	Steg 400 Floor Lamp 2700K 1-10V WHT UK	400	White RAL9016	20	-	2,700	Amber white	A++, A+, A	220-240	700	2 x 9	924	50,000
3064619	Steg 400 Floor Lamp 4000K 1-10V WHT UK	400	White RAL9016	20	-	4,000	Neutral white	A++, A+, A	220-240	700	2 x 9	1,032	50,000
3064610	Steg 400 Floor Lamp 2700K 1-10V WHT EU	400	White RAL9016	20	-	2,700	Amber white	A++, A+, A	220-240	700	2 x 9	924	50,000
3064611	Steg 400 Floor Lamp 4000K 1-10V WHT EU	400	White RAL9016	20	-	4,000	Neutral white	A++, A+, A	220-240	700	2 x 9	1,032	50,000

Legend: 1-10V = Analogue 1-10V dimmable; WHT = White; UK = UK plug; EU = EU plug

Endless Combinations



The Steg Family

