

POWER TOOLS 2021

Handheld Power Tools
Stationary Power Tools

The ATILA logo in a bold, yellow, stylized font with a registered trademark symbol (®) to the right.

Dá vida aos seus projetos

BMW i Motorsport
Official Main Partner





POWER X-CHANGE

Einhell – Main Partner of BMW i Motorsport	4
Power X-Change The Most Competent Battery System	6
Cordless Drills	10
Cordless Impact Drills	14
Cordless Drywall Screwdriver	15
Cordless Impact Drivers	16
Cordless Impact Wrench	16
Cordless Impact Drill	17
Cordless Rotary Hammers	18
Cordless Paint/Mortar Mixer	20
Cordless Angle Grinders	21
Cordless Planer	24
Cordless Jigsaws	25
Cordless Circular Saws	26
Cordless Mini Circular Saw	27
Cordless All Purpose Saws	28
Cordless Sliding Mitre Saw	29
Cordless Mitre Saw	30
Cordless Table Saw	31
Cordless Multifunctional Tools	32
Cordless Drywall Polisher	33
Cordless Orbital Sanders	34
Cordless Multi Sander	35

Cordless Rotating Sander	35
Cordless Polishing/Sanding Machine	36
Cordless Car Polishing Machine	36
Cordless Hot Glue Gun	37
Cordless Hot Air Gun	37
Cordless Nailer	37
Cordless Blower	38
Cordless Paint Spray System	38
USB Battery Adapter	39
Cordless Radio	39
Cordless Speaker	39
Cordless Lights	40
Accessories – Cases // Bag	41
System Cases E-Case	42
Cordless Wet and Dry Vacuum Cleaners	44
Cordless Handheld Vacuum Cleaner	45
Cordless Ash Vacuum Cleaner	46
Cordless Push Sweeper	47
6-in-1 Cordless Hybrid Compressor	48
Cordless Compressor	49
Accessories – Batteries // Chargers // Starter Kits	50
Kickscooter ELMOTO KICK	53
Power X-Change – The Battery Guide	54



HANDHELD POWER TOOLS

Screwing	59
Cordless Screwdrivers 3.6 V	59
Cordless Drills 12 V	59
Cordless Impact Drill 12 V	61
Cordless Impact Driver 12 V	61
Drywall Screwdriver	61
Drilling + Mixing	62
Impact Drills	62
Rotary Hammers 2 kg class	64
Rotary Hammers 5 kg class	66
Demolition Hammers	68
Paint/Mortar Mixers	70
Cutting	72
Angle Grinders 230 mm	72
Angle Grinders 125 mm	72
Angle Grinders 115 mm	73
Milling + Planing	74
Wall Liner	74
Biscuit Jointer	74
Routers	75
Planers	75
Sawing	76
Jigsaws	76
Circular Saws	77
Plunge Cut Saw	78
Mini Circular Saw	78
All Purpose Saws	79

Multifunctional Tools	80
Cordless Multifunctional Tool	81
Grinding / Sanding	82
Cordless Grinding and Engraving Tool	82
Grinding and Engraving Tool	82
Orbital Sanders	83
Band Sanders	83
Delta Sanders	84
Multi Sanders	84
Rotating Sanders	85
Wall Processing System	86
Drywall Polishers	87
Electric Paint Spray Systems	88
Electric Paint Spray Systems (semi-stationary)	89
Electric Paint Spray Systems (spray gun)	89
More Power Tools	90
Hot Glue Gun	90
Cordless Hot Glue Gun	90
Electric Tacker	90
Cordless Tacker	90
Hot Air Guns	91
Laser + Detector Technology	92
360° Cross Laser Level	92
Cross Laser Level	93
Laser Distance Meters	94
Laser Levelling	95
Digital Detector	95



STATIONARY POWER TOOLS

Woodworking	98
Sliding Mitre Saws	99
Mitre Saws	101
Mitre Saws with Upper Table	101
Table Saws with Base Frame	103
Table Saws	105
Stationary Planer	106
Scroll Saw	106
Band Saws	107
Woodworking Lathe	108
Vacuum Extraction System	108
Cleaning Systems	109
Wet and Dry Vacuum Cleaners	110
Ash Vacuum Cleaners	113
High Pressure Cleaners	115
Compressed Air Technology	116
Silent Air Compressors	117
Belt-driven Compressor	118
Oil-lubricated Compressors	118
Oil-free Compressors	120
Air Tools	122
Stone and Tile Cutting	124
Stone Cutting Machines	124
Tile Cutting Machines	125

Stationary Drilling	126
Bench Drills	128
Stationary Grinding	129
Bench Grinders	129
Wet Grinder	130
Wet-Dry Grinder	130
Stationary Belt-Disc Sanders	131
Metalworking	131
Metal Cutting Saw	131
Hoisting	132
Electric Hoists	132
Chain Hoist	133
Hoist Lever Arm	133
Hand Lever Hoists	134
Hand Rope Winches	134
Workshop Equipment	135
Pallet Truck	135
Work Bench	135
Tool and Gear Waggon	135
Power Generating	136
Inverter Generators (Petrol)	136
Power Generators (Petrol)	137
Accessories	138
Accessories – Handheld Power Tools	138
Accessories – Stationary Power Tools	147

Sales Support	162
----------------------	------------

Service	164
----------------	------------

BMW i Motorsport
Official Main Partner



Einhell Germany AG is
the Official Main Partner
of BMW i Motorsport –
see pages 4 and 5 for
further information.

THE EINHELL GUARANTEE PROMISE.

We develop our products so that you can make everything possible. Our priority here is functionality, safety and quality. That is our promise and this is backed up by our guarantees too.

- **30 Day Money-Back Guarantee**
For 100% satisfaction with your Power X-Change device.
- **Power X-Change Battery Warranty**
Warranty extension for Power X-Change batteries to 2 years.
- **Einhell 2+1 Product Warranty**
Warranty extension for all Einhell products to a total of 3 years.



THIS IS HOW:

Find out more at einhell.de,
register in your customer account
and apply for the warranty.
Further information is available at
www.einhell.de/warranties

einhell.de
>>>

EINHELL AND BMW i MOTORSPORT. ENABLING THE FUTURE NOW.

EINHELL IS MAIN PARTNER OF BMW i MOTORSPORT. INTO THE FUTURE WITH BATTERY POWER.

Since the 2018/19 season we present ourselves as a proud Main Partner of BMW i Motorsport in the ABB FIA Formula E Championship. The performance, endurance and durability figures are key factors for BMW i Motorsport when it comes to electromobility, but they are just as decisive for Einhell's cordless tools. With this partnership, we want to become even better for our customers and secure the pole position in terms of battery expertise in the DIY sector.



"Performance, endurance and durability: These are criteria that the batteries in Formula E racing cars have to meet and which also apply to our cordless tools. In cooperation with BMW i Motorsport as part of Formula E, we found the perfect platform to present ourselves as an innovative technology leader in the field of battery-operated tools and garden tools."

Andreas Kroiss, CEO of Einhell Germany AG

EINHELL AND FORMULA E. BATTERY EXPERTISE FOR FREEDOM OF CORDLESS OPERATION.

Since the beginning of the partnership, the BMW i Andretti Motorsport mechanics have relied on the cordless freedom of Einhell's Power X-Change products in their racing garage. This is where our cordless machines have proven themselves daily under the toughest of conditions. After all, performance, endurance, durability and innovation are considered the cornerstones of Formula E, but they are just as decisive for the refinement of Einhell's battery technology.

ADVANTAGES OF THE COLLABORATION. EINHELL AND ITS CUSTOMERS BENEFIT FROM WIDE COVERAGE.

- Perfect match of e-mobility and the Einhell Power X-Change rechargeable battery platform: Innovations that make the future possible
- Wide coverage thanks to the continuous growth in popularity of Formula E
- Additional multiplier effect thanks to the communication of BMW and other cooperation partners
- Growth in international awareness: worldwide staging of the races in the heart of world-famous metropolises



BMW i Andretti Motorsport driver
Maximilian Günther



E-Prix Marrakesh 2020



Roger Griffiths, Team Principal of BMW i Andretti Motorsport,
in conversation with Andreas Kroiss, CEO of Einhell Germany AG

BMW i Motorsport
Official Main Partner





CORDLESS FREEDOM. FOR TOOL AND GARDEN.

At last – no more too short or severed cables.

When you have no longer to worry about extension cables that are too short or sufficient sockets. When the device comes to the project instead of the other way round. When you simply insert the battery and are ready to go, whether it is a lawn mower, garden pump, rotary hammer or wet and dry vacuum cleaner. Than that is the feeling of cordless freedom.



LATEST TECHNOLOGY. PROVEN QUALITY.

So you can enjoy using your machine for a very long time.

The Power X-Change batteries are the centerpiece of the platform. That is why we use only the best components such as high-performance Li-Ion cells and our intelligent ABS battery electronics in the batteries. This makes our PXC battery one of the safest in the industry and ensures efficiency, reliability and durability. Stiftung Warentest (11/2020 issue) confirmed its quality in a comparison test with eight batteries from eight different battery platforms. The 2.0 Ah battery from the Power X-Change battery system from Einhell beat off stiff competition to emerge as test winner.



POWERFUL MACHINES. LONG-LASTING BATTERIES.

No matter how large your project – Power X-Change won't let you down.

Less power? No way! As a battery system for real enablers, our cordless machines offer up to 2700 Watt of battery power and 6 Ah of capacity, making them easily a match for corded machines! Whether you just want to hang a shelf or drill through a solid concrete wall, with Power X-Change you are equipped to meet any challenge with power and endurance.



1 BATTERY. 1000 POSSIBILITIES. FOR DIY ENTHUSIASTS AND HOBBY GARDENERS.

Just as versatile as you: Battery power for every situation.

Power X-Change is the first rechargeable battery system that provides hobby gardeners and DIY enthusiasts alike with an unrivaled selection of cordless tools. The PXC family already contains over 200 devices – and the number is constantly rising. Thanks to the versatile Power X-Change system, for instance, the electric kick scooter from GOVECS is "powered by Power X-Change".



ACTIVE BATTERY MANAGEMENT SYSTEM. INTELLIGENT ELECTRONIC CONTROL SYSTEM.

The computer-assisted Active Battery Management System permanently monitors and controls all the safety-related processes of the electrical components and associated hardware. This results in a whole range of advantages:

- MAXIMISED RUNNING TIMES
- OPTIMISED TOOL POWER
- LONGER BATTERY SERVICE LIFE
- INCREASED SAFETY



TWIN-PACK® TECHNOLOGY. 18 V + 18 V = 36 V.

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate 18 V + 18 V = 36 V. We call that Twin-Pack® Technology.


If the voltage (V) gets doubled, the power (W) gets doubled, too. Double Twin-Pack Technology in turn makes it possible to work for even longer still without the nuisance of recharging. In this case, four rechargeable batteries are used. When the power of the first two batteries finally runs out, the system automatically switches over to the two additional batteries.



POWER X-CHANGE PLUS. THE PLUS IN POWER.

Rechargeable batteries vary not just in terms of running time and weight. What is also critically important is the power that they provide. Power X-Change PLUS Technology makes more power available from the same number of cells, so that you can work with plenty of power even on challenging applications as well.

If, for example, you want to use your angle grinder for cutting work, the running time (see Ah rating) is generally not critical. Sufficient power, on the other hand, is. A car is a useful comparison. Uphill or when overtaking, more power, in other words more hp respectively kW, is needed.



BRUSHLESS ENERGY – MORE EFFICIENT WORK.

Various Power X-Change devices are equipped with brushless motors. They offer significant advantages compared to carbon brush motors:

- MORE POWER
- LONGER RUNNING TIMES
- LONGER SERVICE LIFE
- MORE COMPACT DESIGN
- MAINTENANCE-FREE



25%
+ more power*

50%
+ more operating time*

100%
+ more service life*

* Approximate values in comparison to conventional carbon brush motors

BATTERY EXPERTISE. CONVINCING. AGAIN AND AGAIN.



"We are incredibly proud to have done so well in a race with the very top competitors and to have been able to demonstrate our battery expertise so clearly. We are battery test winners."

Andreas Kroiss, CEO Einhell Germany AG

WE ARE TEST WINNERS. BY STIFTUNG WARENTEST.



And the test winner is ... Einhell! In the comparison test performed by Stiftung Warentest (11/2020 issue) covering eight batteries from eight different battery platforms, the 2.0 Ah battery from Einhell's Power X-Change battery system beat off stiff competition. Our battery put in a convincing performance when it came to durability, handling and safety. Having already achieved top marks with Power X-Change machines in previous



Stiftung Warentest comparisons, we are all the more delighted that one of the batteries we have spent so much time developing and refining came out of the test on top. This confirms the decision we took years ago to bundle our expertise in the battery technology sector in order to continue expanding the leading role of our Power X-Change battery system.

POWER X-CHANGE RANGE

POWER X-CHANGE



CORDLESS DRILLS 18 V

QUICK STOP-FUNCTION

enables tools to be changed quickly and easily

METAL DRILL CHUCK WITH LOCK FUNCTION

Safe fixation of the drill bit

INTEGRATED LED

Well illuminated work area even in poor lighting conditions

Cordless Drill
TE-CD 18 Li Brushless

POWER X-CHANGE LITHIUM-ION BATTERY

The rechargeable battery can be used in all the devices from the Power X-Change family

2-SPEED METAL GEAR BOX

The 2-speed metal gear box delivers plenty of power in the low speed range for screwdriving work and high speeds for fast drilling

ADDITIONAL HANDLE

Comfortable working and less strain on the joints during operation

BRUSHLESS MOTOR

More power and prolonged operation



BELT CLIP

The driver can be kept securely on the belt even in difficult working positions

CORDLESS DRILLS 18 V



	TE-CD 18 Li Brushless - Solo	TE-CD 18 Li Brushless (2x 2.0 Ah)
	EXPERT PLUS	EXPERT PLUS
PXC battery voltage / capacity	18 V / -	18 V / 2.0 Ah
Charging time	-	40 min
Idle speed	0 - 500 / 0 - 1800 min ⁻¹	0 - 500 / 0 - 1800 min ⁻¹
Torque (hard)	60 Nm	60 Nm
Torque settings	19+1	19+1
Drill chuck	13 mm	13 mm
Product weight	1.3 kg (excl. battery)	1.7 kg (incl. battery)
Brushless motor	•	•
Metal drill chuck	•	•
Metal gear box	•	•
Quick stop	•	•
LED	•	•
Belt clip	•	•
Bit box	-	-
Number of batteries / chargers	0 / 0	2 / 1x Power X-Charger 3 A
Additional handle	•	•
Packaging	Colour box	E-Box
Article number	45.138.50	45.138.51



CORDLESS DRILLS 18 V



	TE-CD 18/50 Li Brushless - Solo EXPERT PLUS	TE-CD 18/50 Li Brushless (2x 2.0 Ah) EXPERT PLUS
PXC battery voltage / capacity	18 V / –	18 V / 2.0 Ah
Charging time	–	40 min
Idle speed	0 - 500 / 0 - 1800 min ⁻¹	0 - 500 / 0 - 1800 min ⁻¹
Torque (hard)	50 Nm	50 Nm
Torque settings	19+1	19+1
Drill chuck	13 mm	13 mm
Product weight	1.2 kg (excl. battery)	1.6 kg (incl. battery)
Brushless motor	•	•
Metal drill chuck	•	•
Metal gear box	•	•
Quick stop	•	•
LED	•	•
Belt clip	•	•
Bit box	–	–
Number of batteries / chargers	0 / 0	2 / 1x Power X-Charger 3 A
Additional handle	–	–
Packaging	Colour box	E-Box Basic
Article number	45.138.87	45.138.96



4 006825 644838



4 006825 649345

CORDLESS DRILLS 18 V



	TE-CD 18/40 Li BL - Solo EXPERT	NEW	TE-CD 18/40 Li BL (2x 2.0 Ah) EXPERT	NEW
PXC battery voltage / capacity	18 V / –		18 V / 2.0 Ah	
Charging time	–		40 min	
Idle speed	0 - 350 / 0 - 1450 min ⁻¹		0 - 350 / 0 - 1450 min ⁻¹	
Torque (hard)	40 Nm		40 Nm	
Torque settings	20+1		20+1	
Drill chuck	10 mm		10 mm	
Product weight	0.8 kg (excl. battery)		1.2 kg (incl. battery)	
Brushless motor	•		•	
Metal drill chuck	–		–	
Metal gear box	•		•	
Quick stop	•		•	
LED	•		•	
Belt clip	–		–	
Bit box	–		–	
Number of batteries / chargers	0 / 0		2 / 1x Power X-Charger 3 A	
Additional handle	–		–	
Packaging	Colour box		E-Box Basic	
Article number	45.139.97		45.139.95	



4 006825 658422



4 006825 655827

CORDLESS DRILLS 18 V



	TE-CD 18 Li E - Solo EXPERT PLUS
PXC battery voltage / capacity	18 V / -
Charging time	-
Idle speed	0 - 400 / 0 - 1400 min ⁻¹
Torque (hard)	47 Nm
Torque settings	8+1
Drill chuck	13 mm
Product weight	1.1 kg (excl. battery)
Brushless motor	-
Metal drill chuck	-
Metal gear box	•
Quick stop	•
LED	•
Belt clip	•
Bit box	-
Number of batteries / chargers	0 / 0
Additional handle	-
Packaging	Colour box
Article number	45.138.70



CORDLESS DRILLS 18 V



	TE-CD 18/40 Li - Solo EXPERT	TE-CD 18/40-1 Li (2x 1.5 Ah) EXPERT
PXC battery voltage / capacity	18 V / -	18 V / 1.5 Ah
Charging time	-	30 min
Idle speed	0 - 400 / 0 - 1500 min ⁻¹	0 - 400 / 0 - 1500 min ⁻¹
Torque (hard)	40 Nm	40 Nm
Torque settings	20+1	20+1
Drill chuck	13 mm	13 mm
Product weight	1.1 kg (excl. battery)	1.5 kg (incl. battery)
Brushless motor	-	-
Metal drill chuck	-	-
Metal gear box	•	•
Quick stop	•	•
LED	•	•
Belt clip	•	•
Bit box	-	-
Number of batteries / chargers	0 / 0	2 / 1x Power X-Charger 3 A
Additional handle	-	-
Packaging	Colour box	Case
Article number	45.139.25	45.139.39



CORDLESS DRILLS 18 V

EXTENSIVE
ACCESSORY

	TE-CD 18/40 Li +69 (2x 2.0 Ah) EXPERT	NEW	TE-CD 18/40 Li +69 (1x 2.5 Ah) EXPERT	NEW
PXC battery voltage / capacity	18 V / 2.0 Ah		18 V / 2.5 Ah	
Charging time	40 min		50 min	
Idle speed	0 - 400 / 0 - 1500 min ⁻¹		0 - 400 / 0 - 1500 min ⁻¹	
Torque (hard)	40 Nm		40 Nm	
Torque settings	20+1		20+1	
Drill chuck	13 mm		13 mm	
Product weight	1.5 kg (incl. battery)		1.5 kg (incl. battery)	
Brushless motor	-		-	
Metal drill chuck	-		-	
Metal gear box	•		•	
Quick stop	•		•	
LED	•		•	
Belt clip	•		•	
Bit box	•		•	
Number of batteries / chargers	2 / 1x Power X-Charger 3 A		1 / 1x Power X-Charger 3 A	
Additional handle	-		-	
Packaging	Robust case with several compartments for accessories		Robust case with several compartments for accessories	
Article number	45.139.34		45.139.55	



CORDLESS DRILLS 18 V

DRILL+
SCREW

	TE-CD 18/2 Li Kit (2x 1.5 Ah) EXPERT PLUS	TC-CD 18/35 Li - Solo CLASSIC	TC-CD 18/35 Li (1x 1.5 Ah) CLASSIC
PXC battery voltage / capacity	18 V / 1.5 Ah	18 V / -	18 V / 1.5 Ah
Charging time	30 min	-	30 min
Idle speed	0 - 350 / 0 - 1250 min ⁻¹	0 - 550 min ⁻¹	0 - 550 min ⁻¹
Torque (hard)	44 Nm	35 Nm	35 Nm
Torque settings	20+1	20+1	20+1
Drill chuck	10 mm	10 mm	10 mm
Product weight	1.4 kg (incl. battery)	1.0 kg (excl. battery)	1.3 kg (incl. battery)
Brushless motor	-	-	-
Metal drill chuck	-	-	-
Metal gear box	•	•	•
Quick stop	•	•	•
LED	•	•	•
Belt clip	•	-	-
Bit box	-	-	-
Number of batteries / chargers	2 / 1x Power X-Charger 3 A	0 / 0	1 / 1x Power X-Charger 3 A
Additional handle	-	-	-
Packaging	Case	Colour box	Colour box
Article number	45.138.30	45.139.27	45.139.14



CORDLESS IMPACT DRILLS 18 V



	TE-CD 18 Li-i Brushless - Solo EXPERT PLUS	TE-CD 18 Li-i Brushless (2x 2.0 Ah) EXPERT PLUS
PXC battery voltage / capacity	18 V / -	18 V / 2.0 Ah
Charging time	-	40 min
Idle speed	0 - 500 / 0 - 1800 min ⁻¹	0 - 500 / 0 - 1800 min ⁻¹
Blow rate	0 - 8000 / 0 - 28800 min ⁻¹	0 - 8000 / 0 - 28800 min ⁻¹
Torque (hard)	60 Nm	60 Nm
Torque settings	20+1+1	20+1+1
Drill chuck	13 mm	13 mm
Product weight	1.3 kg (excl. battery)	1.7 kg (incl. battery)
Brushless motor	•	•
Metal drill chuck	•	•
Metal gear box	•	•
Quick stop	•	•
LED	•	•
Number of batteries / chargers	0 / 0	2 / 1x Power X-Charger 3 A
Additional handle	•	•
Packaging	Colour box	E-Box
Article number	45.138.60	45.138.61



4 006825 612417



4 006825 614374

CORDLESS IMPACT DRILLS 18 V



	TE-CD 18/50 Li-i Brushless - Solo EXPERT PLUS	TE-CD 18/50 Li-i Brushless (2x 2.0 Ah) EXPERT PLUS
PXC battery voltage / capacity	18 V / -	18 V / 2.0 Ah
Charging time	-	40 min
Idle speed	0 - 500 / 0 - 1800 min ⁻¹	0 - 500 / 0 - 1800 min ⁻¹
Blow rate	0 - 8000 / 0 - 28800 min ⁻¹	0 - 8000 / 0 - 28800 min ⁻¹
Torque (hard)	50 Nm	50 Nm
Torque settings	20+1+1	20+1+1
Drill chuck	13 mm	13 mm
Product weight	1.2 kg (excl. battery)	1.6 kg (incl. battery)
Brushless motor	•	•
Metal drill chuck	•	•
Metal gear box	•	•
Quick stop	•	•
LED	•	•
Number of batteries / chargers	0 / 0	2 / 1x Power X-Charger 3 A
Additional handle	-	-
Packaging	Colour box	E-Box Basic
Article number	45.139.42	45.139.40



4 006825 644265



4 006825 642483

CORDLESS IMPACT DRILLS 18 V

48 Nm
HIGH
POWER



	TE-CD 18/48 Li-i - Solo	TE-CD 18/48 Li-i (2x 2.0 Ah)
	EXPERT	EXPERT
PXC battery voltage / capacity	18 V / –	18 V / 2.0 Ah
Charging time	–	40 min
Idle speed	0 - 400 / 0 - 1500 min ⁻¹	0 - 400 / 0 - 1500 min ⁻¹
Blow rate	0 - 6400 / 0 - 24000 min ⁻¹	0 - 6400 / 0 - 24000 min ⁻¹
Torque (hard)	48 Nm	48 Nm
Torque settings	21+1+1	21+1+1
Drill chuck	13 mm	13 mm
Product weight	1.3 kg (excl. battery)	1.7 kg (incl. battery)
Brushless motor	–	–
Metal drill chuck	•	•
Metal gear box	•	•
Quick stop	•	•
LED	•	•
Number of batteries / chargers	0 / 0	2 / 1x Power X-Charger 3 A
Additional handle	•	•
Packaging	Colour box	E-Box Basic
Article number	45.139.26	45.139.35



CORDLESS DRYWALL SCREWDRIVER 18 V



	TE-DY 18 Li - Solo
	EXPERT
PXC battery voltage / capacity	18 V / –
Idle speed	0 - 4000 min ⁻¹
Torque (soft)	6 Nm
Bit mount	Internal hexagon 6.35 mm (1/4")
Product weight	0.9 kg (excl. battery)
Adjustment without tools (depth)	•
Speed control electronics	•
Continuous operation setting	•
Soft grip	•
LED	•
Belt clip	•
Number of batteries / chargers	0 / 0
Accessories	1x bit type PH2 S2
Packaging	E-Box
Article number	42.599.80



CORDLESS IMPACT DRIVERS 18 V

**180 Nm /
140 Nm
HIGH
POWER**



	TE-CI 18 Li Brushless - Solo EXPERT PLUS	TE-CI 18/1 Li - Solo EXPERT PLUS
PXC battery voltage / capacity	18 V / -	18 V / -
Charging time	-	-
Idle speed	0 - 2900 min ⁻¹	0 - 2300 min ⁻¹
Torque (hard)	180 Nm	140 Nm
Bit mount	Internal hexagon 6.35 mm (1/4")	Internal hexagon 6.35 mm (1/4")
Product weight	1.1 kg (excl. battery)	1.2 kg (excl. battery)
Brushless motor	•	-
LED	•	•
Metal gear box	•	•
Electronic speed control	•	•
Belt clip	•	•
Number of batteries / chargers	0 / 0	0 / 0
Bit adapter	-	-
Packaging	Colour box	Colour box
Article number	45.100.30	45.100.34



4 006825 613971



4 006825 618907

CORDLESS IMPACT WRENCH 18 V

**215 Nm
HIGH
POWER**



	TE-CW 18 Li Brushless - Solo EXPERT PLUS
PXC battery voltage / capacity	18 V / -
Charging time	-
Idle speed	0 - 2900 min ⁻¹
Torque (hard)	215 Nm
Bit mount	12.5 mm (1/2") external square drive mount
Product weight	1.1 kg (excl. battery)
Brushless motor	•
LED	•
Metal gear box	•
Electronic speed control	•
Belt clip	•
Number of batteries / chargers	0 / 0
Bit adapter	•
Packaging	Colour box
Article number	45.100.40



4 006825 616323

CORDLESS IMPACT DRILL



	TC-ID 18 Li - Solo CLASSIC
PXC battery voltage / capacity	18 V / –
Charging time	–
Idle speed / blow rate	0 - 2600 min ⁻¹ / 0 - 41600 min ⁻¹
Drilling capacity, wood	25 mm
Drilling capacity, cement	13 mm
Drilling capacity, steel	10 mm
Drill chuck	13 mm
Product weight	1.6 kg (excl. battery)
Speed control electronics	•
Soft grip	•
Number of batteries / chargers	0 / 0
Additional handle	•
Metal depth stop	•
Packaging	Colour box
Article number	45.139.60



CORDLESS ROTARY HAMMERS

Cordless Rotary Hammer
HEROCCO 36/28



ANTI-VIBRATION

Comfortable to work with thanks to vibration-absorbing main handle

ELECTRONIC SPEED CONTROL

The right speed for every application

4 FUNCTIONS

Drilling, screwing, impact drilling, chiselling with fixation

PNEUMATIC HAMMER MECHANISM

Only slight pressure needs to be applied to achieve high impact force

POWER X-CHANGE LITHIUM-IONEN-AKKU / TWIN-PACK TECHNOLOGY

The rechargeable battery can be used in all the devices from the Power X-Change family – using 2x 18 V Power X-Change rechargeable batteries delivers even more power

INTEGRATED LED

Well illuminated work area even in poor lighting conditions

CORDLESS ROTARY HAMMER 36 V

TWIN-PACK®

18V 18V 36V

TECHNOLOGY



BRUSHLESS ENERGY

BRUSHLESS MOTOR

More power and prolonged operation



	HEROCCO 36/28 EXPERT PLUS	NEW
PXC battery voltage / capacity	2x 18 V / -	
Charging time	-	
Idle speed / blow rate / impact force	0 - 1100 min ⁻¹ / 0 - 5300 min ⁻¹ / 3.2 J	
Drilling capacity, cement	28 mm	
Drill chuck	SDS-plus	
Product weight	3.4 kg (excl. battery)	
Brushless motor	•	
Speed control electronics	•	
Vibration-cushioned main handle	•	
Overload safety stop	•	
Pneumatic impact mechanism	•	
Functions	4	
LED	•	
Automatic lock	•	
Soft grip	•	
Number of batteries / chargers	0 / 0	
Additional handle	•	
Metal depth stop	•	
Accessories	-	
Packaging	E-Box	
Article number	45.139.50	

HEROCCO



4 006825 645606

CORDLESS ROTARY HAMMERS 18 V

**INCL.
BIT
ADAPTER**



	HEROCO EXPERT PLUS	TE-HD 18/12 Li - Solo EXPERT NEW
PXC battery voltage / capacity	18 V / -	18 V / -
Charging time	-	-
Idle speed / blow rate / impact force	0 - 1200 min ⁻¹ / 0 - 5500 min ⁻¹ / 2.2 J	0 - 1300 min ⁻¹ / 0 - 6000 min ⁻¹ / 1.3 J
Drilling capacity, cement	20 mm	12 mm
Drill chuck	SDS-plus	SDS-plus
Product weight	2.1 kg (excl. battery)	1.5 kg (excl. battery)
Brushless motor	•	-
Speed control electronics	•	•
Vibration-cushioned main handle	•	-
Overload safety stop	•	•
Pneumatic impact mechanism	•	•
Functions	4+1	2+1
LED	•	•
Automatic lock	•	•
Soft grip	•	•
Number of batteries / chargers	0 / 0	0 / 0
Additional handle	•	-
Metal depth stop	•	-
Accessories	1 magnetic bit adapter	1 magnetic bit adapter
Packaging	E-Box	Colour box
Article number	45.139.00	45.139.70



4 006825 630343



4 006825 647778



CORDLESS PAINT/MORTAR MIXER

POWER X-CHANGE LITHIUM-ION BATTERY

The rechargeable battery can be used in all the devices from the Power X-Change family

SOFT START FUNCTION

The soft start function ensures that the stirring action starts up slowly – with zero splashing or whirled up powder

SPEED ELECTRONICS

for adjustment to each particular material and application

ERGONOMICALLY SHAPED HANDLE


The ergonomically shaped handle makes the tool comfortable to work with and provides a firm grip

ALUMINIUM GEAR HOUSING

The light and yet robust aluminium gear housing is designed to last

STIRRER MOUNT

The robust stirrer mount has an M14 thread



Cordless Paint/Mortar Mixer
TE-MX 18 Li

CORDLESS PAINT/MORTAR MIXER



	TE-MX 18 Li - Solo EXPERT
PXC battery voltage / capacity	18 V / -
Charging time	-
Idle speed	0 - 620 min ⁻¹
Stirrer mount	M14
Product weight	1.9 kg (excl. stirrer)
Speed control electronics	•
Soft start	•
Soft grip	•
Number of batteries / chargers	0 / 0
Accessories	1 mortar stirrer (Ø 100 mm)
Packaging	Colour box
Article number	42.587.60



CORDLESS ANGLE GRINDERS

SLIMLINE DESIGN AND SOFT GRIP SURFACES

for safe and comfortable operation

OVERLOAD CUT-OUT

Protects the high-quality components and ensures long operation

SOFT START FUNCTION AND RESTART SAFEGUARD

Provide even more safety for the user

Cordless Angle Grinder
AXXIO

SPINDLE LOCK

Easy and quick disc change

ALUMINIUM GEAR HOUSING

The light and yet robust aluminium gear housing is designed to last

POWER X-CHANGE LITHIUM-ION BATTERY

The rechargeable battery can be used in all the devices from the Power X-Change family

ADDITIONAL HANDLE

Can be fitted in 2 different positions – for both left-handed and right-handed users

DISC GUARD WITH QUICK ADJUST FACILITY

Quick adjustment to the working position without any tools

BRUSHLESS MOTOR

More power and prolonged operation

AXXIO

**BRUSHLESS
ENERGY**
Einhell



CORDLESS ANGLE GRINDER 150 MM



	TE-AG 18/150 Li BL - Solo EXPERT PLUS
PXC battery voltage / capacity	18 V / -
Charging time	-
Idle speed	8500 min ⁻¹
Wheel diameter	150 mm
Max. cutting depth	40 mm
Product weight	1.5 kg (excl. battery)
Brushless motor	•
Soft start	•
Restart safeguard	•
Overload cut-out	•
Disc guard with quick adjust facility	•
Spindle Lock	•
Soft grip	•
Additional handle	can be mounted in 2 positions
Number of batteries / chargers	0 / 0
Accessories	1 cutting wheel, 1 cutting wheel guard, 1 face spanner
Packaging	Colour box
Article number	44.311.44



CORDLESS ANGLE GRINDERS 125 MM



	AXXIO EXPERT PLUS	AXXIO 18/125 Q EXPERT PLUS NEW
PXC battery voltage / capacity	18 V / -	18 V / -
Charging time	-	-
Idle speed	8500 min ⁻¹	8500 min ⁻¹
Wheel diameter	125 mm	125 mm
Max. cutting depth	33 mm	33 mm
Product weight	1.4 kg (excl. battery)	1.2 kg (excl. battery)
Brushless motor	•	•
Soft start	•	•
Restart safeguard	•	•
Overload cut-out	•	•
Disc guard with quick adjust facility	•	•
Spindle Lock	•	•
Soft grip	•	•
Additional handle	can be mounted in 2 positions	can be mounted in 2 positions
Number of batteries / chargers	0 / 0	0 / 0
Accessories	Face spanner	Quick fix nut
Packaging	Colour box	Colour box
Article number	44.311.40	44.311.51



CORDLESS ANGLE GRINDERS 115 MM



	AXXIO 18/115 Q EXPERT PLUS	NEW	TE-AG 18/115 Li - Solo EXPERT PLUS
PXC battery voltage / capacity	18 V / –		18 V / –
Charging time	–		–
Idle speed	8500 min ⁻¹		8500 min ⁻¹
Wheel diameter	115 mm		115 mm
Max. cutting depth	28 mm		28 mm
Product weight	1.2 kg (excl. battery)		1.2 kg (excl. battery)
Brushless motor	•		–
Soft start	•		•
Restart safeguard	•		•
Overload cut-out	•		•
Disc guard with quick adjust facility	•		•
Spindle Lock	•		•
Soft grip	•		•
Additional handle	can be mounted in 2 positions		can be mounted in 3 positions
Number of batteries / chargers	0 / 0		0 / 0
Accessories	Quick fix nut		Face spanner
Packaging	Colour box		Colour box
Article number	44.311.50		44.311.10



4 006825 642698



4 006825 602593

CORDLESS ANGLE GRINDERS 115 MM



	TE-AG 18/115 Li - Solo Acc EXPERT	NEW	TC-AG 18/115 Li - Solo CLASSIC
PXC battery voltage / capacity	18 V / –		18 V / –
Charging time	–		–
Idle speed	8500 min ⁻¹		8500 min ⁻¹
Wheel diameter	115 mm		115 mm
Max. cutting depth	28 mm		28 mm
Product weight	1.2 kg (excl. battery)		1.2 kg (excl. battery)
Brushless motor	–		–
Soft start	•		•
Restart safeguard	•		•
Overload cut-out	•		•
Disc guard with quick adjust facility	•		–
Spindle Lock	•		•
Soft grip	•		•
Additional handle	can be mounted in 3 positions		can be mounted in 3 positions
Number of batteries / chargers	0 / 0		0 / 0
Accessories	1 cutting wheel, 1 grinding wheel, 1 cutting wheel guard, 1 face spanner		Face spanner
Packaging	E-Box Basic		Colour box
Article number	44.311.23		44.311.30



4 006825 642322



4 006825 628746

CORDLESS PLANER

POWER X-CHANGE

LITHIUM-ION BATTERY

The rechargeable battery can be used in all the devices from the Power X-Change family

CHIP DEPTH UP TO 2 MM

for a wide range of applications

Cordless Planer
TE-PL 18/82 Li

AUTOMATIC PARK REST

Provides stability and protects the tool against undesirable damage

INCL. TCT PLANING BLADE

for excellent surface quality

ALUMINIUM SOLE PLATE WITH V GROOVE

for easy chamfering of edges

CORDLESS PLANER



	TE-PL 18/82 Li - Solo EXPERT
PXC battery voltage / capacity	18 V / -
Charging time	-
Idle speed	15000 min ⁻¹
Planing width	82 mm
Chip depth	2 mm
Rebate depth	8 mm
Product weight	2.4 kg (excl. battery)
Soft grip	•
Automatic blade protector	•
Aluminium sole plates	•
V grooves	1
Chip ejection	on one side
Number of batteries / chargers	0 / 0
Parallel stop	•
Rebate depth stop	•
Planing blades (reversible blades)	1 pair TCT
Packaging	Colour box
Article number	43.454.00



CORDLESS JIGSAWS



	TE-JS 18 Li - Solo EXPERT PLUS	TC-JS 18 Li - Solo CLASSIC
PXC battery voltage / capacity	18 V / –	18 V / –
Charging time	–	–
Stroke speed	0 - 2400 min ⁻¹	0 - 2700 min ⁻¹
Cutting depth (wood/plastic/steel)	80 / 12 / 10 mm	70 / 10 / 8 mm
Product weight	1.8 kg (excl. battery)	1.8 kg (excl. battery)
Universal blade holder	•	–
Pendulum action	4 settings	4 settings
Cutting angle adjustment without tools	•	–
Blade change without tools	•	•
Vacuum cleaner connection	•	•
LED	•	–
Dust-blower function	•	•
Cutting line guide	•	–
Number of batteries / chargers	0 / 0	0 / 0
Accessories	Parallel stop, chip guard	1x high quality KWB saw blade, chip guard
Packaging	Colour box	Colour box
Article number	43.212.00	43.212.09



4 006825 601398



4 006825 640052



CORDLESS CIRCULAR SAWS

DUST EXTRACTION

Clean work area thanks to dust extraction system (suitable for all standard dust extractors)

Cordless Circular Saw
TE-CS 18/190 Li BL

SPINDLE LOCK

Easy and quick saw blade change

POWER X-CHANGE LITHIUM-ION BATTERY

The rechargeable battery can be used in all the devices from the Power X-Change family

SOFT GRIP

ensures a low-fatigue and safe operation

LED

Optimum illumination of the cutting area

QUICK RELEASE

Simple toolless adjustment of cut depth and tilt angle

ALUMINIUM SOLE PLATE

No tools needed for adjustment – for mitre cuts up to 45°

BRUSHLESS MOTOR

More power and prolonged operation



CORDLESS CIRCULAR SAWS



	TE-CS 18/190 Li BL - Solo EXPERT PLUS	TE-CS 18/165-1 Li - Solo EXPERT
PXC battery voltage / capacity	18 V / -	18 V / -
Charging time	-	-
Idle speed	3800 min ⁻¹	4200 min ⁻¹
Saw blade	Ø 190 x Ø 20/30 mm	Ø 165 x Ø 20 mm
Cutting depth 90°	65 mm	54 mm
Cutting depth 45°	45 mm	35 mm
Product weight	3.2 kg (excl. battery)	2.6 kg (excl. battery)
Brushless motor	•	-
Adjustment without tools (depth/angle)	•	•
LED	•	•
Aluminium sawing table	•	•
Spindle Lock	•	•
Double-sided safety lock-off	•	•
Dust extraction device	•	•
Soft grip	•	•
Number of batteries / chargers	0 / 0	0 / 0
Accessories	Parallel stop	Parallel stop
Packaging	Colour box	Colour box
Article number	43.312.10	43.312.07



4 006825 641547



4 006825 647556

CORDLESS CIRCULAR SAWS



	TE-CS 18/150 Li - Solo
	EXPERT
PXC battery voltage / capacity	18 V / –
Charging time	–
Idle speed	4200 min ⁻¹
Saw blade	Ø 150 x Ø 10/16 mm
Cutting depth 90°	48 mm
Cutting depth 45°	32 mm
Product weight	2.4 kg (excl. battery)
Brushless motor	–
Adjustment without tools (depth/angle)	•
LED	•
Aluminium sawing table	•
Spindle Lock	•
Double-sided safety lock-off	•
Dust extraction device	•
Soft grip	•
Number of batteries / chargers	0 / 0
Accessories	Parallel stop
Packaging	Colour box
Article number	43.312.20



CORDLESS MINI CIRCULAR SAW



	TE-CS 18/89 Li - Solo	NEW
	EXPERT	
PXC battery voltage / capacity	18 V / –	
Charging time	–	
Idle speed	3500 min ⁻¹	
Saw blade	Ø 89 x Ø 10 mm	
Cutting depth 90°	28 mm	
Product weight	1.8 kg (excl. battery)	
Brushless motor	–	
Adjustment without tools (depth)	•	
LED	–	
Aluminium sawing table	•	
Spindle Lock	•	
Double-sided safety lock-off	–	
Dust extraction device	•	
Soft grip	•	
Number of batteries / chargers	0 / 0	
Accessories	2 saw blades (wood/plastic), parallel stop	
Packaging	Colour box	
Article number	43.311.00	



CORDLESS ALL PURPOSE SAWS

BRUSHLESS MOTOR

More power and prolonged operation



TOOLLESS BLADE CHANGE

keep things simple

ADJUSTABLE SOLEPLATE

enables optimal use of the blade

SOFT GRIP SURFACES

make the cordless all purpose saw comfortable to use and ergonomic to handle

ROTATABLE MAIN HANDLE

for maximum flexibility

ANTI-VIBRATION FUNCTION

ensures low vibration during operation



Cordless All Purpose Saw
TE-AP 18/28 Li BL

POWER X-CHANGE LITHIUM-ION BATTERY

The rechargeable battery can be used in all the devices from the Power X-Change family

CORDLESS ALL PURPOSE SAWS



	TE-AP 18/28 Li BL - Solo EXPERT PLUS	NEW	TE-AP 18 Li - Solo EXPERT PLUS
PXC battery voltage / capacity	18 V / -		18 V / -
Charging time	-		-
Stroke speed	0 - 2500 min ⁻¹		0 - 2600 min ⁻¹
Stroke height	28 mm		22 mm
Cutting depth (wood / steel)	200 / 12 mm		100 / 6 mm
Saw blade thickness	0.8 - 1.6 mm		0.6 - 1.6 mm
Product weight	2.0 kg (excl. battery)		1.6 kg (excl. battery)
Brushless motor	•		-
Blade change without tools	•		•
Soleplate adjustment without tools	•		•
Anti-vibration function	•		-
Rotatable main handle	•		-
Number of batteries / chargers	0 / 0		0 / 0
Accessories	1 KWB saw blade		1 saw blade (wood)
Packaging	Colour box		Colour box
Article number	43.263.10		43.263.00



4 006825 644951



4 006825 601381

CORDLESS SLIDING MITRE SAW

ANGLE CUTS

The saw head can be tilted up to 45° to the left and the turntable can be turned up to 47° to the left/right

Cordless Sliding Mitre Saw
TE-SM 36/210 Li

'X-TEND'

WORK SUPPORTS

The sturdy supports for longer workpieces can be handled with just one hand

SPECIAL SAW BLADE

The saw blade with its special chip grooves, tooth geometry and extra thin saw plate was specially developed for cordless tools and delivers a very fine cut and saves battery power

LASER AND LED LIGHT

Work safely, accurately and fast, even in difficult light conditions

CORDLESS SLIDING MITRE SAW



POWER X-CHANGE LITHIUM-ION BATTERY

The rechargeable battery can be used in all the devices from the Power X-Change family

TWIN-PACK®

18V D+ 18V D+ 36V

TECHNOLOGY

TWIN-PACK TECHNOLOGY

Using 2x 18 V Power X-Change rechargeable batteries delivers even more power

	TE-SM 36/210 Li - Solo
	EXPERT
PXC battery voltage / capacity	2x 18 V / -
Speed	3800 min ⁻¹
Saw blade	Ø 210 x Ø 30 mm
Number of teeth	40
Swivelling range	-47° to +47°
Mitre cut	0° to 45° to the left
Max. cutting capacity at 90°	310 x 65 mm
Product weight	12.6 kg (excl. battery)
Laser	•
LED light	•
Soft start	•
Overload cut-out	•
X-Tend support with limit stop	•
Clamping device	•
Number of batteries / chargers	0 / 0
Precision TCT saw blade	1 pc
Sawdust bag	•
Article number	43.008.80



4 006825 641523

CORDLESS MITRE SAW



	TE-MS 18/210 Li - Solo EXPERT
PXC battery voltage / capacity	18 V / -
Speed	3000 min ⁻¹
Saw blade	Ø 210 x Ø 30 mm
Number of teeth	40
Swivelling range	-47° to +47°
Mitre cut	0° to 45° to the left
Max. cutting capacity at 90°	120 x 60 mm
Product weight	7.8 kg (excl. battery)
Laser	•
LED light	•
Soft start	•
Overload cut-out	•
X-Tend support with limit stop	•
Clamping device	•
Number of batteries / chargers	0 / 0
Precision TCT saw blade	1 pc
Sawdust bag	•
Article number	43.008.90



4 006825 628074



CORDLESS TABLE SAW

FLEXIBLE IN USE

Highly versatile thanks to the angle stop and tilting saw blade. For safety the saw blade is also height-adjustable

PULL-OUT

TABLE WIDTH EXTENSION

For wider workpieces the support surface can be extended a further 370 mm to the right

STURDY PARALLEL STOP

The parallel stop can be clamped at the back and front, making it really sturdy. Precise cuts are therefore guaranteed

STURDY ALUMINIUM TABLE

The aluminium table is absolutely torsion-resistant and has perfect sliding properties

SPECIAL SAW BLADE

The saw blade with its special chip grooves, tooth geometry and extra thin saw plate was specially developed for cordless tools and delivers a very fine cut and saves battery power

Cordless Table Saw
TE-TS 36/210 Li

CORDLESS TABLE SAW

TWIN-PACK®

18V + 18V = 36V

TECHNOLOGY



TWIN-PACK®

18V + 18V = 36V

TECHNOLOGY

TWIN-PACK TECHNOLOGY

Using 2x 18 V Power X-Change rechargeable batteries delivers even more power

	TE-TS 36/210 Li - Solo
	EXPERT
PXC battery voltage / capacity	2x 18 V / -
Speed	3800 min ⁻¹
Saw blade	Ø 210 x Ø 30 mm
Number of teeth	40
Mitre cut	0° to 45° to the left
Cutting height 90°	70 mm
Cutting height 45°	45 mm
Bench size	467 x 480 mm
Max. cutting capacity on the right	625 mm
Product weight	13.1 kg (excl. battery)
Table extension	right, pull-out
Soft start	•
Overload cut-out	•
Number of batteries / chargers	0 / 0
Precision TCT saw blade	1 pc
Parallel stop, clamped on both sides	•
Angle stop	•
Push stick	•
Article number	43.404.50



4 006825 647365

CORDLESS MULTIFUNCTIONAL TOOLS

ELECTRONIC SPEED CONTROL

Using the right speed ensures that the tool is properly adjusted to each material and application

Cordless Multifunctional Tool
VARRITO

OSCILLATION

11000 - 20000 vibrations per minute with a 3.2 degree angle of oscillation

QUICK RELEASE AND MAGNETIC TOOL FIXATION

Changing accessories comfortably in minimum time and without the need of tools

VARRITO

POWER X-CHANGE LITHIUM-ION BATTERY

The rechargeable battery can be used in all the devices from the Power X-Change family

BATTERY UPTAKE

Oscillation decoupled battery uptake for reduction of vibration

SOFT GRIP SURFACES

make it safe and comfortable to work with the device

CORDLESS MULTIFUNCTIONAL TOOLS



	VARRITO EXPERT PLUS	TC-MG 18 Li - Solo CLASSIC
PXC battery voltage / capacity	18 V / -	18 V / -
Charging time	-	-
Oscillating speed / idle speed	22000 - 40000 min ⁻¹ / 11000 - 20000 min ⁻¹	22000 - 40000 min ⁻¹ / 11000 - 20000 min ⁻¹
Oscillation angle	3.2°	3.2°
Abrasive paper size	93 x 93 x 93 mm	93 x 93 x 93 mm
Product weight	1.0 kg (excl. battery)	0.9 kg (excl. battery)
Speed control electronics	•	•
Soft grip	•	•
Quick-release lock	•	-
Magnetic tool mounting	•	•
Oscillation decoupled battery uptake	•	•
Number of batteries / chargers	0 / 0	0 / 0
Delta grinding/sanding disc	•	•
Abrasive paper	3x P60, 3x P80, 3x P120	3x P60, 3x P80, 3x P120
Scraper	•	•
Plunge-cut blades	1x wood/plastic, 1x metal	1x wood/plastic
Segment saw blade	Wood/plastic/non-ferrous metal, tile joints (1x each)	1x wood/plastic/non-ferrous metal
Hex key	-	•
Packaging	Colour box	Colour box
Article number	44.651.60	44.651.70



4 006825 618648



4 006825 628593

CORDLESS DRYWALL POLISHER

DETACHABLE EXTENSION

The detachable extension with integrated handle den increases the operating area and ensures comfortable operation even close to the ceiling



INTEGRATED DUST EXTRACTION SYSTEM

The integrated dust extraction system enables dust to be removed from the sanding point by means of the impeller in the device and transferred to the supplied dust bag – for keeping the work area really clean without an external dust extraction system

ELECTRONIC SPEED CONTROL

The infinitely adjustable speed ensures that the tool is properly adjusted to each material and application

FOLDING LONG HANDLE

The folding long handle makes it easier to transport and also save storage space by keeping it in the transport case

POWER X-CHANGE LITHIUM-ION BATTERY

The rechargeable battery can be used in all the devices from the Power X-Change family

SPRING-MOUNTED SANDING PLATE

The springs of the abrasive holder enable optimum contact to be achieved between the abrasive and the surface being sanded

CORDLESS DRYWALL POLISHER



	TE-DW 18/225 Li - Solo	NEW
	EXPERT PLUS	
PXC battery voltage / capacity	18 V / –	
Idle speed	600 - 1200 min ⁻¹	
Abrasive paper dimensions, Ø	225 mm	
Device length	110 - 165 cm	
Hose length	2.0 m	
Product weight	3.6 kg (excl. battery)	
Turnable sanding disc	•	
Speed control electronics	•	
Hook and loop fastening system	•	
Folding and height-adjustable long handle	•	
Supporting foot	•	
Number of batteries / chargers	0 / 0	
Abrasive paper	2x P60, 2x P80, 2x P120 + abrasive mesh P120	
Dust bag	•	
Packaging	E-Box	
Article number	42.599.90	



4 006825 647037

CORDLESS ORBITAL SANDERS

ELECTRONIC SPEED CONTROL

Using the right speed ensures that the tool is properly adjusted to each material and application

Cordless Orbital Sander
TE-OS 18/230 Li

HOOK AND LOOP FASTENING AND CLAMPING DEVICE

Quick and easy abrasive paper change, outstanding results. Thanks to the additional clamping mechanism, any standard paper can be used without hook and loop fastening

POWER X-CHANGE LITHIUM-ION BATTERY
The rechargeable battery can be used in all the devices from the Power X-Change family

SOFT GRIP SURFACES
for safe and comfortable operation

DUST EXTRACTION SYSTEM

Far less dust in the work area thanks to extraction with a dust bag or dust extractor adapter

ALUMINIUM BASE PLATE

The rugged, durable base plate ensures a long service life

CORDLESS ORBITAL SANDERS



	TE-OS 18/230 Li - Solo EXPERT NEW	TC-OS 18/187 Li - Solo CLASSIC NEW
PXC battery voltage / capacity	18 V / -	18 V / -
Oscillating speed	14000 - 22000 min ⁻¹	24000 min ⁻¹
Oscillating circuit, Ø	2.5 mm	2.0 mm
Abrasive paper size	230 x 115 mm	187 x 94 mm
Product weight	1.6 kg (excl. battery)	1.1 kg (excl. battery)
Speed control electronics	•	-
Hook and loop fastening system	•	•
Clamping mechanism	•	•
Soft grip	•	•
Dust extraction	by use of dust bag + dust extraction adapter	by use of dust bag + dust extraction adapter
Number of batteries / chargers	0 / 0	0 / 0
Abrasive paper	1x P60, 1x P80, 1x P120	1x P80
Dust extraction adapter	•	•
Packaging	Colour box	Colour box
Article number	44.607.20	44.607.25



CORDLESS MULTI SANDER



	TE-OS 18/150 Li - Solo EXPERT
PXC battery voltage / capacity	18 V / –
Oscillating speed	24000 min ⁻¹
Oscillating circuit, Ø	1.6 mm
Abrasive paper size	150 x 150 x 100 mm
Product weight	0.8 kg (excl. battery)
Speed control electronics	–
Hook and loop fastening system	•
Clamping mechanism	–
Soft grip	•
Dust extraction	by use of dust collection box & dust extraction adapter
Number of batteries / chargers	0 / 0
Abrasive paper	3x P120, 3x P240
Dust extraction adapter	•
Packaging	Colour box
Article number	44.607.08



4 006825 651218

CORDLESS ROTATING SANDER



	TE-RS 18 Li - Solo EXPERT PLUS
PXC battery voltage / capacity	18 V / –
Oscillating speed	14000 - 22000 min ⁻¹
Oscillating circuit, Ø	2.0 mm
Abrasive paper, Ø	125 mm
Product weight	1.2 kg (excl. battery)
Speed control electronics	•
Hook and loop fastening system	•
Dust extraction	by use of dust collection box & dust extraction adapter
Soft grip	•
Number of batteries / chargers	0 / 0
Abrasive paper	1x P80
Packaging	Colour box
Article number	44.620.10



4 006825 618341

CORDLESS POLISHING/ SANDING MACHINE



	CE-CP 18/180 Li E - Solo EXPERT PLUS
PXC battery voltage / capacity	18 V / -
Idle speed	500 - 3000 min ⁻¹
Diameter	180 mm
Product weight	1.6 kg (excl. battery)
Brushless motor	•
Suitable for grinding	•
ON/OFF switch	•
Ergonomic soft grip	•
Speed control electronics	•
Spindle Lock	•
Hook and loop fastener for polishing/grinding acc.	•
Number of batteries / chargers	0 / 0
Synthetic bonnet	1
Foam pad	1
Abrasive paper (grit size 60, 80, 120)	je 1
Article number	20.933.20



CORDLESS CAR POLISHING MACHINE



	CE-CB 18/254 Li - Solo CAR EXPERT
PXC battery voltage / capacity	18 V / -
Idle speed	2500 min ⁻¹
Diameter	254 mm
Product weight	1.9 kg (excl. battery)
ON/OFF switch	•
Ergonomic soft grip	•
Number of batteries / chargers	0 / 0
Textile bonnet	1
Synthetic bonnet	1
Article number	20.933.01



CORDLESS HOT GLUE GUN



	TE-CG 18 Li - Solo EXPERT
PXC battery voltage / capacity	18 V / -
Warm-up period	120 s
Max. temperature	170 °C
Glue sticks, Ø	11 mm
Product weight	0.3 kg (excl. battery)
LED heat level indicator	•
LED light	•
Number of batteries / chargers	0 / 0
Accessories	5 glue sticks (l = 200 mm), flat glue nozzle
Packaging	Colour box
Article number	45.222.00



4 006825 641202

CORDLESS HOT AIR GUN



	TE-HA 18 Li - Solo EXPERT NEW
PXC battery voltage / capacity	18 V / -
Temperature setting 1 setting 2	350 °C 550 °C
Air rate	200 l/min
Product weight	0.6 kg (excl. battery)
LED display	•
Overheating guard	•
Continuous operation setting	•
Mechanical nozzle ejector	•
Number of batteries / chargers	0 / 0
Reducer nozzle	•
Wide nozzle	•
Reflector nozzle	•
Packaging	Colour box
Article number	45.205.00



4 006825 647730

CORDLESS NAILER



	TE-CN 18 Li - Solo EXPERT NEW
PXC battery voltage / capacity	18 V / -
Shots per minute	20
Staple length	16 - 22 mm
Nail length	15 - 32mm
Product weight	2.1 kg (excl. battery)
Cutting depth adjustment	•
Magazine with level indicator	•
Pressure coupling	•
Belt clip	•
Number of batteries / chargers	0 / 0
Nails	300 pcs
Staples	300 pcs
Packaging	Colour box
Article number	42.577.90



4 006825 653786

CORDLESS BLOWER



	TE-CB 18/180 Li - Solo EXPERT
PXC battery voltage / capacity	18 V / -
Blowing air flow step 1 step 2	130 km/h 180 km/h
Product weight	1.0 kg (excl. battery)
Number of batteries / chargers	0 / 0
Inflation nozzles	3 pcs
Packaging	Colour box
Article number	34.080.01



CORDLESS PAINT SPRAY SYSTEM



	TC-SY 18/60 Li - Solo CLASSIC	NEW
PXC battery voltage / capacity	18 V / -	
Charging time	-	
Delivery rate	650 ml/min	
Tank volume	800 ml	
Max. viscosity	60 DIN-sec	
Product weight	1.3 kg (excl. battery)	
Brushless motor	-	
Processing	Lacquers, glazes	
Removable spray cap	•	
Control of the paint delivery rate	•	
Paint jet	Vertical, horizontal and round jet	
Soft grip	•	
Spray nozzles	Ø 2.0 mm, 2.5 mm	
Cleaning brush and needle	•	
Tank for testing the viscosity	•	
Paint tank with cover	800 ml	
Packaging	Colour box	
Article number	42.600.25	



USB BATTERY ADAPTER



	TE-CP 18 Li USB - Solo EXPERT PLUS
PXC battery voltage / capacity	18 V / –
USB connections	2
Output current USB 1	1.0 A
Output current USB 2	2.1 A
Product weight	0.1 kg (excl. battery)
Number of batteries / chargers	0 / 0
Packaging	Colour box
Article number	45.141.20



CORDLESS RADIO



Bluetooth

	TC-RA 18 Li BT - Solo CLASSIC NEW
PXC battery voltage / capacity	18 V / –
AM Frequency	522 - 1620 kHz
FM Frequency	87.5 - 108 MHz
Station memory (AM/FM)	10 / 10
Product weight	0.7 kg (excl. battery)
LCD display	•
External antenna	•
Bluetooth	•
Carry handle	•
Storage room at the back for a mobile phone etc.	•
Number of batteries / chargers	0 / 0
Packaging	Colour box
Article number	34.080.17



CORDLESS SPEAKER



Bluetooth

	TC-SR 18 Li BT - Solo CLASSIC
PXC battery voltage / capacity	18 V / –
Power rating	2x 3.0 W
Max. volume	85 dB
Product weight	0.3 kg (excl. battery)
AUX connection	•
Bluetooth	•
USB charging function	•
Number of batteries / chargers	0 / 0
Packaging	Carton with window
Article number	45.141.50



CORDLESS LIGHTS



	TE-CL 18/2500 LiAC - Solo EXPERT NEW	TE-CL 18/2000 LiAC - Solo EXPERT	TC-CL 18/1800 Li - Solo CLASSIC
PXC battery voltage / capacity	18 V / -	18 V / -	18 V / -
Mains connection	12 V	100 - 240 V ~ 50-60 Hz	-
Cable length	3 m	2 m	-
Luminosity	1000 lm / 2500 lm	1000 lm / 1500 lm / 2000 lm	1800 lm
Light source	7 LED	20 LED	1 LED
Light ON time	3 h (4.0 Ah)	4 h (4.0 Ah)	4 h (4.0 Ah)
Product weight	0.6 kg (excl. battery)	1.3 kg (excl. battery)	1.3 kg (excl. battery)
Angle adjustment	-	•	•
Adjustable light beam	-	-	-
Fastening hooks	-	•	•
Tripod socket	1/4"	1/4" / 5/8"	-
Soft grip	•	•	-
Number of batteries / chargers	0 / 0	0 / 0	0 / 0
Packaging	Colour box	Colour box	Colour box
Article number	45.141.45	45.141.14	45.141.15



CORDLESS LIGHTS



	TE-CL 18 Li H - Solo EXPERT PLUS	TE-CL 18 Li - Solo EXPERT PLUS
PXC battery voltage / capacity	18 V / -	18 V / -
Mains connection	-	-
Cable length	-	-
Luminosity	280 lm	270 lm
Light source	1 LED	3 LED
Light ON time	8 h (1.5 Ah)	8 h (1.5 Ah)
Product weight	0.2 kg (excl. battery)	0.2 kg (excl. battery)
Angle adjustment	•	•
Adjustable light beam	-	•
Fastening hooks	•	-
Tripod socket	-	-
Soft grip	•	•
Number of batteries / chargers	0 / 0	0 / 0
Packaging	Colour box	Colour box
Article number	45.141.30	45.141.10



ACCESSORIES – CASES



	E-Box L70 ACCESSORY	E-Box M55 ACCESSORY	E-Box S35 ACCESSORY
Items supplied	1 universal case	1 universal case	1 universal case
Internal dimensions	670 x 190 x 300 mm	510 x 327 x 124 mm	310 x 250 x 89.5 mm
External dimensions	700 x 250 x 350 mm	550 x 400 x 150 mm	350 x 330 x 110 mm
Load capacity	50 kg	30 kg	12 kg
Product weight	4.1 kg	3.0 kg	1.6 kg
Stackable + locking system	-	-	-
Splash-proof	•	•	•
Lockable	-	-	-
Foam inserts	•	•	•
Plastic compartments	-	-	-
Article number	45.300.54	45.300.49	45.300.45



4 006825 636901



4 006825 631739



4 006825 629750

ACCESSORIES – BAG



	Einhell Bag 45/22 ACCESSORY
Items supplied	1 universal bag
Internal dimensions	390 x 200 x 190 mm
External dimensions	450 x 220 x 350 mm
Load capacity	15 kg
Product weight	0.9 kg
Article number	45.300.37



4 006825 636345

SYSTEM CASES E-CASE

CAN BE EQUIPPED WITH PADLOCK

To guard against theft, the E-Case can be equipped with a padlock

LOCKING SYSTEM

The locking system for connecting stacked cases ensures easy storage and transport

HIGH-QUALITY MATERIAL

The E-Case is made of polypropylene. That ensures heat resistance, stiffness and impact resistance

SPLASH-PROOF DESIGN

E-Cases are designed to keep out not only splash water but also dirt and dust in order to protect tools and accessories

STURDY FASTENERS

for closing the case securely

FOLD-IN HANDLES

Carrying the case is comfortable thanks to two fold-in and ergonomic handles – one on the top and one on the side

System Case
E-CASE

FOUR DEPRESSIONS IN THE LID

to prevent stacked cases from slipping

OPTIONAL – PLASTIC COMPARTMENTS

Maximum flexibility for storing and transporting accessories such as screws, bits, etc.

EASY STORAGE AND TRANSPORTATION



WIDE RANGE OF APPLICATIONS



Art. N° 45.400.11



Art. N° 45.400.10



Art. N° 45.400.10 / 45.400.11 in combination with Art. N° 45.400.13

SYSTEM CASES E-CASE



	E-Case S-C ACCESSORY	NEW	E-Case S-F ACCESSORY	NEW
Items supplied	1x system case + 5x dividers for small parts		1x system case + 2x foam inserts for devices	
Internal dimensions	421 x 281 x 96 mm		421 x 281 x 96 mm	
External dimensions	444 x 330 x 131 mm		444 x 330 x 131 mm	
Load capacity	25 kg		25 kg	
Product weight	1.8 kg		1.7 kg	
Stackable + locking system	•		•	
Splash-proof	•		•	
Lockable	•		•	
Foam inserts	-		1x inlay for lid, 1x inlay for base	
Plastic compartments	2 long, 3 mid-length dividers		-	
Article number	45.400.10		45.400.11	



4 006825 651669



4 006825 653991

E-CASES ACCESSORIES



	Set of Plastic Compartments ACCESSORY	NEW	Grid Foam Set ACCESSORY	NEW
Set comprising	2x long, 3x mid-length, 4x short dividers		1x inlay for lid, 1x adjustable perforated foam inlay, 1x inlay for base	
Article number	45.400.12		45.400.13	



4 006825 654004



4 006825 656749

CORDLESS WET AND DRY VACUUM CLEANERS

CORDLESS OPERATION WITH POWER X-CHANGE LITHIUM-ION BATTERY

Cordless operation means that corners and hard-to-reach areas are easy to sweep as well. The rechargeable battery can be used in all the devices from the Power X-Change family

ECO/BOOST MODE

2 speeds (ECO + BOOST) for optimum battery use

ACCESSORY HOLDER

The TE-VC 36/30 Li S is always ready for action thanks to the accessory holder directly on the equipment



TWIN-PACK TECHNOLOGY

Using 2x 18 V Power X-Change rechargeable batteries delivers even more power



PUSH BAR

Transport handle with trolley function for easy mobility

HEAVY-DUTY SUCTION HOSE

The 2.50 m hose is flexible and resistant to foot traffic at the same time

STAINLESS STEEL TANK

The 30 l stainless steel tank provides sufficient capacity for dirt and liquids

LARGE WHEELS AND CASTORS

Thanks to the 2 wheels and the 2 castors the wet and dry vacuum cleaner is easy to move about in the workshop, garage or living area

Cordless Wet and Dry Vacuum Cleaner
TE-VC 36/30 Li S

CORDLESS WET AND DRY VACUUM CLEANERS



	TE-VC 36/30 Li S - Solo EXPERT PLUS	TE-VC 36/25 Li S - Solo EXPERT NEW
PXC battery voltage / capacity	2x 18 V / -	2x 18 V / -
Suction power	150 mbar / 100 mbar (BOOST / ECO)	150 mbar / 100 mbar (BOOST / ECO)
Tank volume	30 l	25 l
Suction hose length / diameter	250 cm / 36 mm	250 cm / 36 mm
Product weight	8.0 kg (excl. battery)	7.0 kg (excl. battery)
Speed settings	2	2
Also suitable for wet vacuuming	•	•
Heavy-duty suction hose	•	-
Number of batteries / chargers	0 / 0	0 / 0
Suction tube	Telescopic, stainless steel	2-piece, stainless steel
Nozzles	Combination, crevice and upholstery nozzle (1x each)	Combination, crevice and upholstery nozzle (1x each)
Filters	Foam, pleated filter, dirt bag (1x each)	Foam, pleated filter, dirt bag (1x each)
Packaging	Colour box	Colour box
Article number	23.471.40	23.471.70



4 006825 635874



4 006825 656527

CORDLESS WET AND DRY VACUUM CLEANERS



	TC-VC 18/20 Li S - Solo CLASSIC	TC-VC 18/15 Li - Solo CLASSIC NEW	TE-VC 18/10 Li - Solo EXPERT
PXC battery voltage / capacity	18 V / -	18 V / -	18 V / -
Suction power	80 mbar	80 mbar	90 mbar
Tank volume	20 l	15 l	10 l
Suction hose length / diameter	150 cm / 36 mm	150 cm / 36 mm	200 cm / 36 mm
Product weight	3.6 kg (excl. battery)	3.2 kg (excl. battery)	3.1 kg (excl. battery)
Speed settings	1	1	1
Also suitable for wet vacuuming	•	•	•
Heavy-duty suction hose	-	-	-
Number of batteries / chargers	0 / 0	0 / 0	0 / 0
Suction tube	3-piece, plastic	3-piece, plastic	-
Nozzles	Combination, crevice and upholstery nozzle (1x each)	Combination, crevice nozzle (1x each)	2-in-1 crevice/brush nozzle and 2-in-1 upholstery/universal nozzle (1x each)
Filters	Foam, pleated filter, dirt bag (1x each)	Foam filter, filter bag, dirt bag (1x each)	Foam filter, filter bag, dirt bag (1x each)
Packaging	Colour box	Colour box	Colour box
Article number	23.471.30	23.471.45	23.471.60



4 006825 625998



4 006825 652086



4 006825 640274

CORDLESS HANDHELD VACUUM CLEANER



	TE-VC 18 Li - Solo EXPERT PLUS
PXC battery voltage / capacity	18 V / -
Suction power	42 mbar
Tank volume	0.54 l
Suction hose length	46.5 cm
Product weight	0.9 kg (excl. battery)
Speed settings	1
Number of batteries / chargers	0 / 0
Nozzles	Floor, crevice, upholstery nozzle (1x each)
Filters	1 washable synthesis filter (1x each)
Wall bracket	•
Packaging	Colour box
Article number	23.471.20



4 006825 612646

CORDLESS

ASH VACUUM CLEANER



	TE-AV 18/15 Li C - Solo
	EXPERT NEW
PXC battery voltage / capacity	18 V / –
Suction power	100 mbar
Tank volume	15 l
Suction hose length / diameter	120 cm / 36 mm
Product weight	4.0 kg (excl. battery)
Filter cleaning technology	•
Carry handle	•
Castors	•
Hose rewind	•
Storage for accessories	•
Number of batteries / chargers	0 / 0
Pleated filter	•
Packaging	Colour box
Article number	23.517.00



4 006825 655407

CORDLESS PUSH SWEEPER

DIRT TANK

The extra-large dirt tank lets you sweep without interruption and stands securely when removed

CORDLESS OPERATION WITH POWER X-CHANGE LITHIUM-ION BATTERY

Cordless operation means that corners and hard-to-reach areas are easy to sweep as well. The rechargeable battery can be used in all the devices from the Power X-Change family

ON/OFF SWITCH ON THE HANDLE

for comfortable use without straining your back

STORAGE POSITION

Adjustment facility for comfortable cleaning and space-saving storage

LONG HANDLE

The height-adjustable and folding long handle provides plenty of advantages for both tall and short users alike, as well as for storage

WHEELS AND ROLLERS

The two large wheels and the two swivel rollers ensure good handling on different surfaces

SWEEPING BRUSH

With a sweeping width of 610 mm and area coverage of 1800 m²/h, even large areas can quickly be made dirt free too

Cordless Push Sweeper
TE-SW 18/610 Li

CORDLESS PUSH SWEEPER



	TE-SW 18/610 Li - Solo
	EXPERT
PXC battery voltage / capacity	18 V / -
Max. area coverage	1800 m ² /h
Working width	610 mm
Dirt tank	20 l
Number of side brushes	2
Product weight	10.3 kg (excl. battery)
Height-adjustable handlebar	•
Folding handlebar	•
Number of batteries / chargers	0 / 0
Article number	23.520.40



4 006825 649246

6-IN-1 CORDLESS HYBRID COMPRESSOR

MULTIFUNCTIONAL

High-pressure pumping, low-pressure pumping and low-pressure suctioning with just a single device

COMFORTABLE TRANSPORT

Low product weight and soft grip for easy transport

ACCESSORIES

With the 3-piece inflation adapter set for balls, tyres and air mattresses, the compressor is highly versatile

HYBRID FUNCTION

For use with a power cable or rechargeable battery on the go

MANUAL PRESSURE SETTING ADJUSTMENT

High-pressure pump with adjustable pressure settings up to 11 bar, auto shutoff function when the pressure is reached

PRESSURE INDICATOR

Digital pressure indicator for the pressure of the high-pressure pump

6-in-1 Cordless Hybrid-Compressor
PRESSITO

COMFORTABLE

Cable and hoses are kept directly on the tool itself

POWER X-CHANGE LITHIUM-ION BATTERY

The rechargeable battery can be used in all the devices from the Power X-Change family

6-IN-1 CORDLESS HYBRID COMPRESSOR



PRESSITO

	PRESSITO EXPERT
PXC battery voltage / capacity	18 V / -
Mains connection	220 - 240 ~ 50 Hz
Suction power	21 l/min
Output rate 0 bar 4 bar 7 bar	16 l/min 10 l/min 8 l/min
Max. operating pressure	11 bar
Product weight	2.1 kg (excl. battery)
Hybrid function	•
Digital pressure indicator	•
Soft grip	•
Cable storage	•
Storage compartment for accessories	•
Number of batteries / chargers	0 / 0
Hoses incl.	High pressure hose, low pressure hose
Adapter set	•
Packaging	Colour box
Article number	40.204.60



CORDLESS COMPRESSOR

TWIN-PACK®
18V + 18V = 36V
TECHNOLOGY

10 JAHRE
GARANTIE
5000
DURCHLÖSTUNG



TE-AC 36/6/8 Li OF Set - Solo

EXPERT

PXC battery voltage / capacity	2x 18 V / -
Suction power	130 l/min
Output rate 0 bar 4 bar 7 bar	90 l/min 55 l/min 38 l/min
Tank capacity	6 l
Max. operating pressure	8 bar
Product weight	9.7 kg (excl. battery)
Pressure reducer	•
Storage compartment for accessories	•
Number of batteries / chargers	0 / 0
Compressed air hose	•
Blow-out pistol	•
Tyre pressure gauge	•
Adapter set	•
Packaging	Colour box
Article number	40.204.50



4 006825 638677



ACCESSORIES – BATTERIES



	4-6 Ah Multi-Ah Power X-Change Plus Battery
Items supplied	1 battery
PXC battery voltage / capacity	18 V / 6.0 Ah or 4.0 Ah (depending on the application)
Battery power	max. 1350 W
Product weight	1.02 kg
Article number	45.115.02



ACCESSORIES – BATTERIES



	5.2 Ah Power X-Change Plus Battery	3.0 Ah Power X-Change Plus Battery
Items supplied	1 battery	1 battery
PXC battery voltage / capacity	18 V / 5.2 Ah	18 V / 3.0 Ah
Battery power	max. 1260 W	max. 900 W
Product weight	0.89 kg	0.57 kg
Article number	45.114.37	45.115.01



4-6 Ah MULTI-AH POWER X-CHANGE PLUS BATTERY

Thanks to MULTI-Ah technology, switching over from a 4 Ah battery to a 6 Ah battery is really easy and can be done with just the push of a button. The 4 Ah battery has a 3x longer total service life and is suitable for lighter applications (e.g. cordless lamp or cordless screwdriver). The 6 Ah battery offers the maximum running time for more capacity-intensive applications (e.g. cordless lawn mower or cordless wet and dry vacuum cleaners).

4 Ah ► **300%** more lifetime ¹⁾

6 Ah ► **50%** more runtime ²⁾

¹⁾ in comparison to every standard lithium-ion battery
²⁾ in comparison to the 4 Ah battery

ACCESSORIES – BATTERIES



	4.0 Ah Power X-Change Battery	2.5 Ah Power X-Change Battery NEW	2.0 Ah Power X-Change Battery
Items supplied	1 battery	1 battery	1 battery
PXC battery voltage / capacity	18 V / 4.0 Ah	18 V / 2.5 Ah	18 V / 2.0 Ah
Battery power	max. 900 W	max. 720 W	max. 450 W
Product weight	0.65 kg	0.46 kg	0.40 kg
Article number	45.113.96	45.115.16	45.113.95



4 006825 610376



4 006825 650518



4 006825 610369

ACCESSORIES – BATTERIES



	2x 4.0 Ah Power X-Change Twin-Pack	2x 2.5 Ah Power X-Change Twin-Pack NEW
Items supplied	2 batteries	2 batteries
PXC battery voltage / capacity	2x 18 V / 4.0 Ah	2x 18 V / 2.5 Ah
Battery power	max. 2x 900 W	max. 2x 720 W
Product weight	1.32 kg	0.92 kg
Article number	45.114.89	45.115.24



4 006825 638578



4 006825 656206



WE ARE TEST WINNERS. BY STIFTUNG WARENTEST.

And the test winner is ... Einhell!

In the comparison test performed by Stiftung Warentest (11/2020 issue) covering eight batteries from eight different battery platforms, the 2.0 Ah battery from Einhell's Power X-Change battery system beat off stiff competition. Our battery put in a convincing performance when it came to durability, handling and safety. Having already achieved top marks with Power X-Change machines in previous Stiftung

Warentest comparisons, we are all the more delighted that one of the batteries we have spent so much time developing and refining came out of the test on top. This confirms the decision we took years ago to bundle our expertise in the battery technology sector in order to continue expanding the leading role of our Power X-Change battery system.

ACCESSORIES – CHARGERS



	2x2 Power X-Quattro Charger 4 A	Power X-Boost Charger 6 A
Items supplied	1 charger	1 charger
Can be used for	18 V Power X-Change batteries	18 V Power X-Change batteries
Charging current	4 A	3 - 6 A
Multiple-port charger	• 4 charging slots allow 2 batteries to be charged at the same time	–
Boost mode	–	•
Integrated wall mount	–	•
Mains voltage	220 - 240 V ~ 50-60 Hz	220 - 240 V ~ 50-60 Hz
Article number	45.121.02	45.120.64



4 006825 649536



4 006825 629019

ACCESSORIES – CHARGERS



	Power X-Twin Charger 3 A	Power X-Fast Charger 4 A
Items supplied	1 charger	1 charger
Can be used for	18 V Power X-Change batteries	18 V Power X-Change batteries
Charging current	3 A	4 A
Multiple-port charger	• 2 charging slots allow 2 batteries to be charged at the same time	–
Boost mode	–	–
Integrated wall mount	•	•
Mains voltage	220 - 240 V ~ 50-60 Hz	220 - 240 V ~ 50-60 Hz
Article number	45.120.69	45.121.03



4 006825 629729



4 006825 650228

ACCESSORIES – CHARGERS

**MIDYEAR
2021**



	Power X-Car Charger 3 A
Items supplied	1 charger
Can be used for	18 V Power X-Change batteries
Charging current	3 A
Multiple-port charger	–
Boost mode	–
Integrated wall mount	•
Operating voltage	12 V DC
Article number	45.121.13



4 006825 655377

ACCESSORIES – STARTER KITS



2x 3.0 Ah PXC Twincharger Starter Kit

Items supplied	2 batteries + 1 Twin Charger
PXC battery voltage / capacity	2x 18 V / 2x 3.0 Ah
Battery power	max. 2x 900 W
Charging current	3 A
Mains voltage	220 - 240 V ~ 50-60 Hz
Multiple-port charger	• 2 charging slots allow 2 batteries to be charged at the same time
Boost mode	-
Integrated wall mount	•
Article number	45.120.83



ACCESSORIES – STARTER KITS



4.0 Ah Power X-Change Starter Kit

Items supplied	1 battery + 1 Power X-Charger 3 A
PXC battery voltage / capacity	18 V / 4.0 Ah
Battery power	max. 900 W
Charging current	3 A
Mains voltage	220 - 240 V ~ 50-60 Hz
Multiple-port charger	-
Boost mode	-
Integrated wall mount	•
Article number	45.120.42



2.5 Ah Power X-Change Starter Kit

Items supplied	1 battery + 1 Power X-Charger 3 A
PXC battery voltage / capacity	18 V / 2.5 Ah
Battery power	max. 720 W
Charging current	3 A
Mains voltage	220 - 240 V ~ 50-60 Hz
Multiple-port charger	-
Boost mode	-
Integrated wall mount	•
Article number	45.120.97



EVEN MORE FREEDOM WITH POWER X-CHANGE. E-KICKSCOOTER ELMOTO KICK FROM GOVECS.

Einhell opens up its Power X-Change rechargeable battery platform! Together with E-Scooter manufacturer GOVECS, Einhell is helping to get ELMOTO KICK on the road, a road-legal E-Kickscooter with Power X-Change batteries.

With the new E-Kickscooter ELMOTO KICK from GOVECS, emissions-free scooting means you can leave your car at home or park slightly further away and simply jump on the scooter for the last mile.

ELMOTO KICK

GOVECS

- Approval for road use
- 36 V
- V max.: 20 km/h
- Max. range: up to 20 km
- 2 hydraulic disc brakes
- Pneumatic tyres (10")
- Folding handlebar

Article only available without batteries / chargers
Art. Nr. 48.500.61

NEW

The ELMOTO KICK is available in three colors:



THE BATTERY GUIDE – IT'S WHAT YOU NEED THAT MATTERS.

								
			18 V 2.0 Ah	18 V 2.5 Ah	18 V 3.0 Ah	18 V 4.0 Ah	18 V 5.2 Ah	18 V 6.0 Ah
Cordless Drills	TE-CD 18 Li Brushless		350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs
	TE-CD 18/50 Li Brushless		320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs
	TE-CD 18 Li E		300 pcs	380 pcs	450 pcs	600 pcs	790 pcs	900 pcs
	TE-CD 18/40 Li		305 pcs	380 pcs	460 pcs	610 pcs	770 pcs	920 pcs
	TE-CD 18/2 Li		240 pcs	300 pcs	360 pcs	480 pcs	625 pcs	720 pcs
	TC-CD 18/35 Li		295 pcs	366 pcs	440 pcs	590 pcs	760 pcs	880 pcs
Cordless Impact Drills	TE-CD 18 Li-i Brushless		350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs
	TE-CD 18/50 Li-i Brushless		320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs
	TE-CD 18/48 Li-i		310 St.	380 pcs	460 pcs	620 pcs	780 pcs	910 pcs
Cordless Impact Drivers / Wrenches	TE-CI 18 Li Brushless		280 pcs	350 pcs	420 pcs	560 pcs	730 pcs	840 pcs
	TE-CI 18/1 Li		185 pcs	230 pcs	280 pcs	370 pcs	520 pcs	560 pcs
	TE-CW 18 Li Brushless		150 pcs	180 pcs	225 pcs	300 pcs	390 pcs	450 pcs
Cordless Drywall Screwdriver	TE-DY 18 Li		1100 pcs	1350 pcs	1600 pcs	2200 pcs	2800 pcs	3300 pcs
Cordless Hammer Drill	TC-ID 18 Li		60 pcs	75 pcs	90 pcs	120 pcs	156 pcs	180 pcs
Cordless Rotary Hammers	HEROCCO 36/28		79 holes	105 holes	126 holes	169 holes	222 holes	276 holes
	HEROCCO		335 pcs 87 holes	417 pcs 108 holes	500 pcs 130 holes	670 pcs 174 holes	870 pcs 225 holes	1000 pcs 260 holes
	TE-HD 18/12 Li		154 pcs 37 holes	188 pcs 45 holes	225 pcs 68 holes	300 pcs 80 holes	395 pcs 117 holes	450 pcs 138 holes
Cordless Paint/Mortar Mixer	TE-MX 18 Li		20 min 16 min	25 min 20 min	30 min 24 min	40 min 32 min	52 min 42 min	60 min 48 min
Cordless Angle Grinders	TE-AG 18/150 Li Brushless		33 pcs	37 pcs	46 pcs	61 pcs	85 pcs	92 pcs
	AXXIO		33 pcs	37 pcs	46 pcs	61 pcs	85 pcs	92 pcs
	AXXIO 18/125 Q		29 pcs	37 pcs	52 pcs	63 pcs	92 pcs	121 pcs
	AXXIO 18/115 Q		29 pcs	37 pcs	52 pcs	63 pcs	92 pcs	121 pcs
	TE-AG 18/115 Li		20 pcs	25 pcs	30 pcs	40 pcs	60 pcs	70 pcs
	TC-AG 18/115 Li		20 pcs	25 pcs	30 pcs	40 pcs	60 pcs	70 pcs
Cordless Planer	TE-PL 18/82 Li		25 m	28 m	37 m	48 m	58 m	78 m

								
			18 V 2.0 Ah	18 V 2.5 Ah	18 V 3.0 Ah	18 V 4.0 Ah	18 V 5.2 Ah	18 V 6.0 Ah
Cordless Jigsaws	TE-JS 18 Li		9.5 m	11 m	14 m	20 m	30 m	32 m
	TC-JS 18 Li		9.5 m	11 m	14 m	20 m	30 m	32 m
Cordless Circular Saws	TE-CS 18/190 Li Brushless		24 m	30 m	37 m	49 m	63 m	73 m
	TE-CS 18/165-1 Li		33 m	40 m	49 m	64 m	82 m	98 m
	TE-CS 18/150 Li		30 m	38 m	45 m	60 m	78 m	90 m
Cordless Mini Circular Saw	TE-CS 18/89 Li		36 m	50 m	57 m	72 m	104 m	120 m
Cordless All Purpose Saws	TE-AP 18/28 Li Brushless		226 pcs	332 pcs	417 pcs	556 pcs	723 pcs	834 pcs
	TE-AP 18 Li		185 pcs	240 pcs	290 pcs	370 pcs	570 pcs	580 pcs
Cordless Sliding Mitre Saw	TE-SM 36/210 Li		185 pcs 350 pcs	230 pcs 435 pcs	275 pcs 525 pcs	370 pcs 700 pcs	480 pcs 910 pcs	555 pcs 1050 pcs
Cordless Mitre Saw	TE-MS 18/210 Li		103 pcs	120 pcs	154 pcs	190 pcs	250 pcs	304 pcs
Cordless Table Saw	TE-TS 36/210 Li		60 m	71 m	92 m	122 m	160 m	184 m
Cordless Multifunctional Tools	VARRITO		30 min 720 pcs	38 min 900 pcs	45 min 1080 pcs	60 min 1440 pcs	78 min 1880 pcs	90 min 2160 pcs
	TC-MG 18 Li		30 min 720 pcs	38 min 900 pcs	45 min 1080 pcs	60 min 1440 pcs	78 min 1880 pcs	90 min 2160 pcs
Cordless Drywall Polisher	TE-DW 18/225 Li		26 min	33 min	44 min	55 min	68 min	78 min
Cordless Orbital Sanders	TE-OS 18/230 Li		27 min	33 min	40 min	54 min	70 min	80 min
	TC-OS 18/187 Li		34 min	42 min	50 min	67 min	87 min	100 min
Cordless Multi Sander	TE-OS 18/150 Li		27 min	34 min	40 min	55 min	70 min	80 min
Cordless Rotary Sander	TE-RS 18 Li		20 min	25 min	30 min	40 min	52 min	60 min
Cordless Polishing/ Sanding Machine	CE-CP 18/180 Li E		20 min	25 min	35 min	43 min	54 min	65 min
Cordless Car Polishing Machine	CE-CB 18/254 Li		81 min	93 min	112 min	127 min	200 min	222 min
Cordless Hot Glue Gun	TE-CG 18 Li		18 pcs	22 pcs	28 pcs	36 pcs	44 pcs	50 pcs
Cordless Hot Air Gun	TE-HA 18 Li		9 min	11 min	13 min	17 min	22 min	26 min
Cordless Nailer	TE-CN 18 Li		2030 pcs 1995 pcs	2670 pcs 2642 pcs	3204 pcs 3171 pcs	4272 pcs 4228 pcs	5554 pcs 5496 pcs	6408 pcs 6342 pcs



			18 V 2.0 Ah	18 V 2.5 Ah	18 V 3.0 Ah	18 V 4.0 Ah	18 V 5.2 Ah	18 V 6.0 Ah
Cordless Blower	TE-CB 18/180 Li		39 min	48 min	62 min	68 min	100 min	124 min
Cordless Paint Spray System	TC-SY 18/60 Li		30 m ²	38 m ²	45 m ²	60 m ²	78 m ²	90 m ²
USB Battery Adapter	TE-CP 18 Li USB		12 h	13.5 h	16 h	24 h	32 h	36 h
Cordless Speaker	TE-SR 18 Li BT		57 h	72 h	86 h	114 h	148 h	171 h
Cordless Lights	TE-CL 18/2500 LiAC		291 min	341 min	458 min	611 min	794 min	916 min
	TE-CL 18/2000 LiAC		115 min	145 min	174 min	230 min	300 min	345 min
	TE-CL 18/1800 Li		118 min	140 min	191 min	243 min	300 min	350 min
	TE-CL 18 Li H		10 h	12 h	16 h	22 h	32 h	33 h
	TE-CL 18 Li		10 h	12 h	16 h	22 h	32 h	33 h
Cordless Wet and Dry Vacuum Cleaners	TE-VC 36/30 Li S	BOOST ECO	8 min 11 min	10 min 13 min	12 min 16 min	16 min 22 min	21 min 28 min	24 min 33 min
	TE-VC 36/25 Li S	BOOST ECO	8 min 11 min	10 min 13 min	12 min 16 min	16 min 22 min	21 min 28 min	24 min 33 min
	TC-VC 18/20 Li S		10 min	11 min	16 min	20 min	25 min	32 min
	TC-VC 18/15 Li		10 min	11 min	16 min	20 min	25 min	32 min
	TE-VC 18/10 Li		10 min	12 min	17 min	21 min	26 min	30 min
Cordless Handheld Vacuum Cleaner	TE-VC 18 Li		16 min	18 min	23 min	31 min	40 min	46 min
Cordless Push Sweeper	TE-SW 18/610 Li		850 m ² 27 min	1050 m ² 34 min	1300 m ² 41 min	1700 m ² 55 min	2200 m ² 72 min	2550 m ² 83 min
6-in-1 Cordless Hybrid Compressor	PRESSITO		30 min	37 min	45 min	60 min	85 min	90 min
Cordless Compressor	TE-AC 36/6/8 Li OF		25 min 400 pcs	29 min 435 pcs	40 min 660 pcs	50 min 800 pcs	60 min 900 pcs	80 min 1320 pcs

79 holes

BASIC PERFORMANCE – Upgrade recommended

Figures shown in lighter fields (for example see above) indicate that we recommend using a battery with greater power/capacity for full power and the appropriate operating time of the machine.

All stated values are maximum values. They were determined under standardised test conditions and may differ from the values achievable in everyday operation.

Key to Symbols:

	Screwing 6 x 60 mm screws into softwood – max. quantity per battery charge		Max. operating time per battery charge in idle mode
	Tightening/loosening wheel bolts (hexagon head, size 22 mm) – max. quantity per battery charge		Cutting through round plastics Ø 10 mm – max. number of cuts per battery charge
	Screwing drywall screws size 3.9 x 25 mm in dry construction boards		Glue sticks Ø 11 mm, length 200 mm – max. number per battery charge
	Ø 6 mm / 50 mm into brick – max. quantity per battery charge		32 mm nails in softwood at maximum depth setting – max. number per battery charge
	Ø 6 mm / 50 mm into concrete – max. quantity per battery charge		22 mm staples in softwood at maximum depth setting – max. number per battery charge
	Mixing wall paint / mortar, time per battery charge		Max. area coverage per battery charge with paint viscosity of 60 DIN-sec and single application
	Cutting through round steel Ø 12 mm – max. quantity per battery charge		Charging time per battery charge
	Planing of softwood (depth: 1 mm, width 50 mm) – max. planing performance (in m) per battery charge		Max. light duration per battery charge
	Particleboard 19 mm – max. cutting capacity (in m) per battery charge		Max. idling time per battery charge in BOOST / ECO mode
	Roundwood Ø 35 mm – max. number of cuts per battery charge		Max. area coverage per battery charge at 3 km/h walking speed
	Square softwood 60 x 60 mm – max. number of cuts per battery charge		13 mm staples in softwood - max. number per battery charge
	Laminate 195 x 8 mm – max. number of cuts per battery charge		

HANDHELD POWER TOOLS



CORDLESS SCREWDRIVERS 3.6 V

**3.6 V
POWER**


	TE-SD 3.6/1 Li EXPERT	TE-SD 3.6 Li Kit EXPERT	TC-SD 3.6 Li CLASSIC
Li-Ion Battery Pack voltage / capacity	3.6 V / 1.5 Ah	3.6 V / 1.5 Ah	3.6 V / 1.3 Ah
Charging time	3 - 5 h	3 h	3 - 5 h
Idle speed	180 min ⁻¹	200 min ⁻¹	200 min ⁻¹
Torque (hard)	4.5 Nm	3.5 Nm	3 Nm
Product weight	0.4 kg	0.4 kg	0.4 kg
Bit locking sleeve	-	•	-
Rotatable	-	•	•
LED	•	•	•
Micro USB charger	•	-	-
Clockwise and counter-clockwise operation	•	•	•
Charge status indicator	-	•	•
Magnetic screw holder	-	•	-
Bits	10 pcs	32-piece bit box	6 pcs
Charging station	-	-	-
Packaging	Metal box	Metal box	Colour box
Article number	45.135.01	45.134.95	45.134.42



4 006825 622744



4 006825 598575



4 006825 604733

CORDLESS DRILLS 12 V

**REMOVABLE
DRILL
CHUCK**


	TE-CD 12/1 X-Li (1x 2.0 Ah) EXPERT	TE-CD 12/1 3X-Li (1x 2.0 Ah) EXPERT NEW
Li-Ion Battery Pack voltage / capacity	12 V / 2.0 Ah	12 V / 2.0 Ah
Charging time	45 min	45 min
Idle speed	0 - 400 / 0 - 1400 min ⁻¹	0 - 400 / 0 - 1400 min ⁻¹
Torque (hard)	30 Nm	30 Nm
Torque settings	19+1	19+1
Drill chuck	10 mm	10 mm
Product weight	1.1 kg (incl. battery)	1.1 kg (incl. battery)
Number of removable attachments	1	3
Metal gear box	•	•
Quick stop	•	•
LED	•	•
Removable drill chuck	•	•
Number of batteries / chargers	1 / 1x 45 min charger	1 / 1x 45 min charger
Bits	-	-
Packaging	Colour box	Colour box
Article number	45.135.92	45.135.95



4 006825 628685



4 006825 651690

CORDLESS DRILLS 12 V

30 Nm
HIGH
POWER



	TE-CD 12/1 Li (1x 2.0 Ah) EXPERT	TE-CD 12/1 Li (2x 2.0 Ah) EXPERT
Li-Ion Battery Pack voltage / capacity	12 V / 2.0 Ah	12 V / 2.0 Ah
Charging time	45 min	45 min
Idle speed	0 - 400 / 0 - 1400 min ⁻¹	0 - 400 / 0 - 1400 min ⁻¹
Torque (hard)	30 Nm	30 Nm
Torque settings	19+1	19+1
Drill chuck	10 mm	10 mm
Product weight	1.1 kg (incl. battery)	1.1 kg (incl. battery)
Number of removable attachments	-	-
Metal gear box	•	•
Quick stop	•	•
LED	•	•
Removable drill chuck	-	-
Number of batteries / chargers	1 / 1x 45 min charger	2 / 1x 45 min charger
Bits	5 pcs	5 pcs
Packaging	Colour box	Colour box
Article number	45.135.90	45.135.94



4 006825 626483



4 006825 633399

CORDLESS DRILLS 12 V

DRILL+
SCREW



	TC-CD 12 Li CLASSIC	TH-CD 12-2 Li CLASSIC
Li-Ion Battery Pack voltage / capacity	12 V / 1.5 Ah	12 V / 1.3 Ah
Charging time	60 min	3 - 5 h
Idle speed	0 - 300 / 0 - 1050 min ⁻¹	0 - 350 / 0 - 1300 min ⁻¹
Torque (hard)	20 Nm	24 Nm
Torque settings	17+1	19+1
Drill chuck	10 mm	10 mm
Product weight	1.1 kg (incl. battery)	1.0 kg (incl. battery)
Number of removable attachments	1	-
Metal gear box	•	•
Quick stop	•	•
LED	•	-
Removable drill chuck	•	-
Number of batteries / chargers	1 / 1x 60 min charger	1 / 1x 3-5 h charger
Bits	-	-
Packaging	Case	Colour box
Article number	45.132.06	45.136.60



4 006825 599060



4 006825 592436

CORDLESS IMPACT DRILL 12 V



	TE-CD 12/1 Li-i (2x 2.0 Ah)
	EXPERT
Li-Ion Battery Pack voltage / capacity	12 V / 2.0 Ah
Charging time	45 min
Idle speed	0 - 400 / 0 - 1400 min ⁻¹
Blow rate	0 - 6000 / 0 - 21000 min ⁻¹
Torque (hard)	30 Nm
Torque settings	20+1+1
Drill chuck	10 mm
Product weight	1.2 kg (incl. battery)
Metal gear box	•
Quick stop	•
LED	•
Removable drill chuck	-
Clockwise and counter-clockwise operation	•
Number of batteries / chargers	2 / 1x 45 min charger
Additional handle	-
Packaging	Colour box
Article number	45.138.90



CORDLESS IMPACT DRIVER 12 V

90 Nm
HIGH POWER



	TE-CI 12 Li (1x 2.0 Ah)
	EXPERT
Li-Ion Battery Pack voltage / capacity	12 V / 2.0 Ah
Charging time	45 min
Idle speed	0 - 2400 min ⁻¹
Torque (hard)	90 Nm
Bit mount	Internal hexagon 6.35 mm (1/4")
Product weight	1.1 kg (incl. battery)
Brushless motor	-
LED	•
Metal gear box	•
Electronic speed control	•
Number of batteries / chargers	1 / 1x 45 min charger
Bit adapter	-
Packaging	Colour box
Article number	45.100.50



DRYWALL SCREWDRIVER

**AUTO-
START-
STOP**



	TH-DY 500 E
	CLASSIC
Mains connection	230 V ~ 50 Hz
Rated input	500 W
Speed	0 - 2200 min ⁻¹
Tool mounting	Internal hexagon 6.35 mm (1/4")
Product weight	1.7 kg
Aluminium gear head	•
Adjustable screwing depth	•
Automatic start/stop gearing	•
Belt clip	•
Locking button for permanent operation	•
Electronic speed control	•
Packaging	Colour box
Article number	42.599.05



IMPACT DRILLS



	TC-ID 1000 E CLASSIC	TC-ID 1000 E Kit CLASSIC
Mains connection	230 V ~ 50 Hz	230 - 240 V ~ 50 Hz
Rated input	1010 W	1010 W
Idle speed	0 - 3000 min ⁻¹	0 - 3000 min ⁻¹
Blow rate	0 - 48000 min ⁻¹	0 - 48000 min ⁻¹
Drilling capacity, wood	32 mm	32 mm
Drilling capacity, cement	16 mm	16 mm
Drilling capacity, steel	13 mm	13 mm
Drill chuck	13 mm	13 mm
Product weight	2.1 kg	2.0 kg
Speed control electronics	•	•
Spindle Lock	-	-
Soft grip	•	•
Metal drill chuck	•	-
Constant electronics	-	-
Dust extraction device	-	-
Additional handle	•	•
Accessories	-	16-piece drill bits set
Packaging	Colour box	Bag
Article number	42.598.25	42.598.44



4 006825 587777



4 006825 635003

IMPACT DRILLS



	TE-ID 650 E EXPERT
Mains connection	220 - 240 V ~ 50 Hz
Rated input	650 W
Idle speed	0 - 3000 min ⁻¹
Blow rate	0 - 48000 min ⁻¹
Drilling capacity, wood	25 mm
Drilling capacity, cement	13 mm
Drilling capacity, steel	10 mm
Drill chuck	13 mm
Product weight	2.1 kg
Speed control electronics	•
Spindle Lock	•
Soft grip	•
Metal drill chuck	-
Constant electronics	-
Dust extraction device	-
Additional handle	•
Accessories	-
Packaging	Case
Article number	42.597.35



4 006825 565690

IMPACT DRILLS



	TC-ID 720/1 E CLASSIC	TC-ID 720/1 E Kit CLASSIC
Mains connection	220 - 240 V ~ 50-60 Hz	220 - 240 V ~ 50-60 Hz
Rated input	720 W	720 W
Idle speed	0 - 2800 min ⁻¹	0 - 2800 min ⁻¹
Blow rate	0 - 44800 min ⁻¹	0 - 44800 min ⁻¹
Drilling capacity, wood	30 mm	30 mm
Drilling capacity, cement	13 mm	13 mm
Drilling capacity, steel	10 mm	10 mm
Drill chuck	13 mm	13 mm
Product weight	2.0 kg	2.0 kg
Speed control electronics	•	•
Spindle Lock	-	-
Soft grip	•	•
Metal drill chuck	-	-
Constant electronics	-	-
Dust extraction device	-	-
Additional handle	•	•
Accessories	-	5-piece drill bits set
Packaging	Colour box	E-Box Basic
Article number	42.598.48	42.598.46



4 006825 641844



4 006825 637724

IMPACT DRILLS



	TC-ID 650 E CLASSIC	TE-ID 500 E EXPERT	TC-ID 550 E CLASSIC
Mains connection	230 V ~ 50 Hz	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz
Rated input	650 W	550 W	550 W
Idle speed	0 - 2600 min ⁻¹	0 - 3000 min ⁻¹	0 - 2800 min ⁻¹
Blow rate	0 - 41600 min ⁻¹	0 - 48000 min ⁻¹	0 - 44800 min ⁻¹
Drilling capacity, wood	25 mm	25 mm	25 mm
Drilling capacity, cement	13 mm	10 mm	13 mm
Drilling capacity, steel	10 mm	8 mm	10 mm
Drill chuck	13 mm	13 mm	13 mm
Product weight	1.8 kg	1.7 kg	1.7 kg
Speed control electronics	•	•	•
Spindle Lock	-	-	-
Soft grip	-	•	•
Metal drill chuck	-	-	-
Constant electronics	-	-	-
Dust extraction device	-	-	-
Additional handle	•	•	•
Accessories	-	-	-
Packaging	Colour box	Case	Colour box
Article number	42.586.82	42.596.10	42.586.21



4 006825 602166



4 006825 591347



4 006825 616712

ROTARY HAMMERS 2 KG CLASS

ELECTRONIC SPEED CONTROL

The right speed for every application

PNEUMATIC HAMMER MECHANISM

Only slight pressure needs to be applied to achieve high impact force

SDS-PLUS DRILL CHUCK

Easy tool change and optimum power transmission

ADDITIONAL HANDLE

Ergonomic additional handle with soft grip makes every job easier

Rotary Hammer
TE-RH 28 5F



CONTINUOUS OPERATION SETTING

Low-fatigue operation is ensured thanks to the selectable continuous operation setting

2-SPEED GEARING

High torque in 1st gear, high speed in 2nd gear

5 FUNCTIONS

Drilling, screwing, impact drilling, chiselling with and without fixation



ROTARY HAMMERS 2 KG CLASS



	TE-RH 28 5F EXPERT	TE-RH 28/1 5F EXPERT
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	950 W	950 W
Idle speed	0 - 1200 / 0 - 2600 min ⁻¹	0 - 1200 / 0 - 2600 min ⁻¹
Blow rate	0 - 4500 min ⁻¹	0 - 4500 min ⁻¹
Impact force	3.0 J	3.0 J
Drilling capacity, cement	28 mm	28 mm
Drill chuck	SDS-plus	SDS-plus
Product weight	3.8 kg	3.8 kg
Speed control electronics	•	•
Vibration-cushioned main handle	-	-
Overload safety stop	•	•
Pneumatic impact mechanism	•	•
Functions	5	5
Lock for continuous operation	•	•
Additional handle	•	•
Metal depth stop	•	•
Accessories	Quick-action chuck	Quick-action chuck
Packaging	E-Box	E-Box
Article number	42.579.70	42.579.72



ROTARY HAMMERS 2 KG CLASS



	TC-RH 800 4F CLASSIC	TC-RH 620 4F CLASSIC NEW
Mains connection	220 - 240 V ~ 50 Hz	230 - 240 V ~ 50 Hz
Rated input	800 W	620 W
Idle speed	0 - 930 min ⁻¹	0 - 1250 min ⁻¹
Blow rate	0 - 4500 min ⁻¹	0 - 5200 min ⁻¹
Impact force	2.6 J	2.2 J
Drilling capacity, cement	26 mm	20 mm
Drill chuck	SDS-plus	SDS-plus
Product weight	3.2 kg	2.8 kg
Speed control electronics	•	•
Vibration-cushioned main handle	-	-
Overload safety stop	•	•
Pneumatic impact mechanism	•	•
Functions	4	4
Lock for continuous operation	•	•
Additional handle	•	•
Metal depth stop	•	•
Accessories	-	-
Packaging	E-Box Basic	E-Box Basic
Article number	42.579.80	42.579.90



ROTARY HAMMERS 5 KG CLASS

SDS-MAX CHUCK

Easy tool change and optimum power transmission

PNEUMATIC HAMMER MECHANISM

Only slight pressure needs to be applied to achieve high impact force

Rotary Hammer
TE-RH 40 3F

ADDITIONAL HANDLE

Ergonomic additional handle with soft grip makes every job easier

ANTI-VIBRATION

Low vibration thanks to the vibration-absorbing handle

CONTINUOUS OPERATION SETTING

Continuous operation lock for user-friendly operation

ELECTRONIC SPEED CONTROL

The right speed for every application

BLOW STRENGTH OF 10 J

Maximum drilling and demolition capacity thanks to blow strength of 10 J

ROTARY HAMMERS 5 KG CLASS



	TE-RH 40 3F EXPERT PLUS	TE-RH 38 E EXPERT PLUS	TE-RH 32 4F Kit EXPERT PLUS
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	1050 W	1050 W	1250 W
Idle speed	0 - 500 min ⁻¹	0 - 500 min ⁻¹	0 - 850 min ⁻¹
Blow rate	0 - 4100 min ⁻¹	0 - 4100 min ⁻¹	0 - 4100 min ⁻¹
Impact force	10 J	9.0 J	5.0 J
Drilling capacity, cement	40 mm	38 mm	32 mm
Drill chuck	SDS-max	SDS-max	SDS-plus
Product weight	6.9 kg	6.7 kg	5.7 kg
Speed control electronics	•	•	•
Vibration-cushioned main handle	•	•	•
Overload safety stop	•	•	•
Pneumatic impact mechanism	•	•	•
Functions	3	3	4
Lock for continuous operation	•	-	-
Service interval indicator	-	•	•
Additional handle	•	•	•
Metal depth stop	-	•	•
Accessories	2 SDS-max chisels	-	3 SDS-plus drill bits / 2 SDS-plus chisels
Packaging	E-Box	Case	E-Box
Article number	42.579.35	42.579.50	42.579.44



4 006825 655926



4 006825 595451



4 006825 650419

ROTARY HAMMERS 5 KG CLASS

**ANTI
VIBRATION
SYSTEM**



	RT-RH 32 EXPERT	RT-RH 32 Kit EXPERT
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	1250 W	1250 W
Idle speed	800 min ⁻¹	800 min ⁻¹
Blow rate	4300 min ⁻¹	4300 min ⁻¹
Impact force	3.5 J	3.5 J
Drilling capacity, cement	32 mm	32 mm
Drill chuck	SDS-plus	SDS-plus
Product weight	6.1 kg	6.1 kg
Speed control electronics	-	-
Vibration-cushioned main handle	•	•
Overload safety stop	•	•
Pneumatic impact mechanism	•	•
Functions	3	3
Lock for continuous operation	-	-
Service interval indicator	-	-
Additional handle	•	•
Metal depth stop	•	•
Accessories	3 SDS-plus drill bits / 2 SDS-plus chisels	13-piece drill bits / chisels set
Packaging	Case	Case
Article number	42.584.40	42.584.85



4 006825 537581



4 006825 578935

ROTARY HAMMERS 5 KG CLASS

SAFETY STOP



	TC-RH 1600 CLASSIC	TC-RH 900 CLASSIC
Mains connection	230 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	1600 W	900 W
Idle speed	800 min ⁻¹	850 min ⁻¹
Blow rate	3900 min ⁻¹	4000 min ⁻¹
Impact force	4.0 J	3.0 J
Drilling capacity, cement	32 mm	26 mm
Drill chuck	SDS-plus	SDS-plus
Product weight	5.6 kg	4.1 kg
Speed control electronics	-	-
Vibration-cushioned main handle	•	-
Overload safety stop	•	•
Pneumatic impact mechanism	•	•
Functions	4	3
Lock for continuous operation	-	-
Service interval indicator	-	-
Additional handle	•	•
Metal depth stop	•	•
Accessories	-	-
Packaging	Case	Case
Article number	42.584.78	42.582.37




4 006825 593280



4 006825 593242

DEMOLITION HAMMERS



DEMOLITION HAMMERS



	TE-DH 50 EXPERT PLUS	TC-DH 43 CLASSIC
Mains connection	220 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	1700 W	1600 W
Blow rate	1800 min ⁻¹	1800 min ⁻¹
Impact force	50 J	43 J
Drill chuck	SDS-hex	SDS-hex
Product weight	18.4 kg	14.6 kg
Pneumatic impact mechanism	•	•
Vibration-cushioned main handle	•	-
Lock for continuous operation	•	-
Additional handle	•	•
Accessories	1 pointed chisel, 1 flat chisel	1 pointed chisel, 1 flat chisel
Packaging	E-Box trolley	Case
Article number	41.391.30	41.390.87



4 006825 630305



4 006825 638899

DEMOLITION HAMMERS



	TE-DH 32 EXPERT	NEW	TE-DH 12 EXPERT
Mains connection	230 - 240 V ~ 50 Hz		220 - 240 V ~ 50-60 Hz
Rated input	1500 W		1050 W
Blow rate	1900 min ⁻¹		4100 min ⁻¹
Impact force	32 J		12 J
Drill chuck	SDS-max		SDS-max
Product weight	10.8 kg		6.8 kg
Pneumatic impact mechanism	•		•
Vibration-cushioned main handle	•		•
Lock for continuous operation	•		•
Additional handle	•		•
Accessories	1 pointed chisel, 1 flat chisel		1 pointed chisel, 1 flat chisel
Packaging	E-Box		E-Box
Article number	41.390.99		41.391.00



4 006825 650334



4 006825 625219

PAINT/MORTAR MIXERS



	TE-MX 1600-2 CE Twin EXPERT	TE-MX 1600-2 CE EXPERT
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1600 W	1600 W
Idle speed	180 - 460 / 300 - 750 min ⁻¹	0 - 460 / 0 - 750 min ⁻¹
Stirrer mount	Hex 13 mm	M14
Product weight	3.7 kg (excl. stirrers)	3.5 kg (excl. stirrer)
Speed control electronics	•	•
Constant electronics	•	•
Soft start	•	•
Shaft mount for stationary operation	•	•
Soft grip	•	•
Accessories	Mortar twin stirrers (Ø 120 mm)	1 mortar stirrer (Ø 133 mm)
Packaging	Colour box	Colour box
Article number	42.585.61	42.585.55



4 006825 614558



4 006825 602258

PAINT/MORTAR MIXERS



	TC-MX 1400-2 E CLASSIC	TC-MX 1200 E CLASSIC
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1400 W	1200 W
Idle speed	0 - 480 / 0 - 780 min ⁻¹	0 - 680 min ⁻¹
Stirrer mount	M14	M14
Product weight	3.5 kg (excl. stirrer)	3.2 kg (excl. stirrer)
Speed control electronics	•	•
Constant electronics	-	-
Soft start	•	•
Shaft mount for stationary operation	•	•
Soft grip	•	-
Accessories	1 mortar stirrer (Ø 133 mm)	1 mortar stirrer (Ø 100 mm)
Packaging	Colour box	Colour box
Article number	42.585.50	42.585.45



4 006825 602241



4 006825 616620



ANGLE GRINDERS 230 MM



	TE-AG 230 EXPERT	TE-AG 230/2000 EXPERT
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	2350 W	2000 W
Idle speed	6500 min ⁻¹	6500 min ⁻¹
Wheel diameter	230 mm	230 mm
Product weight	6.0 kg	5.4 kg
Disc guard with quick adjust facility	•	•
Spindle Lock	•	•
Soft grip	•	•
Additional handle	can be mounted in 3 positions	can be mounted in 3 positions
Soft start	•	•
Vibration-cushioned main handle	•	–
Swivel handle	•	–
Face spanner	•	•
Accessories	–	–
Packaging	Colour box	Colour box
Article number	44.308.70	44.308.40



4 006825 577235



4 006825 593419

ANGLE GRINDERS 125 MM



	TE-AG 125 CE EXPERT	TE-AG 125/1010 CE Q EXPERT
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1100 W	1010 W
Idle speed	3000 - 12000 min ⁻¹	4000 - 12000 min ⁻¹
Wheel diameter	125 mm	125 mm
Product weight	2.5 kg	2.0 kg
Constant electronics	•	•
Restart safeguard	–	•
Safety switch	•	•
Disc guard with quick adjust facility	•	•
Spindle Lock	•	•
Soft grip	•	•
Additional handle	can be mounted in 3 positions	can be mounted in 2 positions
Soft start	•	•
LED operating status indicator	•	–
Face spanner	•	–
Accessories	–	Quick fix nut
Packaging	Colour box	Colour box
Article number	44.308.60	44.308.90



4 006825 577228



4 006825 644227

ANGLE GRINDERS 125 MM



	TE-AG 125/750 EXPERT	TC-AG 125/850 CLASSIC NEW
Mains connection	230 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	750 W	850 W
Idle speed	12000 min ⁻¹	12000 min ⁻¹
Wheel diameter	125 mm	125 mm
Product weight	1.9 kg	1.6 kg
Constant electronics	-	-
Restart safeguard	•	•
Safety switch	•	•
Disc guard with quick adjust facility	•	-
Spindle Lock	•	•
Soft grip	•	•
Additional handle	can be mounted in 3 positions	can be mounted in 2 positions
Soft start	-	•
LED operating status indicator	-	-
Face spanner	•	•
Accessories	-	-
Packaging	Colour box	Colour box
Article number	44.308.80	44.309.71



4 006825 583267



4 006825 651485

ANGLE GRINDERS 115 MM



	TE-AG 115 EXPERT	TE-AG 115/600 EXPERT	TC-AG 115/750 CLASSIC NEW
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	720 W	600 W	750 W
Idle speed	12000 min ⁻¹	12000 min ⁻¹	12000 min ⁻¹
Wheel diameter	115 mm	115 mm	115 mm
Product weight	1.9 kg	1.9 kg	1.7 kg
Restart safeguard	•	•	•
Safety switch	•	•	•
Disc guard with quick adjust facility	•	•	-
Spindle Lock	•	•	•
Soft grip	•	•	•
Additional handle	can be mounted in 3 positions	can be mounted in 3 positions	can be mounted in 2 positions
Soft start	-	-	•
Cable clip	•	•	-
Face spanner	•	•	•
Accessories	-	-	-
Packaging	Colour box	Colour box	Colour box
Article number	44.308.50	44.308.55	44.309.60



4 006825 577211



4 006825 593402



4 006825 630909

WALL LINER



	TC-MA 1300 CLASSIC
Mains connection	230 V ~ 50 Hz
Rated input	1320 W
Idle speed	9000 min ⁻¹
Cutting wheel	Ø 125 x Ø 22.2 mm
Channel depth	8 - 30 mm
Channel width	8 - 26 mm
Spindle thread	M14
Product weight	4.9 kg
Infinitely adjustable cutting depth	•
Overload cut-out	•
Soft start	•
Spindle Lock	•
Dust extraction	•
Diamond cutting wheel	2 pcs
Packaging	Case
Article number	43.507.30



BISCUIT JOINER



	TC-BJ 900 CLASSIC
Mains connection	230 V ~ 50 Hz
Rated input	860 W
Idle speed	11000 min ⁻¹
Max. cutting depth	14 mm
Tilt angle adjustment	90°
Channel cutter	Ø 100 x Ø 22 x 3.8 mm
Product weight	3.3 kg
Infinitely adjustable angle setting	•
Infinitely adjustable height	•
Cutting depth quick-set adjustment	3 settings
Spindle Lock	•
Dust extraction	by use of dust bag
Face spanner	•
Packaging	Case
Article number	43.506.20



ROUTERS



	TE-RO 1255 E EXPERT	TC-RO 1155 E CLASSIC
Mains connection	230 V ~ 50 Hz	230 - 240 V ~ 50 Hz
Rated input	1200 W	1100 W
Idle speed	11000 - 30000 min ⁻¹	11000 - 30000 min ⁻¹
Stroke height	55 mm	55 mm
Max. form cutter	30 mm	30 mm
Product weight	3.3 kg	3.0 kg
Speed control electronics	•	•
Cutting depth fine adjustment	•	•
Chip shield	•	•
Spindle Lock	•	•
Soft grip	•	–
Cable clip	•	–
Parallel stop	•	•
Compass point	•	•
Copy sleeve	•	•
Clamp diameter	6 mm / 8 mm	6 mm / 8 mm
Packaging	Colour box	Colour box
Article number	43.504.90	43.504.70



4 006825 537215



4 006825 580143

PLANERS



	TE-PL 900 EXPERT	TC-PL 750 CLASSIC
Mains connection	230 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	900 W	750 W
Idle speed	15000 min ⁻¹	17000 min ⁻¹
Planing width	82 mm	82 mm
Chip depth	3 mm	2 mm
Rebate depth	18 mm	10 mm
Product weight	3.6 kg	2.4 kg
Soft grip	•	•
Automatic blade protector	•	•
Aluminium sole plates	•	•
V grooves	3 pcs	1 pc
Chip ejection	double-sided	on one side
Cable clip	•	–
Parallel stop	•	•
Rebate depth stop	•	•
Planing blades (reversible blades)	1 pair TCT	1 pair TCT
Packaging	Colour box	Colour box
Article number	43.453.20	43.453.10



4 006825 645668



4 006825 615029


JIGSAWS



	TE-JS 100 EXPERT	TC-JS 85 CLASSIC
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	750 W	620 W
Stroke speed	800 - 3000 min ⁻¹	800 - 3000 min ⁻¹
Cutting depth (wood/plastic/steel)	100 / 12 / 10 mm	85 / 12 / 8 mm
Product weight	2.3 kg	2.0 kg
Universal blade holder	•	–
Pendulum action	4 settings	4 settings
Cutting angle adjustment without tools	•	•
Blade change without tools	•	•
Vacuum cleaner connection	•	•
LED	•	–
Dust-blower function	•	•
Cutting line guide	•	–
Saw blades	1 pc (wood)	1 pc (wood)
Accessories	Parallel stop, chip guard	Parallel stop, chip guard
Packaging	Case	Case
Article number	43.211.60	43.211.40



JIGSAWS



	TC-JS 80/1 CLASSIC	TC-JS 60/1 CLASSIC
Mains connection	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50 Hz
Rated input	550 W	400 W
Stroke speed	1000 - 3000 min ⁻¹	1000 - 3000 min ⁻¹
Cutting depth (wood/plastic/steel)	80 / 12 / 10 mm	60 / 10 / 6 mm
Product weight	1.9 kg	1.7 kg
Universal blade holder	–	–
Pendulum action	4 settings	–
Cutting angle adjustment without tools	–	–
Blade change without tools	•	•
Vacuum cleaner connection	•	•
LED	–	–
Dust-blower function	–	–
Cutting line guide	–	–
Saw blades	–	–
Accessories	–	–
Packaging	Colour box	Colour box
Article number	43.211.45	43.211.35



CIRCULAR SAWS



	TE-CS 190/1 EXPERT	TC-CS 1410 CLASSIC NEW
Mains connection	230 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1500 W	1410 W
Idle speed	5500 min ⁻¹	5500 min ⁻¹
Saw blade	Ø 190 x Ø 30 mm	Ø 190 x Ø 30 mm
Cutting depth 90°	66 mm	67 mm
Cutting depth 45°	48 mm	46 mm
Product weight	5.2 kg	4.3 kg
Adjustment without tools (depth/angle)	•	•
LED	•	-
Aluminium sawing table	•	-
Spindle Lock	•	•
Double-sided safety lock-off	•	•
Dust extraction device	•	•
Soft grip	•	•
Accessories	Parallel stop	Parallel stop
Packaging	Colour box	Colour box
Article number	43.310.05	43.310.50



CIRCULAR SAWS



	TE-CS 165 EXPERT	TC-CS 1250 CLASSIC NEW
Mains connection	230 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1200 W	1250 W
Idle speed	5500 min ⁻¹	5500 min ⁻¹
Saw blade	Ø 165 x Ø 16 mm	Ø 165 x Ø 16 mm
Cutting depth 90°	55 mm	55 mm
Cutting depth 45°	40 mm	38 mm
Product weight	3.8 kg	3.8 kg
Adjustment without tools (depth/angle)	•	•
LED	-	-
Aluminium sawing table	•	-
Spindle Lock	•	•
Double-sided safety lock-off	•	•
Dust extraction device	•	•
Soft grip	•	•
Accessories	Parallel stop	Parallel stop
Packaging	Colour box	Colour box
Article number	43.310.10	43.310.40



PLUNGE CUT SAW



	TE-PS 165 EXPERT
Mains connection	220 - 240 V ~ 50 Hz
Rated input	1200 W
Idle speed	5200 min ⁻¹
Saw blade	Ø 165 x Ø 20 mm
Cutting depth 90°	56 mm
Cutting depth 45°	42 mm
Product weight	4.8 kg
Adjustment without tools (depth/angle)	•
LED	-
Aluminium sawing table	•
Spindle Lock	•
Dust extraction device	•
Soft grip	•
Cutting line guide	•
Accessories	Parallel stop
Packaging	Colour box
Article number	43.313.00



4 006825 629668

THE RIGHT
**GUIDE
BAR**
FOR THE
**PLUNGE
CUT SAW**
CAN BE FOUND
ON PAGE 142

MINI CIRCULAR SAW



	TC-CS 89 CLASSIC	NEW
Mains connection	220 - 240 V ~ 50 Hz	
Rated input	600 W	
Idle speed	7200 min ⁻¹	
Saw blade	Ø 89 x Ø 10 mm	
Cutting depth	27 mm	
Product weight	2.0 kg	
Cutting depth adjustment without tools	•	
Aluminium sawing table	•	
Dust extraction adapter	•	
Soft grip	•	
Accessories	2 saw blades (wood/plastic), 1 diamond cutting wheel, parallel stop	
Packaging	Colour box	
Article number	43.310.30	



4 006825 646054

ALL PURPOSE SAWS



	TE-AP 950 E EXPERT	TE-AP 750 E EXPERT
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	950 W	750 W
Stroke speed	0 - 2500 min ⁻¹	0 - 2800 min ⁻¹
Stroke height	28 mm	20 mm
Cutting depth (wood / steel)	200 / 20 mm	150 / 10 mm
Saw blade thickness	0.8 - 1.5 mm	0.8 - 1.5 mm
Product weight	3.2 kg	2.4 kg
Blade change without tools	•	•
Soleplate adjustment without tools	•	•
Soft grip	•	•
Pivotable head section	-	-
Pendulum action	-	-
Accessories	1 KWB saw blade	1 KWB saw blade
Packaging	Colour box	Colour box
Article number	43.261.80	43.261.70



4 006825 632699



4 006825 632682



MULTIFUNCTIONAL TOOLS



	TE-MG 300 EQ EXPERT	TE-MG 300 EQ Kit EXPERT
Mains connection	230 - 240 V ~ 50 Hz	230 - 240 V ~ 50 Hz
Rated input	300 W	300 W
Oscillating speed / idle speed	22000 - 40000 min ⁻¹ / 11000 - 20000 min ⁻¹	22000 - 40000 min ⁻¹ / 11000 - 20000 min ⁻¹
Oscillation angle	3.2°	3.2°
Abrasive paper size	93 x 93 x 93 mm	93 x 93 x 93 mm
Product weight	1.5 kg	1.5 kg
Speed control electronics	•	•
Constant electronics	•	•
Soft grip	•	•
Quick-release lock	•	•
Magnetic tool mounting	•	•
Delta grinding/sanding disc	•	•
Abrasive paper	3x P60, 3x P120	3x P60, 3x P120
Scraper	•	•
Grater	-	1x tile adhesive
Plunge-cut blades	Wood/plastic, metal (1x each)	Wood/plastic, metal (1x each)
Segment saw blade	Wood/plastic/non-ferrous metal, tile joints (1x each)	Wood/plastic/non-ferrous metal, tile joints, drywall (1x each)
Dust extraction adapter	•	•
Hex key	-	-
Packaging	Case	E-Box
Article number	44.651.50	44.651.51



4 006825 614237



4 006825 635355



MULTIFUNCTIONAL TOOLS



	TE-MG 200 CE EXPERT	TC-MG 220/1 E CLASSIC
Mains connection	230 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	200 W	220 W
Oscillating speed / idle speed	30000 - 42000 min ⁻¹ / 15000 - 21000 min ⁻¹	22000 - 44000 min ⁻¹ / 11000 - 22000 min ⁻¹
Oscillation angle	3.0°	3.2°
Abrasive paper size	93 x 93 x 93 mm	93 x 93 x 93 mm
Product weight	1.1 kg	1.3 kg
Speed control electronics	•	•
Constant electronics	•	–
Soft grip	•	•
Quick-release lock	–	–
Magnetic tool mounting	–	•
Delta grinding/sanding disc	•	•
Abrasive paper	3x P60, 3x P120	1x P60
Scraper	•	•
Grater	–	–
Plunge-cut blades	1x wood/plastic	1x wood/plastic
Segment saw blade	–	–
Dust extraction adapter	•	•
Hex key	•	•
Packaging	Case	Colour box
Article number	44.650.40	44.650.95



4 006825 577204



4 006825 626490

CORDLESS MULTIFUNCTIONAL TOOL

**12 V
POWER**


	TE-MG 12/1 Li (1x 2.0 Ah) EXPERT	NEW
Battery voltage / capacity	12 V / 2.0 Ah	
Charging time	45 min	
Oscillating speed / idle speed	10000 - 33000 min ⁻¹ / 5000 - 16500 min ⁻¹	
Oscillation angle	2.8°	
Abrasive paper size	93 x 93 x 93 mm	
Product weight	1.0 kg (excl. battery)	
Speed control electronics	•	
Soft grip	•	
Number of batteries / chargers	1 / 1x 45 min charger	
Delta grinding/sanding disc	•	
Abrasive paper	2x P60, 2x P80, 2x P120	
Scraper	•	
Plunge-cut blades	1x wood/plastic	
Segment saw blade	1x wood/plastic/non-ferrous metal	
Hex key	–	
Packaging	Storage carton with magnetic lock	
Article number	44.651.80	



4 006825 630336

CORDLESS GRINDING AND ENGRAVING TOOL



	TE-MT 7.2 Li
	EXPERT NEW
Battery voltage / capacity	7.2 V / 1.5 Ah
Charging time	1 h
Idle speed	5500 - 26000 min ⁻¹
Clamping sleeves, Ø	1.6 mm / 2.4 mm / 3.2 mm
Product weight	0.3 kg
Speed control electronics	•
Spindle Lock	•
Soft grip	•
Charging station	•
Accessories Set	57-piece
Packaging	Storage carton with magnetic lock
Article number	44.193.30



4 006825 639353

GRINDING AND ENGRAVING TOOL



	TC-MG 135 E
	CLASSIC
Mains connection	230 V ~ 50 Hz
Rated input	135 W
Idle speed	10000 - 35000 min ⁻¹
Clamping sleeves, Ø	0.5 / 1.6 / 2.4 / 3.2 mm
Product weight	0.7 kg
Speed control electronics	•
Spindle Lock	•
Soft grip	•
Accessories Set	189-piece accessory set in storage case
Telescopic stand	•
Flexible shaft	•
Packaging	Case
Article number	44.191.69



4 006825 585315

ORBITAL SANDERS



	TE-OS 2520 E EXPERT	TC-OS 1520/1 CLASSIC
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	250 W	150 W
Oscillating speed	14000 - 24000 min ⁻¹	24000 min ⁻¹
Oscillating circuit, Ø	2.0 mm	2.0 mm
Grinding/sanding area	230 x 115 mm	187 x 90 mm
Abrasive paper size, hook and loop fastening system	230 x 115 mm	187 x 93 mm
Abrasive paper size, clamping mechanism	280 x 115 mm	230 x 93 mm
Product weight	1.9 kg	1.2 kg
Speed control electronics	•	-
Hook and loop fastening system	•	•
Clamping mechanism	•	•
Dust extraction	by use of dust collection box & dust extraction adapter	by use of dust extraction adapter
Low Vibration	•	-
Aluminium sole plate	•	-
Soft grip	•	•
Abrasive paper	1x P120	3x P120
Packaging	Case	Colour box
Article number	44.606.20	44.606.42



4 006825 592498



4 006825 625301

BAND SANDERS



	TE-BS 8540 E EXPERT	TC-BS 8038 CLASSIC
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	850 W	800 W
Grinding/sanding belt speed	300 - 400 m/min	380 m/min
Grinding/sanding area	75 x 140 mm	76 x 142 mm
Grinding/sanding belt size	75 x 533 mm	76 x 533 mm
Product weight	3.1 kg	3.4 kg
Belt run adjustment	•	•
Belt change without tools	•	•
Dust extraction	by use of dust collection box & dust extraction adapter	by use of dust collection box & dust extraction adapter
Soft grip	•	-
Additional handle	•	•
Folding front cover	•	-
Cable clip	•	-
Sanding/grinding belt	1x P80	1x P80
Packaging	Colour box	Colour box
Article number	44.662.30	44.662.60



4 006825 537307



4 006825 598360

DELTA SANDERS



	TE-DS 20 E EXPERT	TC-DS 19 CLASSIC
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	200 W	190 W
Oscillating speed	13000 - 20000 min ⁻¹	20000 min ⁻¹
Oscillating circuit, Ø	2.0 mm	1.2 mm
Abrasive paper size	93 x 93 x 93 mm	93 x 93 x 93 mm
Product weight	1.2 kg	1.1 kg
Speed control electronics	•	-
Soft grip	•	-
Hook and loop fastening system	•	•
Dust extraction	by use of dust extraction adapter	by use of dust extraction adapter
Soft start	•	-
Cable clip	•	-
Abrasive paper	5x P80, 5x P120	1x P60, 1x P80, 1x P120
Dust extraction adapter	•	•
Packaging	Colour box	Colour box
Article number	44.642.50	44.642.35



MULTI SANDERS



	TE-OS 1320 EXPERT	TH-OS 1016 CLASSIC
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	130 W	100 W
Oscillating speed	24000 min ⁻¹	24000 min ⁻¹
Oscillating circuit, Ø	2.0 mm	1.6 mm
Abrasive paper size	150 x 150 x 100 mm	150 x 150 x 100 mm
Product weight	1.2 kg	1.0 kg
Soft grip	•	•
Hook and loop fastening system	•	•
Dust extraction	by use of dust collection box & dust extraction adapter	by use of dust bag + dust extraction adapter
Cable clip	•	-
Abrasive paper	3x P120	1x P120
Packaging	Colour box	Colour box
Article number	44.605.60	44.606.10



ROTATING SANDERS



	TE-RS 40 E EXPERT	TC-RS 38 E CLASSIC
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	400 W	380 W
Oscillating speed	12000 - 24000 min ⁻¹	12000 - 26000 min ⁻¹
Oscillating circuit, Ø	2.5 mm	2.0 mm
Abrasive paper, Ø	125 mm	125 mm
Product weight	2.1 kg	2.0 kg
Speed control electronics	•	•
Hook and loop fastening system	•	•
Dust extraction	by use of dust collection box & dust extraction adapter	by use of dust bag + dust extraction adapter
Soft grip	•	-
Additional handle	•	-
Low Vibration	•	-
Abrasive paper	-	1x P80
Packaging	Case	Colour box
Article number	44.620.00	44.621.65



4 006825 590661



4 006825 603811

WALL PROCESSING SYSTEM DRYWALL POLISHERS

SOFT GRIP SURFACES
for safe and comfortable operation

ADDITIONAL HANDLE
Flexible adjustment to every working situation

Wall Processing System
TE-DW 180

DETACHABLE EDGE
Brush ring with detachable edge allows perimeter work

ELECTRONIC SPEED CONTROL
Using the right speed ensures that the tool is properly adjusted to each material and application

SPINDLE LOCK
The spindle can be locked at the push of a button for changing the sanding/grinding disk quickly and easily

CHANGEABLE SANDING/GRINDING DISC
Sanding/grinding disc for a wide range of sanding/grinding jobs, e.g. drywall work, diamond cup wheel for removing tile adhesive and grinding work on concrete, steel brushes for cleaning concrete surfaces and removing wall-paper residues

WALL PROCESSING SYSTEM



	TE-DW 180 EXPERT
Mains connection	230 - 240 V ~ 50 Hz
Rated input	1300 W
Idle speed	800 - 1750 min ⁻¹
Abrasive paper dimensions	Ø 180 mm
Device length	-
Hose length	-
Cable length	4.0 m
Product weight	3.3 kg
Speed control electronics	•
Adjustable grinding head	•
Round sanding/grinding disc	•
Delta sanding/grinding disc	-
Diamond cup wheel	•
Steel brushes	•
Folding and height-adjustable long handle	-
Supporting foot	-
Round sanding discs	2x P60, 2x P80, 2x P120
Triangular sanding discs	-
Round abrasive mesh	-
Delta abrasive mesh	-
Packaging	Colour box
Article number	42.599.40



4 006825 632750

DRYWALL POLISHERS

**EASY
HANDLING**


	TE-DW 225 X EXPERT	TC-DW 225 CLASSIC
Mains connection	230 - 240 V ~ 50 Hz	230 - 240 V ~ 50 Hz
Rated input	750 W	600 W
Idle speed	600 - 1800 min ⁻¹	600 - 1500 min ⁻¹
Abrasive paper dimensions	Ø 225 mm / 285 x 285 x 285 mm	Ø 225 mm
Device length	110 - 165 cm	110 - 165 cm
Hose length	4.0 m	4.0 m
Cable length	4.0 m	4.0 m
Product weight	3.7 kg	3.2 kg
Speed control electronics	•	•
Adjustable grinding head	•	•
Round sanding/grinding disc	•	•
Delta sanding/grinding disc	•	-
Diamond cup wheel	-	-
Steel brushes	-	-
Folding and height-adjustable long handle	•	•
Supporting foot	•	•
Round sanding discs	1x P60, 1x P80, 1x P120	2x P60, 2x P80, 2x P120
Triangular sanding discs	1x P60, 1x P80, 1x P120	-
Round abrasive mesh	1x P80	-
Delta abrasive mesh	1x P80	-
Packaging	E-Box	Case
Article number	42.599.60	42.599.30



4 006825 634518



4 006825 601671



ELECTRIC PAINT SPRAY SYSTEMS

VERTICAL, HORIZONTAL AND ROUND JETS

The adjustable air cap provides maximum flexibility and allows free, creative work

NON-TWISTING AIR HOSE

The 3.5 metre non-twisting air hose prevents the inconvenience of a twisted hose and makes it easy to handle

DETACHABLE SPRAY HEAD

Allows all the elements which come into contact with the paint to be cleaned quickly and easily

PAINT FLOW REGULATION

Fine adjustment of the amount of paint applied enables exact and flexible adaptation to every application, surface and viscosity

SOFT GRIP SURFACES

Safe and comfortable handling thanks to large soft grip areas

ANYPAIN

Trouble-free and tidy spraying of various materials such as lacquers, glazes and interior wall paints

PULL SLEDGE

The pull sledge provides firm stand, flexibility when working and practical storage of the hose at the same time

Electric Paint Spray System
TC-SY 700 S

ELECTRIC PAINT SPRAY SYSTEMS

For spraying lacquers and varnishes, for example on garden sheds, patios and decks, fences or garden furniture. Thanks to the **ANYPAIN** technology it is possible to spray not

just lacquers and varnishes but interior wall paints as well with just the one device.



ELECTRIC PAINT SPRAY SYSTEMS (SEMI-STATIONARY)



	TC-SY 700 S CLASSIC	TC-SY 600 S CLASSIC
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	700 W	600 W
Delivery rate	1000 ml/min	1000 ml/min
Tank volume	1000 ml	800 ml
Hose length	3.5 m	1.8 m
Product weight	3.0 kg	2.3 kg
Processing	Lacquers, glazes, interior wall paints	Lacquers, glazes, interior wall paints
Removable spray cap	•	•
Control of the paint delivery rate	•	•
Paint jet	Vertical, horizontal and round jet	Vertical, horizontal and round jet
Soft grip	•	•
Shoulder strap	•	•
Slide	•	-
Spray nozzles	Ø 2.5 mm, Ø 3.0 mm	Ø 2.5 mm, Ø 3.0 mm
Cleaning brush and needle	•	•
Tank for testing the viscosity	•	•
Paint tank with cover	1000 ml	800 ml
Packaging	Colour box	Colour box
Article number	42.600.20	42.600.15



ELECTRIC PAINT SPRAY SYSTEMS (SPRAY GUN)



	TC-SY 500 P CLASSIC	TC-SY 400 P CLASSIC
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	500 W	400 W
Delivery rate	550 ml/min	500 ml/min
Tank volume	1000 ml	800 ml
Product weight	1.3 kg	1.3 kg
Processing	Lacquers, glazes	Lacquers, glazes
Removable spray cap	•	•
Control of the paint delivery rate	•	•
Paint jet	Vertical, horizontal and round jet	Vertical, horizontal and round jet
Soft grip	•	•
Suspension fixture	•	•
Spray nozzles	Ø 2.0 mm, Ø 2.5 mm	Ø 2.0 mm, Ø 2.5 mm
Cleaning brush and needle	•	•
Tank for testing the viscosity	•	•
Paint tank with cover	1000 ml	800 ml
Packaging	Colour box	Colour box
Article number	42.600.10	42.600.05



HOT GLUE GUN



	TC-GG 30 CLASSIC
Mains connection	220 - 240 V ~ 50 Hz
Rated input	30 W
Warm-up period	300 s
Max. temperature	195 °C
Glue stick diameter	11 mm
Glue stick length	150 mm
Product weight	0.2 kg
Mechanical glue stick feeding	•
Viewing window	•
Support bar	•
Glue sticks	3 pcs
Standard nozzle	•
Flat nozzle	•
Extension nozzle	•
Packaging	Colour box
Article number	45.221.70



4 006825 614022

CORDLESS HOT GLUE GUN



	TC-CG 3.6/1 Li CLASSIC
Li-Ion Battery Pack voltage / capacity	3.6 V / 1.5 Ah
Charging time	3 - 5 h
Warm-up period	30 s
Max. temperature	160 °C
Glue stick diameter	7 mm
Glue stick length	150 mm
Product weight	0.3 kg
LED status indicator	•
Mechanical glue stick feeding	•
Support bar	•
Accessories	4 glue sticks
Packaging	Metal box
Article number	45.221.90



4 006825 637854

ELECTRIC TACKER



	TC-EN 20 E CLASSIC
Mains connection	220 - 240 V ~ 50 Hz
Shots per minute	20
Staples type	53
Staple length	6 - 14 mm
Staple width	11.4 mm
Staple size	0.75 mm
Nail type	47
Nail length	14 mm
Nail size	1.16 - 1.26 mm
Product weight	1.1 kg
Safety lug	•
Soft grip	•
Magazine level indication	•
Impact force preset	•
Staples (type 53)	1000 pcs
Nails (type 47)	500 pcs
Packaging	Colour box
Article number	42.578.90



4 006825 615647

CORDLESS TACKER



	TC-CT 3.6 Li CLASSIC
Battery voltage	3.6 V
Battery capacity	1.3 Ah
Charging time	3 - 5 h
Shots per minute	30
Staples type	53
Staple length	6 - 14 mm
Staple width	11.4 mm
Staple size	0.75 mm
Product weight	0.9 kg
Safety lug	•
Soft grip	•
Magazine level indication	•
Charge status indicator	•
Staples (type 53)	1000 pcs
Battery charger	•
Packaging	Metal box
Article number	42.578.80



4 006825 607291

HOT AIR GUNS



	TE-HA 2000 E EXPERT
Mains voltage	220 - 240 V ~ 50 Hz
Rated input	2000 W
Air rate	250 / 250 / 500 l/min
Temperature	50 / 50 - 550 / 50 - 550 °C
Product weight	0.9 kg
Air rate and temperature control system	3 settings
Cold setting	•
Ceramic heater	•
Overheating guard	•
Storage area	•
Temperature adjustment, 9 levels	•
Wide nozzle	•
Reducer nozzle	•
Reflector nozzle	•
Heat nozzle	•
Paint scraper	-
Packaging	Case
Article number	45.201.95



4 006825 602678

HOT AIR GUNS



	TH-HA 2000/1 CLASSIC	TC-HA 2000/1 CLASSIC
Mains voltage	230 / 240 V ~ 50 Hz	230 / 240 V ~ 50 Hz
Rated input	2000 W	2000 W
Air rate	300 / 500 l/min	300 / 500 l/min
Temperature	350 / 550 °C	350 / 550 °C
Product weight	0.5 kg	0.7 kg
Air rate and temperature control system	2 settings	2 settings
Cold setting	-	-
Ceramic heater	-	-
Overheating guard	•	•
Storage area	•	•
Temperature adjustment, 9 levels	-	-
Wide nozzle	•	•
Reducer nozzle	•	•
Reflector nozzle	•	-
Heat nozzle	•	-
Paint scraper	•	-
Packaging	Case	Colour box
Article number	45.201.79	45.201.84



4 006825 593235



4 006825 602227


360° CROSS LASER LEVEL



	TE-LL 360 EXPERT
Laser diode	650 nm (horizontal), 635 nm (vertical)
Laser class	2
Work area Ø	20 m
Precision	+/- 0.4 mm/m
Self-levelling time	< 5 s
Levelling range	+/- 4°
Tripod socket	1/4"
Product weight	0.3 kg
Laser crosshair	•
Horizontal and/or vertical laser line	•
Horizontal 360° laser line	•
Self-levelling	•
Digital spirit level	•
Soft grip	•
Storage case	•
Height-adjustable wall mount	•
Universal clamp	–
Batteries	–
Packaging	Colour box
Article number	22.701.10



CROSS LASER LEVELS IN ACTION



FUNCTIONS

- 1** Levelling function: The Einhell cross-line laser helps make easy work of placing objects at the same level.
- 2** Einhell cross-line laser project a vertical and a horizontal laser line simultaneously, which you can use to make easy work of aligning objects exactly and uniformly.
- 3** The TE-LL 360 projects a horizontal 360° line for effortless and precise alignment of objects in a room.

CROSS LASER LEVEL



	TC-LL 2 CLASSIC
Laser diode	635 nm
Laser class	2
Work area	8 m
Precision	+/- 0.5 mm/m
Self-levelling time	< 5 s
Levelling range	+/- 4°
Tripod socket	1/4"
Product weight	0.2 kg
Laser crosshair	•
Horizontal and/or vertical laser line	•
Horizontal 360° laser line	-
Self-levelling	•
Digital spirit level	•
Soft grip	•
Storage case	•
Height-adjustable wall mount	-
Universal clamp	•
Batteries	-
Packaging	Colour box
Article number	22.701.05



LASER DISTANCE METERS



	TE-LD 60 EXPERT	TC-LD 50 CLASSIC	TC-LD 25 CLASSIC
Laser diode	635 nm	635 nm	635 nm
Laser class	2	2	2
Measuring range	0.05 - 60 m	0.05 - 50 m	0.05 - 25 m
Measurement accuracy	+/- 2.0 mm/m	+/- 2.0 mm/m	+/- 3.0 mm/m
Switches off automatically	from 3 min	from 3 min	from 3 min
Measurement reference	Front edge, back edge or stop plate	Front edge, back edge or stop plate	Front edge or back edge
Product weight	0.1 kg	0.1 kg	0.1 kg
Compatible with the mobile app via Bluetooth®	•	–	–
Measurement of lengths, areas and volumes	•	•	•
Addition and subtraction	of lengths, areas and volumes	of lengths, areas and volumes	–
Continuous measurements with min/max function	•	•	•
Safety function	•	•	•
Pythagoras function	•	•	–
Disconnection function	•	•	–
Last measurements are saved automatically	50	20	–
Soft grip	•	•	•
Storage case	•	•	•
Batteries	–	–	–
Packaging	Colour box	Colour box	Colour box
Article number	22.700.85	22.700.80	22.700.75



4 006825 620924




4 006825 616194



4 006825 616187

LASER DISTANCE METERS IN ACTION.

- 1 Simple measurement of areas, e.g. to determine the amount of wall paint needed.
- 2 Pitch function: Ability to create predefined uniform spacing using the pitch function, e.g. for determining the correct spacing between fence or railing posts.
- 3 Simple measurement of distances, e.g. to determine the amount of skirting boards needed.
- 4 Simple measurement of volumes, e.g. to determine room volumes for HVAC systems.
- 5 Indirect determination of heights and lengths in places that are difficult or impossible to access using the Pythagoras function (see picture below right).



LASER LEVELLING



	TC-LL 1 CLASSIC
Laser diode	650 nm
Laser class	2
Work area	Laser line: 5 m, laser dot: 20 m
Precision	+/- 0.5 mm/m
Product weight	0.1 kg
Spirit level function	•
Soft grip	•
Flexible wall mount	•
Batteries	-
Packaging	Colour box
Article number	22.700.95



4 006825 616217

DIGITAL DETECTOR



	TC-MD 50 CLASSIC
Max. scanning depth: wood	19 mm
Max. scanning depth: non-ferrous metals	19 mm
Max. scanning depth: ferrous metals	50 mm
Max. scanning depth: copper	38 mm
Max. scanning depth: live wires	50 mm
Switches off automatically	from 1 min
Product weight	0.1 kg
Acoustic warning signal	•
Wall protection	•
Soft grip	•
Batteries	-
Packaging	Colour box
Article number	22.700.90



4 006825 616200



STATIONARY POWER TOOLS



SLIDING MITRE SAWS MITRE SAWS

VARIABLE MITRE CUTS

For performing mitre cuts easily the saw head can be tilted 45° to the left or right and the table can be turned up to 47° to the left or right

Sliding Mitre Saw
TE-SM 254 Dual

CUTTING LINE LASER

The powerful cutting line laser is a great help for working efficiently with the machine

CLEAN WORK AREA

The rubber clip behind the saw blade functions like a funnel and efficiently guides the dust away

HIGH-QUALITY SAW BLADE

The 60-tooth saw blade with carbide-tipped teeth delivers an outstanding cut and is easy to change thanks to the open blade guard and the spindle locking system

QUICK ANGLE ADJUSTMENT

For quick and easy angle adjustment there are lever mechanisms on the side of the machine at the front

PULL-OUT SIDE SUPPORTS

For wide workpieces the two side tables can also be pulled out to provide a larger support surface

SLIDING MITRE SAWS



	TE-SM 254 Dual EXPERT	TE-SM 2534 Dual EXPERT
Mains connection	220 - 240 V ~ 50 Hz	230 - 240 V ~ 50 Hz
Rated input	2100 W S6 25%	1800 W S1
Speed	4800 min ⁻¹	5100 min ⁻¹
Saw blade	Ø 254 x Ø 30 mm	Ø 250 x Ø 30 mm
Number of teeth	60	48
Swivelling range	-47° to +47°	-47° to +47°
Mitre cut	-45° to +45°	-45° to +45°
Max. cutting capacity at 90°	305 x 85 mm	310 x 90 mm
Product weight	15.2 kg	15.7 kg
Saw blade tilting	left / right	left / right
Laser	•	•
Light	-	•
Soft start-up	-	•
X-Tend support with limit stop	-	•
Dust funnel	•	-
Quick-adjust facility for the saw table	•	-
Quick-adjust facility for the tilt of the saw head	•	-
Precision TCT saw blade	1 pc	1 pc
Article number	43.008.75	43.008.70



4 006825 635744



4 006825 599534

SLIDING MITRE SAWS



	TC-SM 2534/1 Dual CLASSIC	TC-SM 254 CLASSIC	TC-SM 2531/2 U CLASSIC
Mains connection	230 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz	230 - 240 V ~ 50 Hz
Rated input	2350 W S6 25%	1900 W S6 25%	1900 W S1
Speed	4000 min ⁻¹	5000 min ⁻¹	4800 min ⁻¹
Saw blade	Ø 250 x Ø 30 mm	Ø 254 x Ø 30 mm	Ø 254 x Ø 30 mm
Number of teeth	48	48	48
Swivelling range	-47° to +47°	-47° to +47°	-45° to +45°
Mitre cut	-45° to +45°	0° to 45° to the left	0° to 45° to the left
Max. cutting capacity at 90°	340 x 75 mm	305 x 85 mm	310 x 70 mm
Product weight	14.3 kg	14.9 kg	17.8 kg
Saw blade tilting	left / right	left	left
Laser	•	•	•
Dust funnel	•	•	-
Quick-adjust facility for the saw table	-	•	-
Quick-adjust facility for the tilt of the saw head	-	-	-
Base frame	-	-	Working height 84 cm
Precision TCT saw blade	1 pc	1 pc	1 pc
Article number	43.003.95	43.003.85	43.008.05



4 006825 644890



4 006825 635713



4 006825 645637

SLIDING MITRE SAWS



	TE-SM 2131 Dual EXPERT	TE-SM 216 Dual EXPERT
Mains connection	230 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1600 W S6 20%	1800 W S6 25%
Speed	5000 min ⁻¹	5000 min ⁻¹
Saw blade	Ø 210 x Ø 30 mm	Ø 216 x Ø 30 mm
Number of teeth	48	60
Swivelling range	-47° to +47°	-47° to +47°
Mitre cut	-45° to +45°	-45° to +45°
Max. cutting capacity at 90°	310 x 65 mm	305 x 65 mm
Product weight	12.5 kg	13.9 kg
Saw blade tilting	left / right	left / right
Laser	•	•
Light	•	-
Soft start-up	•	-
X-Tend support with limit stop	•	-
Dust funnel	-	•
Quick-adjust facility for the saw table	-	•
Quick-adjust facility for the tilt of the saw head	-	•
Precision TCT saw blade	1 pc	1 pc
Article number	43.008.60	43.008.65



4 006825 599527



4 006825 635737

SLIDING MITRE SAWS



	TC-SM 2131/1 Dual CLASSIC	TC-SM 216 CLASSIC
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1800 W S2 5 min	1600 W S6 25%
Speed	4900 min ⁻¹	5200 min ⁻¹
Saw blade	Ø 210 x Ø 30 mm	Ø 216 x Ø 30 mm
Number of teeth	48	48
Swivelling range	-47° to +47°	-47° to +47°
Mitre cut	-45° to +45°	0° to 45° to the left
Max. cutting capacity at 90°	310 x 62 mm	305 x 65 mm
Product weight	11.0 kg	12.7 kg
Saw blade tilting	left / right	left
Laser	•	•
Light	-	-
Soft start-up	-	-
X-Tend support with limit stop	-	-
Dust funnel	•	•
Quick-adjust facility for the saw table	-	•
Quick-adjust facility for the tilt of the saw head	-	-
Precision TCT saw blade	1 pc	1 pc
Article number	43.003.90	43.003.80



4 006825 644883



4 006825 635706

MITRE SAWS



	TC-MS 2513 L CLASSIC	TC-MS 2112 CLASSIC	TC-MS 216 CLASSIC
Mains connection	230 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1600 W S1	1600 W S6 40%	1600 W S6 25%
Speed	4000 min ⁻¹	5000 min ⁻¹	5000 min ⁻¹
Saw blade	Ø 250 x Ø 30 mm	Ø 210 x Ø 30 mm	Ø 216 x Ø 30 mm
Number of teeth	48	48	48
Swivelling range	-47° to +47°	-45° to +45°	-47° to +47°
Mitre cut	0° to 45° to the left	0° to 45° to the left	0° to 45° to the left
Max. cutting capacity at 90°	130 x 75 mm	120 x 55 mm	120 x 60 mm
Product weight	10.1 kg	7.1 kg	8.3 kg
Saw blade tilting	left	left	left
Laser	•	-	-
Dust funnel	-	-	•
Precision TCT saw blade	1 pc	1 pc	1 pc
Article number	43.008.50	43.002.95	43.003.70



4 006825 592122



4 006825 584929



4 006825 635683

MITRE SAWS WITH UPPER TABLE



	TC-MS 3017 T CLASSIC	TC-MS 2513 T CLASSIC	TC-MS 2112 T CLASSIC
Mains connection	230 - 240 V ~ 50 Hz	230 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	2000 W S1	1800 W S1	1200 W S1
Speed	4200 min ⁻¹	4500 min ⁻¹	4500 min ⁻¹
Saw blade	Ø 305 x Ø 30 mm	Ø 250 x Ø 30 mm	Ø 210 x Ø 30 mm
Number of teeth	40	36	24
Swivelling range	-45° to +45°	-45° to +45°	-45° to +45°
Mitre cut	0° to 45° to the left	0° to 45° to the left	0° to 45° to the left
Max. cutting capacity at 90°	170 x 85 mm	130 x 75 mm	120 x 55 mm
Product weight	18.8 kg	13.5 kg	9.4 kg
Saw blade tilting	left	left	left
Laser	-	-	-
Dust funnel	-	-	-
Precision TCT saw blade	1 pc	1 pc	1 pc
Article number	43.003.47	43.003.45	43.003.17



4 006825 613056



4 006825 584967



4 006825 584950

TABLE SAWS

ALUMINUM MAIN TABLE WITH SLIDE

The aluminium main table is extremely torsion-resistant and sturdy. The carriage makes light work of cutting boards and panels exactly to size

TABLE EXTENSIONS FOR LARGER WORKPIECES

The individually adjustable table extensions on the right-hand side and at the back on the main table prevent long workpieces from tilting and ensure that unwieldy boards can be safely sawed

PARALLEL STOP AND CROSS STOP

Easy to use stops for making mitre cuts or parallel cuts

Table Saw
TE-CC 250 UF

SOFT START FUNCTION

The integrated electronic soft starter provides protection for both the motor gear system and the household fuses

FOLD DOWN BASE FRAME WITH TROLLEY FUNCTION

For mobile use of space-saving storage the equipment has a fold down base frame and chassis



TABLE SAWS WITH BASE FRAME



	TE-CC 250 UF EXPERT	TE-TS 250 UF EXPERT
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	2000 W S6 20%	2000 W S6 20%
Speed	4500 min ⁻¹	4500 min ⁻¹
Saw blade	Ø 250 x Ø 30 mm	Ø 250 x Ø 30 mm
Number of teeth	48	48
Mitre cut	0° to 45° to the left	0° to 45° to the left
Cutting height 90°	78 mm	78 mm
Cutting height 45°	53 mm	53 mm
Bench size	645 x 530 mm	645 x 455 mm
Max. support surface	865 x 795 mm	775 x 675 mm
Product weight	34.9 kg	32.0 kg
Base frame	•	•
Table extension	right / rear	left / right / rear
Folding base frame	•	•
Format function	•	-
Soft start-up	•	•
Precision TCT saw blade	1 pc	1 pc
Parallel stop	•	•
Angle stop	•	•
Article number	43.405.39	43.405.68



4 006825 647518



4 006825 647501

TABLE SAWS WITH BASE FRAME



	TC-TS 2225 U CLASSIC	TC-TS 254 U CLASSIC
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	2200 W S6 25%	2200 W S6 25%
Speed	4250 min ⁻¹	4250 min ⁻¹
Saw blade	Ø 254 x Ø 30 mm	Ø 254 x Ø 30 mm
Number of teeth	48	24
Mitre cut	0° to 45° to the left	0° to 45° to the left
Cutting height 90°	80 mm	80 mm
Cutting height 45°	55 mm	55 mm
Bench size	580 x 555 mm	580 x 555 mm
Max. support surface	780 x 1055 mm	580 x 855 mm
Product weight	26.2 kg	21.9 kg
Base frame	•	•
Table extension	left / right / rear	left / right
Folding base frame	-	-
Format function	-	-
Soft start-up	•	-
Precision TCT saw blade	1 pc	1 pc
Parallel stop	•	•
Angle stop	•	•
Article number	43.405.15	43.405.10



4 006825 641349



4 006825 646320

TABLE SAWS WITH BASE FRAME



	TC-TS 2025/2 U CLASSIC	TC-TS 2025/3 eco CLASSIC	TC-TS 254 eco CLASSIC
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	2000 W S6 25%	2000 W S6 25%	2050 W S6 40%
Speed	5000 min ⁻¹	5000 min ⁻¹	4250 min ⁻¹
Saw blade	Ø 250 x Ø 30 mm	Ø 250 x Ø 30 mm	Ø 254 x Ø 30 mm
Number of teeth	24	24	24
Mitre cut	0° to 45° to the left	0° to 45° to the left	0° to 45° to the left
Cutting height 90°	85 mm	85 mm	80 mm
Cutting height 45°	65 mm	65 mm	55 mm
Bench size	583 x 563 mm	583 x 563 mm	580 x 555 mm
Max. support surface	583 x 893 mm	583 x 563 mm	580 x 555 mm
Product weight	19.2 kg	16.2 kg	18.6 kg
Base frame	•	•	•
Table extension	left / right	-	-
Folding base frame	-	-	-
Format function	-	-	-
Soft start-up	-	-	-
Precision TCT saw blade	1 pc	1 pc	1 pc
Parallel stop	•	•	•
Angle stop	•	•	•
Article number	43.404.90	43.404.95	43.405.05



4 006825 646474



4 006825 646481



4 006825 646337

TABLE SAWS WITH BASE FRAME



	TE-TS 315 UD EXPERT	TE-TS 315 U EXPERT	TC-TS 315 U CLASSIC
Mains connection	400 V ~ 50 Hz	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	2800 W S6 20%	2200 W S6 20%	2000 W S6 40%
Speed	2950 min ⁻¹	2950 min ⁻¹	2950 min ⁻¹
Saw blade	Ø 315 x Ø 30 mm	Ø 315 x Ø 30 mm	Ø 315 x Ø 30 mm
Number of teeth	24	24	40
Mitre cut	0° to 45° to the left	0° to 45° to the left	0° to 45° to the left
Cutting height 90°	85 mm	85 mm	85 mm
Cutting height 45°	55 mm	55 mm	55 mm
Bench size	800 x 550 mm	800 x 550 mm	800 x 550 mm
Table extension	740 x 550 mm	740 x 550 mm	740 x 400 mm
Product weight	52.0 kg	52.0 kg	52.6 kg
Base frame	•	•	•
Table extension	rear, folding	rear, folding	rear
Folding base frame	-	-	-
Format function	with optional slide	with optional slide	with optional slide
Soft start-up	-	-	-
Precision TCT saw blade	1 pc	1 pc	1 pc
Parallel stop	•	•	•
Angle stop	•	•	•
Article number	43.405.58	43.405.57	43.405.56



4 006825 646542



4 006825 646535



4 006825 640083

TABLE SAWS



	TC-TS 210 CLASSIC	TC-TS 200 CLASSIC
Mains connection	220 - 240 V ~ 50 Hz	230 - 240 V ~ 50 Hz
Rated input	1200 W S6 40%	800 W S6 15%
Speed	4800 min ⁻¹	2950 min ⁻¹
Saw blade	Ø 210 x Ø 30 mm	Ø 200 x Ø 16 mm
Number of teeth	24	24
Mitre cut	0° to 45° to the left	0° to 45° to the left
Cutting height 90°	45 mm	45 mm
Cutting height 45°	27 mm	27 mm
Bench size	525 x 440 mm	505 x 373 mm
Max. support surface	525 x 440 mm	505 x 373 mm
Product weight	11.3 kg	11.6 kg
Precision TCT saw blade	1 pc	1 pc
Parallel stop	•	•
Angle stop	•	•
Article number	43.404.25	43.404.15



4 006825 647273



4 006825 647266



STATIONARY PLANER



	TC-SP 204 CLASSIC
Mains connection	230 - 240 V ~ 50 Hz
Rated input	1500 W
Speed	9000 min ⁻¹
Max. working width	204 mm
Max. removal	3 mm
Max. thickness opening	120 mm
Max. angle of the parallel stop	45°
Dust extraction connector	100 mm
Product weight	27.2 kg
Infeed table	•
Removable table	•
Accessories	2 planing blades
Push stick	•
Article number	44.199.55



4 006825 615104

SCROLL SAW



	TC-SS 405 E CLASSIC
Mains connection	230 V ~ 50 Hz
Rated input	120 W S2 10 min
Stroke speed	400 - 1600 min ⁻¹
Stroke height	14 mm
Reach	406 mm
Mitre cut	0° to 45° to the left
Cutting height 90°	52 mm
Cutting height 45°	20 mm
Product weight	12.5 kg
Workpiece hold-down device	•
Blowing function	•
Adapter for coping saw blade	•
Dust extraction	•
Saw blade	2 pcs
Article number	43.090.40



4 006825 589900

BAND SAWS



	TC-SB 305 U CLASSIC	TC-SB 245 L CLASSIC NEW	TC-SB 200/1 CLASSIC
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	750 W	400 W	250 W S2 15 min
Blade speed	370 m/min 800 m/min	735 m/min	900 m/min
Reach	305 mm	245 mm	200 mm
Dust extraction connector	Ø 70 mm / Ø 100 mm	Ø 36 mm	Ø 36 mm
Mitre cut	0° to 45°	0° to 45°	-2° to 45°
Cutting height 90°	170 mm	101 mm	80 mm
Cutting height 45°	75 mm	60 mm	45 mm
Product weight	64.6 kg	24.8 kg	17.4 kg
Speeds	2	1	1
Base frame	•	-	-
LED	-	•	-
Parallel stop	•	•	•
Angle stop	•	•	-
Article number	43.080.55	43.080.35	43.080.18



4 006825 608861



4 006825 649994



4 006825 617382



WOODWORKING LATHE



	TC-WW 1000/1 CLASSIC
Mains connection	230 V ~ 50 Hz
Rated input	400 W S2 30 min
Speed 1	890 min ⁻¹
Speed 2	1260 min ⁻¹
Speed 3	1760 min ⁻¹
Speed 4	2600 min ⁻¹
Max. lathe diameter	280 mm
Tip width	1000 mm
Product weight	22.9 kg
V-belt drive which can be adjusted to 4 settings	•
Face plate	•
Tool support	•
Tailstock	•
Front end driver ring	•
Article number	43.121.10



VACUUM EXTRACTION SYSTEM



	TE-VE 550/1 A EXPERT
Mains connection	220 - 240 V ~ 50-60 Hz
Rated input	550 W S1
Speed	2850 min ⁻¹
Debris bag volume	65 l
Air capacity	1150 m ³ /h
Vacuum	max. 1600 Pa
Hose length	2.5 m
Product weight	20.8 kg
Automatic socket	•
Handle	•
Chassis	•
Debris bag support	•
Quick release fastener for changing the debris bag	•
Induction motor	•
Catch basket	•
Multiadapter set	5-piece
Suction adapter	2x 36 mm to 100 mm
Article number	43.041.56



WET AND DRY VACUUM CLEANERS



HEAVY-DUTY HOSE

The 3.00 m suction hose is flexible and resistant to foot traffic at the same time

PUSH BAR

Transport handle with trolley function for easy mobility. The cable holder keeps everything perfectly tidy.

AUTOMATIC DEVICE SOCKET

The automatic device socket with maximum 1900 W and synchronous start function makes it easier to work on ladders, for example.

STURDY STAINLESS STEEL TELESCOPIC TUBE


Intelligent plug-in connections reduce air turbulence and therefore increase the efficiency of the equipment.

SPEED CONTROLLER

The suction power is infinitely adjustable using the speed controller.

FILTER CLEANING SYSTEM

The integrated Filter Cleaning System ensures constant suction performance.



Wet and Dry Vacuum Cleaner
TE-VC 2340 SACL

WATER DRAIN SCREW

The water suctioned up can be discharged quickly and effortlessly.

DUST CLASS L

The vacuum cleaner for dust class L in accordance with Euro standards also filters extra-fine dust (e.g. plaster dust).

LARGE WHEELS AND CASTORS

Thanks to the 2 wheels and the 2 castors the wet and dry vacuum cleaner is easy to move about in the workshop, garage or living area.

ACCESSORY HOLDER

So the accessories are ready to hand and ready for action at all times.

WET AND DRY VACUUM CLEANERS

INCL.
NUMEROUS
ACCESSORIES



	TE-VC 2350 SACL
	EXPERT NEW
Mains connection	220 - 240 V ~ 50/60 Hz
Rated input	1600 W S1
Suction power	230 mbar
Tank volume	50 l
Suction hose length / diameter	300 cm / 36 mm
Cable length	600 cm
Product weight	12.5 kg
Cable holder	•
Blow connector	•
Accessory mount	•
Water drain screw	•
Automatic socket	•
ECO Power	•
Filter cleaning technology	•
Heavy-duty suction hose	•
Dust class L	•
Speed control	–
Suction tube	Telescopic, stainless steel
Nozzles	Combination, crevice and upholstery nozzle (1x each)
Filters	Foam & HEPA pleated filter, synthetic dust bag, dual dust bag (1x each)
Article number	23.424.75



WET AND DRY VACUUM CLEANERS

INCL.
NUMEROUS
ACCESSORIES



	TE-VC 2340 SACL	TE-VC 2340 SAC	TE-VC 2340 SA
	EXPERT NEW	EXPERT	EXPERT
Mains connection	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50 Hz
Rated input	1500 W S1	1200 W S1	1200 W S1
Suction power	225 mbar	230 mbar	230 mbar
Tank volume	40 l	40 l	40 l
Suction hose length / diameter	300 cm / 36 mm	300 cm / 36 mm	300 cm / 36 mm
Cable length	600 cm	500 cm	500 cm
Product weight	11.0 kg	10.6 kg	10.9 kg
Cable holder	•	•	•
Blow connector	•	•	•
Accessory mount	•	•	•
Water drain screw	•	•	•
Automatic socket	•	•	•
ECO Power	•	•	•
Filter cleaning technology	•	•	–
Heavy-duty suction hose	•	•	–
Dust class L	•	–	–
Speed control	•	–	–
Suction tube	Telescopic, stainless steel	Telescopic, stainless steel	Telescopic, stainless steel
Nozzles	Combination, crevice and upholstery nozzle (1x each)	Combination, crevice, upholstery nozzle and drill adapter (1x each)	Combination, crevice and upholstery nozzle (1x each)
Filters	Foam & HEPA pleated filter, synthetic dust bag (1x each)	Foam, HEPA filter, dirt bag, dual filter bag (1x each)	Foam, pleated filter, dirt bag (1x each)
Article number	23.424.70	23.424.50	23.423.80



WET AND DRY VACUUM CLEANERS

INCL.
NUMEROUS
ACCESSORIES



	TE-VC 2230 SACL EXPERT	TE-VC 2230 SAC EXPERT	TE-VC 2230 SA EXPERT
Mains connection	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz	230 V ~ 50 Hz
Rated input	1400 W S1	1150 W S1	1150 W S1
Suction power	220 mbar	220 mbar	220 mbar
Tank volume	30 l	30 l	30 l
Suction hose length / diameter	300 cm / 36 mm	300 cm / 36 mm	300 cm / 36 mm
Cable length	500 cm	500 cm	500 cm
Product weight	10.3 kg	9.1 kg	10.2 kg
Cable holder	•	•	•
Blow connector	•	•	•
Accessory mount	•	•	•
Water drain screw	•	•	•
Automatic socket	•	•	•
ECO Power	•	•	•
Filter cleaning technology	•	•	-
Heavy-duty suction hose	•	•	-
Dust class L	•	-	-
Speed control	•	-	-
Suction tube	Telescopic, stainless steel	Telescopic, stainless steel	Telescopic, stainless steel
Nozzles	Combination, crevice and upholstery nozzle (1x each)	Combination, crevice and upholstery nozzle (1x each)	Combination, crevice and upholstery nozzle (1x each)
Filters	Foam & HEPA pleated filter, synthetic dust bag (1x each)	Foam, pleated filter, dirt bag, dual filter bag (1x each)	Foam, pleated filter, dirt bag (1x each)
Article number	23.424.65	23.424.40	23.423.63



4 006825 658330



4 006825 636772



4 006825 586022

WET AND DRY VACUUM CLEANERS

INCL.
NUMEROUS
ACCESSORIES



	TC-VC 1930 SA CLASSIC	TC-VC 1930 S CLASSIC
Mains connection	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz
Rated input	1500 W S1	1500 W S1
Suction power	190 mbar	190 mbar
Tank volume	30 l	30 l
Suction hose length / diameter	250 cm / 36 mm	250 cm / 36 mm
Cable length	300 cm	300 cm
Product weight	5.3 kg	4.8 kg
Cable holder	•	•
Blow connector	•	•
Accessory mount	•	•
Water drain screw	•	•
Automatic socket	•	-
ECO Power	-	-
Filter cleaning technology	-	-
Heavy-duty suction hose	-	-
Dust class L	-	-
Speed control	-	-
Suction tube	2-piece, plastic	2-piece, plastic
Nozzles	Combination, crevice nozzle (1x each)	Combination, crevice nozzle (1x each)
Filters	Foam filter, pleated filter (1x each)	Foam filter, pleated filter (1x each)
Article number	23.421.90	23.421.88



4 006825 584356



4 006825 617559

WET AND DRY VACUUM CLEANERS

INCL.
NUMEROUS
ACCESSORIES



	TE-VC 2025 SACL EXPERT	TE-VC 1925 SA EXPERT	TC-VC 1825 CLASSIC
Mains connection	220 - 240 V ~ 50/60 Hz	230 V ~ 50 Hz	220 - 240 V ~ 50/60 Hz
Rated input	1200 W S1	800 W S1	1250 W S1
Suction power	200 mbar	190 mbar	180 mbar
Tank volume	25 l	25 l	25 l
Suction hose length / diameter	300 cm / 36 mm	300 cm / 36 mm	250 cm / 36 mm
Cable length	500 cm	500 cm	250 cm
Product weight	8.1 kg	8.1 kg	4.3 kg
Cable holder	•	•	•
Blow connector	•	•	•
Accessory mount	•	•	•
Water drain screw	•	•	-
Automatic socket	•	•	-
ECO Power	•	•	-
Filter cleaning technology	•	-	-
Heavy-duty suction hose	•	-	-
Dust class L	•	-	-
Speed control	•	-	-
Suction tube	Telescopic, stainless steel	Telescopic, stainless steel	2-piece, plastic
Nozzles	Combination, crevice and upholstery nozzle (1x each)	Combination, crevice and upholstery nozzle (1x each)	Combination, crevice nozzle (1x each)
Filters	Foam & HEPA pleated filter, synthetic dust bag (1x each)	Foam, pleated filter, dirt bag (1x each)	Foam, pleated filter, dirt bag (1x each)
Article number	23.424.60	23.423.54	23.424.30



4 006825 651799



4 006825 586015



4 006825 633566

WET AND DRY VACUUM CLEANERS

INCL.
NUMEROUS
ACCESSORIES



	TC-VC 1820 SA CLASSIC	TC-VC 1820 S CLASSIC
Mains connection	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz
Rated input	1250 W S1	1250 W S1
Suction power	180 mbar	180 mbar
Tank volume	20 l	20 l
Suction hose length / diameter	150 cm / 36 mm	150 cm / 36 mm
Cable length	250 cm	300 cm
Product weight	4.0 kg	3.5 kg
Cable holder	•	•
Blow connector	•	•
Accessory mount	•	•
Water drain screw	-	-
Automatic socket	•	-
ECO Power	-	-
Filter cleaning technology	-	-
Heavy-duty suction hose	-	-
Dust class L	-	-
Speed control	-	-
Suction tube	3-piece, plastic	3-piece, plastic
Nozzles	Combination, crevice nozzle (1x each)	Combination, crevice nozzle (1x each)
Filters	Foam filter, filter bag, dirt bag (1x each)	Foam filter, filter bag, dirt bag (1x each)
Article number	23.424.25	23.421.67



4 006825 629781



4 006825 585162

WET AND DRY VACUUM CLEANERS

INCL.
NUMEROUS
ACCESSORIES



	TC-VC 1815 S CLASSIC	TC-VC 1815 CLASSIC	TC-VC 1812 S CLASSIC
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50 Hz
Rated input	1250 W S1	1250 W S1	1250 W S1
Suction power	180 mbar	180 mbar	180 mbar
Tank volume	15 l	15 l	12 l
Suction hose length / diameter	150 cm / 36 mm	150 cm / 36 mm	150 cm / 36 mm
Cable length	250 cm	250 cm	250 cm
Product weight	3.0 kg	4.2 kg	2.9 kg
Cable holder	•	•	•
Blow connector	•	•	•
Accessory mount	•	•	•
Water drain screw	-	-	-
Automatic socket	-	-	-
ECO Power	-	-	-
Filter cleaning technology	-	-	-
Heavy-duty suction hose	-	-	-
Dust class L	-	-	-
Speed control	-	-	-
Suction tube	3-piece, plastic	3-piece, plastic	3-piece, plastic
Nozzles	Combination, crevice nozzle (1x each)	Combination, crevice nozzle (1x each)	Combination, crevice nozzle (1x each)
Filters	Foam filter, filter bag, dirt bag (1x each)	Foam filter, filter bag, dirt bag (1x each)	Foam filter, filter bag, dirt bag (1x each)
Article number	23.423.90	23.402.90	23.423.70



4 006825 620979



4 006825 585179



4 006825 603057

ASH VACUUM CLEANERS



	TC-AV 1620 DW CLASSIC	TC-AV 1618 D CLASSIC
Mains connection	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz
Rated input	1250 W	1200 W
Suction power	165 mbar	160 mbar
Tank volume	20 l	18 l
Suction hose length / diameter	120 cm / 36 mm	100 cm / 36 mm
Product weight	4.6 kg	3.9 kg
Carry handle	•	•
Castors	•	-
Cable rewind	•	•
Pleated filter	•	•
Additional pre-filter	•	•
Packaging	Colour box	Colour box
Article number	23.516.65	23.516.60



4 006825 640410



4 006825 640403

HIGH PRESSURE CLEANERS

QUICK COUPLE SYSTEM

Fast and flexible use of accessories thanks to the quick couple system

WIND-UP REEL

The sturdy wind-up reel makes it possible to store the pressure hose conveniently while taking up little space

STORAGE SPACE

Top marks for tidiness thanks to the generous storage space for accessories

DETERGENT TANK

For fast and easy use of cleaning agents to remove the most stubborn dirt

High-Pressure Cleaner
TE-HP 170

WATER FILTER

A filter is integrated in the water connection in order to protect the pump from damage

PULL-OUT TELESCOPIC HANDLE

The telescopic handle can be ergonomically adjusted in height, enabling the appliance to be pulled and stowed away with ease

WHEELS

The wheels guarantee both mobility and stability

INCL. ACCESSORIES

The product is supplied complete with gun, pressure hose (10 m), lance with point and wide nozzle, rotating nozzle, brush and foam producer and patio-cleaner with tank



HIGH PRESSURE CLEANERS



	TE-HP 170 EXPERT NEW	TE-HP 140 EXPERT NEW
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	2300 W	1900 W
Max. working pressure	170 bar	140 bar
Delivery rate	440 l/h	420 l/h
Hose length	1000 cm	500 cm
Product weight	10.9 kg	10.8 kg
Carry handle	•	•
Storage options for the accessories	•	•
Telescopic handle	•	•
Wheels	•	•
Wind-up reel	•	•
Integrated detergent tank	•	•
Pinpoint and wide jet nozzle	Professional	Professional
Rotary cleaning head	Professional	Professional
Foam producer	Professional	Professional
Patio cleaner	Professional	Standard
Washing brush	Professional	Standard
Water connection with filter	•	•
Article number	41.407.70	41.407.60



4 006825 646429



4 006825 646412

HIGH PRESSURE CLEANERS



	TC-HP 130 CLASSIC NEW	TC-HP 90 CLASSIC NEW
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1500 W	1200 W
Max. working pressure	130 bar	90 bar
Delivery rate	390 l/h	372 l/h
Hose length	500 cm	300 cm
Product weight	5.1 kg	4.9 kg
Carry handle	•	•
Storage options for the accessories	•	•
Telescopic handle	-	-
Wheels	•	-
Wind-up reel	-	-
Integrated detergent tank	-	-
Pinpoint and wide jet nozzle	Standard	Standard
Rotary cleaning head	Standard	-
Foam producer	Standard	-
Patio cleaner	-	-
Washing brush	Standard	-
Water connection with filter	•	•
Article number	41.407.50	41.407.40



4 006825 646399



4 006825 649857

COMPRESSORS

SILENT COMPRESSOR

Thanks to silent technology this compressor is much quieter than conventional compressors, without having to make any compromises in performance



TANK

The 24 l tank provides ample air reserves for use with a whole range of air tools

VERTICAL DESIGN

The compressor can be stored in a space-saving way thanks to its vertical design

Silent Compressor
TE-AC 24 Silent

PRESSURE GAUGE AND QUICK-RELEASE COUPLING

A pressure gauge and a quick-release coupling are available for controlled working pressure and a large pressure gauge is available for uncontrolled tank pressure



10 YEARS WARRANTY

The drain cock and the high quality provide the guarantee for a long service life – 10 years warranty against rusting through of the tank from the inside

SAFE STANDING POSITION

Vibration-damped feet ensure that the product stands safely and firmly during operation

SILENT AIR COMPRESSORS



	TE-AC 50 Silent EXPERT PLUS	NEW	TE-AC 24 Silent EXPERT PLUS
Mains connection	220 - 240 V ~ 50 Hz		220 - 240 V ~ 50 Hz
Power rating	1500 W S1		750 W S1
Suction power	270 l/min		135 l/min
Output rate 0 bar 4 bar 7 bar	190 l/min 120 l/min 90 l/min		100 l/min 73 l/min 55 l/min
Tank capacity	50 l		24 l
Max. operating pressure	8 bar		8 bar
Number of cylinders	4		2
Noise level (LwA)	54 dB(A)		57 dB(A)
Product weight	42.6 kg		22.2 kg
Silent technology	•		•
Oil-free pump	•		•
Pressure reducer	•		•
Packaging	Colour box		Colour box
Article number	40.206.20		40.206.10



SILENT AIR COMPRESSORS



	TE-AC 6 Silent EXPERT PLUS
Mains connection	220 - 240 V ~ 50 Hz
Power rating	550 W S1
Suction power	110 l/min
Output rate 0 bar 4 bar 7 bar	75 l/min 50 l/min 37 l/min
Tank capacity	6 l
Max. operating pressure	8 bar
Number of cylinders	2
Noise level (LwA)	57 dB(A)
Product weight	14.7 kg
Silent technology	•
Oil-free pump	•
Pressure reducer	•
Packaging	Colour box
Article number	40.206.00



BELT-DRIVEN COMPRESSOR

**SUPER
AIR** + 25 %
POWER 10 bar



	TE-AC 430/90/10 EXPERT
Mains connection	220 - 240 V ~ 50 Hz
Power rating	3000 W S1
Suction power	430 l/min
Output rate 0 bar 4 bar 7 bar	230 l/min 210 l/min 200 l/min
Tank capacity	90 l
Max. operating pressure	10 bar
Number of cylinders	2
Noise level	97 dB(A)
Product weight	68.4 kg
Double compressor unit	•
Belt drive	•
Pressure reducer	•
Packaging	Colour box
Article number	40.108.00



OIL-LUBRICATED COMPRESSORS

oil
LONG-LIFE
MOTOR



	TC-AC 420/50/10 V CLASSIC	TE-AC 400/50/10 V EXPERT	TE-AC 270/50/10 EXPERT
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Power rating	2200 W S1	2200 W S1	1800 W S1
Suction power	420 l/min	400 l/min	270 l/min
Output rate 0 bar 4 bar 7 bar	245 l/min 200 l/min 150 l/min	270 l/min 210 l/min 155 l/min	140 l/min 127 l/min 100 l/min
Tank capacity	50 l	50 l	50 l
Max. operating pressure	10 bar	10 bar	10 bar
Number of cylinders	2	2	1
Noise level	97 dB(A)	96 dB(A)	94 dB(A)
Product weight	41.8 kg	42.2 kg	33.5 kg
Double compressor unit	•	•	-
Pressure reducer	•	•	•
Packaging	Colour box	Colour box	Colour box
Article number	40.104.95	40.104.72	40.104.40



OIL-LUBRICATED COMPRESSORS



	TE-AC 270/24/10 EXPERT	TE-AC 230/24/8 EXPERT
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Power rating	1800 W S1	1500 W S1
Suction power	270 l/min	230 l/min
Output rate 0 bar 4 bar 7 bar	140 l/min 127 l/min 100 l/min	132 l/min 102 l/min 83 l/min
Tank capacity	24 l	24 l
Max. operating pressure	10 bar	8 bar
Number of cylinders	1	1
Noise level	94 dB(A)	94 dB(A)
Product weight	27.0 kg	23.0 kg
Double compressor unit	-	-
Pressure reducer	•	•
Packaging	Colour box	Colour box
Article number	40.104.50	40.104.60



4 006825 594461



4 006825 594478

OIL-LUBRICATED COMPRESSORS



	TC-AC 190/50/8 CLASSIC	NEW	TC-AC 190/24/8 CLASSIC
Mains connection	220 - 240 V ~ 50 Hz		220 - 240 V ~ 50 Hz
Power rating	1500 W S2 15 min		1500 W S2 15 min
Suction power	165 l/min		165 l/min
Output rate 0 bar 4 bar 7 bar	110 l/min 75 l/min 55 l/min		110 l/min 75 l/min 55 l/min
Tank capacity	50 l		24 l
Max. operating pressure	8 bar		8 bar
Number of cylinders	1		1
Noise level	97 dB(A)		97 dB(A)
Product weight	26.0 kg		20.8 kg
Double compressor unit	-		-
Pressure reducer	•		•
Packaging	Colour box		Colour box
Article number	40.073.32		40.073.25



4 006825 651720



4 006825 610635

OIL-FREE COMPRESSORS



	TC-AC 240/50/10 OF CLASSIC	TC-AC 200/30/8 OF CLASSIC	TC-AC 200/24/8 OF CLASSIC
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Power rating	1500 W S3 25%	1100 W S3 25%	1200 W S1
Suction power	240 l/min	200 l/min	180 l/min
Output rate 0 bar 4 bar 7 bar	173 l/min 107 l/min 76 l/min	165 l/min 83 l/min 60 l/min	110 l/min 70 l/min 45 l/min
Tank capacity	50 l	30 l	24 l
Max. operating pressure	10 bar	8 bar	8 bar
Number of cylinders	1	1	1
Noise level	97 dB(A)	97 dB(A)	97 dB(A)
Product weight	22.2 kg	18.1 kg	16.0 kg
Cable storage	-	-	-
Storage compartment for accessories	-	-	-
Pressure reducer	•	•	•
Compressed air hose	-	-	-
Blow-out pistol	-	-	-
Tyre pressure gauge	-	-	-
Adapter set	-	-	-
Packaging	Colour box	Colour box	Colour box
Article number	40.103.93	40.103.94	40.205.90



4 006825 597295



4 006825 597288



4 006825 640496

OIL-FREE COMPRESSORS



	TC-AC 190/6/8 OF Set CLASSIC	TC-AC 190/6/8 OF CLASSIC
Mains connection	220 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Power rating	1200 W S1	1100 W S3 25%
Suction power	190 l/min	185 l/min
Output rate 0 bar 4 bar 7 bar	130 l/min 77 l/min 55 l/min	139 l/min 77 l/min 60 l/min
Tank capacity	6 l	6 l
Max. operating pressure	8 bar	8 bar
Number of cylinders	1	1
Noise level	97 dB(A)	97 dB(A)
Product weight	8.8 kg	9.1 kg
Cable storage	•	•
Storage compartment for accessories	•	-
Pressure reducer	•	•
Compressed air hose	•	-
Blow-out pistol	•	-
Tyre pressure gauge	•	-
Adapter set	•	-
Packaging	Colour box	Colour box
Article number	40.206.50	40.204.95



4 006825 641578



4 006825 592184

OIL-FREE COMPRESSORS



	TC-AC 190/8 OF Set CLASSIC	TC-AC 190 OF Set CLASSIC	TC-AC 180/8 OF CLASSIC
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Power rating	1100 W S3 15%	1100 W S3 15%	1100 W S3 15%
Suction power	190 l/min	190 l/min	180 l/min
Output rate 0 bar 4 bar 7 bar	165 l/min 83 l/min 55 l/min	165 l/min 83 l/min 55 l/min	95 l/min 36 l/min 10 l/min
Tank capacity	without pressure chamber	without pressure chamber	without pressure chamber
Max. operating pressure	8 bar	8 bar	8 bar
Number of cylinders	1	1	1
Noise level	97 dB(A)	97 dB(A)	96 dB(A)
Product weight	5.3 kg	5.0 kg	5.0 kg
Cable storage	•	•	•
Storage compartment for accessories	•	•	•
Pressure reducer	-	-	-
Compressed air hose	•	•	•
Blow-out pistol	•	•	•
Tyre pressure gauge	•	•	•
Adapter set	•	•	•
Packaging	Colour box	Colour box	Colour box
Article number	40.205.36	40.206.60	40.104.86



4 006825 597257



4 006825 642346



4 006825 641936



AIR TOOLS



	TC-PN 50 CLASSIC	TC-PW 610 CLASSIC	TC-PW 340 CLASSIC	TC-PP 220 CLASSIC
Tool type	Stapler/Nailer	Impact screwdriver	Impact screwdriver	Pin Grinder
Items supplied	1 pc	1 pc	1 pc	1 pc
Working pressure	max. 8.3 bar	max. 6.3 bar	max. 6.3 bar	max. 6.3 bar
Torque	–	610 Nm	340 Nm	–
Accessories	3x 500 staples, 2x 1000 nails	10 drill sockets, 1x extension	8 drill sockets	10 grinding stones
Packaging	Case	Case	Case	Case
Article number	41.377.90	41.389.60	41.389.50	41.385.40



4 006825 641387



4 006825 639971



4 006825 639995



4 006825 641400



	TC-PC 45 CLASSIC	TC-PC 45 Set CLASSIC	TC-PR 68 CLASSIC	TC-PE 150 CLASSIC
Tool type	Impact Wrench	Impact Wrench	Ratchet Screwdriver	Eccentric Sander
Items supplied	1 pc	1 pc	1 pc	1 pc
Working pressure	max. 6.3 bar	max. 6.3 bar	max. 6.3 bar	max. 6.3 bar
Torque	–	–	68 Nm	–
Accessories	4-piece chisels set	4-piece chisels set, 1 needle scaler attachment	7 socket wrenches, 1 extension, 1 cardan joint	6 abrasive papers (2x P80, 2x P100, 2x P120)
Packaging	Case	Case	Case	Colour box
Article number	41.390.40	41.390.45	41.391.80	41.333.30



4 006825 640007



4 006825 640014



4 006825 641417



4 006825 640038



	Blow-out Pistol, long	Blow-out Pistol, short	Blow-out Pistol Set NEW
Items supplied	1 pc	1 pc	7 pcs
Working pressure	2 - 8 bar	2 - 8 bar	2 - 8 bar
Packaging	Colour box	Colour box	Colour box
Article number	41.331.02	41.331.00	41.327.59



4 006825 417067



4 006825 411065



4 006825 649819

AIR TOOLS



	Tyre Pressure Gauge, digital	Tyre Pressure Gauge	Pro Tyre Pressure Gauge
Items supplied	1 pc	1 pc	1 pc
Working pressure	0 - 13 bar	0 - 8 bar	0 - 8 bar
Packaging	Colour box	Colour box	Colour box
Article number	41.331.15	41.331.10	41.370.00



4 006825 625738



4 006825 574173



4 006825 411164



	Pro Paint Spray Gun	Paint Spray Gun	Paint Spray Gun
Items supplied	1 pc	1 pc	1 pc
Technology	Cup	Cup	Suction-feed can
Tank volume	600 ml	600 ml	1000 ml
Working pressure	3 - 3.5 bar	3 - 4 bar	3 - 4 bar
Packaging	Colour box	Colour box	Colour box
Article number	41.330.30	41.330.00	41.329.00



4 006825 574180



4 006825 411010



4 006825 411003



	Spray Gun	Jet Gun	Suction Spray Gun	Underseal Gun
Items supplied	1 pc	1 pc	1 pc	1 pc
Technology	Suction-feed can	Suction-feed can	-	-
Tank volume	900 ml	1000 ml	-	-
Working pressure	3 - 8 bar	3 - 8 bar	0 - 7 bar	3 - 8 bar
Packaging	Colour box	Colour box	Colour box	Colour box
Article number	41.332.00	41.333.00	41.334.20	41.335.01



4 006825 411072



4 006825 411089



4 006825 646788



4 006825 411133



	Air Tool Set	Pro Compressed Air Set	Compressed Air Set
Items supplied	10-piece	5-piece	3-piece
Packaging	Colour box	Colour box	Colour box
Article number	40.205.77	41.327.20	41.327.41



4 006825 654028



4 006825 410020



4 006825 417050

STONE CUTTING MACHINES



	TE-SC 920 L EXPERT	TE-SC 570 L EXPERT
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	2200 W S2 20 min	1500 W S2 20 min
Speed	3000 min ⁻¹	3000 min ⁻¹
Cutting height 90° 45°	70 mm 55 mm	60 mm 48 mm
Cutting length	920 mm	570 mm
Cutting wheel	Ø 300 x Ø 25.4 mm	Ø 250 x Ø 25.4 mm
Mitre cut	0° to 45° to the left	0° to 45° to the left
Product weight	53.5 kg	42.6 kg
Water bath container	•	•
Laser	•	•
Article number	43.014.32	43.014.44



4 006825 541199



4 006825 541243



TILE CUTTING MACHINES



	TE-TC 920 UL EXPERT	TE-TC 620 U EXPERT
Mains connection	220 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	900 W S2 30 min	900 W S2 30 min
Speed	2950 min ⁻¹	2950 min ⁻¹
Cutting height 90° 45°	36 mm 29 mm	30 mm 25 mm
Cutting length	920 mm	620 mm
Cutting wheel	Ø 200 x Ø 25.4 mm	Ø 200 x Ø 25.4 mm
Mitre cut	0° to 45° to the left	0° to 45° to the left
Product weight	42.7 kg	34.4 kg
Water bath container	•	•
Laser	•	-
Transport wheels	•	•
Parallel stop	•	•
Angle stop	•	•
Article number	43.012.20	43.012.95



4 006825 614367



4 006825 587067

TILE CUTTING MACHINES



	TC-TC 800 CLASSIC	TC-TC 618 CLASSIC
Mains connection	220 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	800 W S2 10 min	600 W S2 10 min
Speed	2950 min ⁻¹	3000 min ⁻¹
Cutting height 90° 45°	34 mm 14 mm	35 mm 22 mm
Cutting length	-	-
Cutting wheel	Ø 180 x Ø 25.4 mm	Ø 180 x Ø 25.4 mm
Mitre cut	0° to 45° to the left	0° to 45° to the left
Product weight	8.6 kg	7.4 kg
Water bath container	•	•
Laser	-	-
Transport wheels	-	-
Parallel stop	•	•
Angle stop	•	-
Article number	43.011.85	43.011.80



4 006825 624687



4 006825 590685



BENCH DRILLS

VARIO-MATIC

The special gearing enables the speeds to be adjusted easily without elaborate conversion of the mechanical system

LCD DISPLAY

The precise current speed is shown clearly in the display

HIGH SAFETY STANDARDS

Maximum user safety is ensured by the Emergency Stop switch and the microswitch in the swivelable chip guard

MK2 CHUCK

The MK2 mount enables even larger bits to be used

QUICK-CHANGE DRILL CHUCK

The quality drill chuck enables the bits to be changed over quickly and holds 1 - 16 mm bits securely

TABLE WITH WIDTH EXTENSION

The work table with allround coolant grooves can be adjusted to any position and has a pullout roll base for longer workpieces

DEPTH STOP

Easy to adjust depth stop for exact (series) drilling

INDUCTION MOTOR


Smooth-running, high-torque and long-lasting induction motor

CAPSTAN

Large capstan with user-friendly handles for perfect power and feed control

LED LIGHT

For illuminating the area to be drilled if needed, to make it easier to work with



Bench Drill
TE-BD 750 E

BENCH DRILLS



	TE-BD 750 E EXPERT	TE-BD 550 E EXPERT NEW	TC-BD 630 CLASSIC
Mains connection	220 - 240 V ~ 50 Hz	230 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	750 W S2 15 min	550 W S2 15 min	630 W S2 15 min
Speed	450 - 2500 min ⁻¹	450 - 2500 min ⁻¹	250 - 2450 min ⁻¹
Number of speed steps	Continuously	Continuously	12 settings
Max. drilling depth	80 mm	60 mm	60 mm
Reach	152 mm	115 mm	126 mm
Drill diameter	1 - 16 mm	0 - 13 mm	1.5 - 16 mm
Drill table tiltable	-45° to +45°	-45° to +45°	-45° to +45°
Drill table size	243 x 243 mm	170 x 170 mm	200 x 195 mm
Base dimensions	304 x 456 mm	215 x 340 mm	230 x 350 mm
Machine height	955 mm	770 mm	850 mm
Product weight	44.4 kg	21.2 kg	32.6 kg
LED light	•	-	-
LCD speedometer	•	•	-
Quick-action chuck	•	•	-
Table extension	•	-	-
Drill chuck mount	B16	B16	B16
MK2 chuck	•	-	•
Machine vice	-	-	•
Article number	42.507.15	42.506.90	42.505.95



4 006825 617771



4 006825 634778



4 006825 633535

BENCH DRILLS



	TC-BD 500 CLASSIC NEW	TC-BD 450 CLASSIC NEW	TC-BD 350 CLASSIC
Mains connection	230 - 240 V ~ 50 Hz	230 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	500 W S6 40%	450 W S6 20%	350 W S2 15 min
Speed	300 - 2410 min ⁻¹	600 - 2650 min ⁻¹	580 - 2650 min ⁻¹
Number of speed steps	9 settings	5 settings	5 settings
Max. drilling depth	50 mm	50 mm	50 mm
Reach	115 mm	104 mm	104 mm
Drill diameter	1.5 - 13 mm	1.5 - 13 mm	1.5 - 13 mm
Drill table tiltable	-45° to +45°	-45° to +45°	-45° to +45°
Drill table size	170 x 170 mm	160 x 160 mm	160 x 160 mm
Base dimensions	200 x 315 mm	190 x 295 mm	185 x 290 mm
Machine height	630 mm	600 mm	590 mm
Product weight	15.0 kg	14.3 kg	13.9 kg
LED light	-	-	-
LCD speedometer	-	-	-
Quick-action chuck	-	-	-
Table extension	-	-	-
Drill chuck mount	B16	B16	B16
MK2 chuck	-	-	-
Machine vice	-	-	-
Article number	45.205.93	45.205.92	42.506.70



4 006825 649925



4 006825 649871



4 006825 627916

BENCH GRINDERS



	TC-BG 200 L CLASSIC NEW	TC-BG 150 CLASSIC NEW
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	400 W S2 30 min	150 W S2 30 min
Speed	2980 min ⁻¹	2980 min ⁻¹
Grinding wheel diameter	200 mm	150 mm
Internal diameter of grinding wheel	16 mm	12.7 mm
Wheel thickness	25 mm	16 mm
Grit size	36 60	36 60
Product weight	12.1 kg	6.0 kg
Adjustable speed	-	-
LED light	•	-
Toolless adjustable work support	•	•
Toolless adjustable spark guard windows	•	•
Flexible shaft	-	-
Accessories Set	-	-
Article number	44.126.33	44.126.32



BENCH GRINDERS



	TC-XG 75 Kit CLASSIC NEW
Mains connection	220 - 240 V ~ 50 Hz
Rated input	120 W
Speed	adjustable up to 9900 min ⁻¹
Grinding wheel diameter	75 mm
Internal diameter of grinding wheel	10 mm
Wheel thickness	20 mm
Grit size	120 400
Product weight	2.4 kg
Adjustable speed	•
LED light	-
Toolless adjustable work support	•
Toolless adjustable spark guard windows	•
Flexible shaft	•
Accessories Set	•
Article number	44.125.59



WET GRINDER



	TC-WG 200 CLASSIC NEW
Mains connection	220 - 240 V ~ 50 Hz
Rated input	125 W S1
Speed	110 min ⁻¹
Wet grinding wheel diameter	200 mm
Internal diameter of wet grinding wheel	12.7 mm
Wet grinding wheel thickness	40 mm
Leather honing wheel Ø	180 mm
Leather honing wheel thickness	30 mm
Grain size (wet grinding wheel)	220
Product weight	8.2 kg
Slow-speed wet grinding wheel	•
Leather honing wheel	•
High-speed dry grinding wheel	–
Corrosion-resistant water tank	•
Carry handle	•
Universal support	•
Universal device for grinding a wide range of tools	•
Honing compound	•
Grinding stone	•
Angle gauge	•
Article number	44.180.08



WET-DRY GRINDER



	TC-WD 200/150 CLASSIC NEW
Mains connection	220 - 240 V ~ 50 Hz
Rated input	250 W S2 30 min
Speed	2980 min ⁻¹ 134 min ⁻¹
Wheel diameter	150 mm 200 mm
Internal diameter of grinding wheel	12.7 mm 20 mm
Wheel thickness	20 mm 40 mm
Grit size	36 200
Product weight	9.4 kg
Slow-speed wet grinding wheel	•
Leather honing wheel	–
High-speed dry grinding wheel	•
Corrosion-resistant water tank	•
Article number	44.172.42



BELT-DISC SANDERS



	TC-US 380 CLASSIC	NEW	TC-US 350 CLASSIC	NEW
Mains connection	230 - 240 V ~ 50 Hz		220 - 240 V ~ 50 Hz	
Rated input	380 W S6 20%		350 S2 30 min	
Grinding wheel speed	1450 min ⁻¹		2980 min ⁻¹	
Belt speed	292 m/min		900 m/min	
Grinding wheel	Ø 150 mm		Ø 150 x Ø 12.7 x 20 mm	
Sanding/grinding belt	100 x 914 mm		50 x 686 mm	
Swivelling range	-60° to 60°		-	
Grit size	80 80		36 80	
Product weight	11.5 kg		8.3 kg	
Spark protection glass	-		•	
Rubber feet for low vibration	•		•	
Adjustable work support	•		•	
Dust extraction	•		-	
Tilting aluminium table	•		-	
Cross stop	•		-	
Sanding/grinding belt	•		•	
Grinding/sanding wheel made of quality corundum	-		•	
Grinding/sanding disc incl. grinding/sanding wheel	•		-	
Article number	44.192.57		44.661.54	



4 006825 649987



4 006825 649956

METAL CUTTING SAW



	TC-MC 355 CLASSIC
Mains connection	220 - 240 V ~ 50 Hz
Rated input	2300 W
Cutting wheel	Ø 355 x Ø 25.4 x 3.2 mm
Speed	4000 min ⁻¹
Mitre cut	-15° to +45°
Max. saw width at 90°, rectangular profile	100 x 100 mm
Max. saw width at 90°, round profile	Ø 100 mm
Max. clamping range	230 mm
Bench size	460 x 260 mm
Product weight	15.0 kg
Article number	45.031.35



4 006825 619966

ELECTRIC HOISTS



	TC-EH 1000 CLASSIC	TC-EH 600 CLASSIC
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1600 W S3 25%	1050 W S3 20%
Lifting height without return pulley	18 m	18 m
Lifting height with return pulley	9 m	9 m
Payload without return pulley	500 kg	300 kg
Payload with return pulley	999 kg	600 kg
Hoisting speed without return pulley	8 m/min	8 m/min
Hoisting speed with return pulley	4 m/min	4 m/min
Product weight	32.0 kg	16.8 kg
Thermo switch	•	•
Automatic brake	•	•
Automatic limit cut-out	•	•
Twist-free wire cable	•	•
Operator switch with emergency stop function	•	•
Guide roller with load hook	•	•
Double clamps for mounting	•	•
Article number	22.551.60	22.551.50



4 006825 627602



4 006825 628753

ELECTRIC HOISTS



	TC-EH 500-18 CLASSIC	NEW	TC-EH 500 CLASSIC
Mains connection	230 V ~ 50 Hz		230 V ~ 50 Hz
Rated input	1000 W S3 20%		800 W S3 20%
Lifting height without return pulley	18 m		11.5 m
Lifting height with return pulley	9 m		5.7 m
Payload without return pulley	250 kg		250 kg
Payload with return pulley	500 kg		500 kg
Hoisting speed without return pulley	8 m/min		8 m/min
Hoisting speed with return pulley	4 m/min		4 m/min
Product weight	16.1 kg		15.6 kg
Thermo switch	•		•
Automatic brake	•		•
Automatic limit cut-out	•		•
Twist-free wire cable	•		•
Operator switch with emergency stop function	•		•
Guide roller with load hook	•		•
Double clamps for mounting	•		•
Article number	22.551.45		22.551.40



4 006825 633863



4 006825 627213

ELECTRIC HOISTS



	TC-EH 250-18 CLASSIC	NEW	TC-EH 250 CLASSIC
Mains connection	230 V ~ 50 Hz		230 V ~ 50 Hz
Rated input	500 W S3 20%		450 W S3 20%
Lifting height without return pulley	18 m		11.5 m
Lifting height with return pulley	9 m		5.7 m
Payload without return pulley	125 kg		125 kg
Payload with return pulley	250 kg		250 kg
Hoisting speed without return pulley	8 m/min		8 m/min
Hoisting speed with return pulley	4 m/min		4 m/min
Product weight	10.2 kg		10.0 kg
Thermo switch	•		•
Automatic brake	•		•
Automatic limit cut-out	•		•
Twist-free wire cable	•		•
Operator switch with emergency stop function	•		•
Guide roller with load hook	•		•
Double clamps for mounting	•		•
Article number	22.551.35		22.551.30



4 006825 633849



4 006825 627183

CHAIN HOIST



	TC-CH 1000 CLASSIC
Max payload	1000 kg
Max. lifting height	2.5 m
Product weight	8.5 kg
Load hook with safety catch	•
Closed metal housing	•
Article number	22.501.10



4 006825 628302

HOIST LEVER ARM



	SA 1100
Reach	75 - 110 cm
Maximum load at 75 cm	600 kg
Maximum load at 110 cm	300 kg
Swivelling range	180°
Product weight	8.3 kg
Article number	22.553.98



4 006825 540017

HAND LEVER HOISTS



	TC-LW 2000 CLASSIC	TC-LW 1000 CLASSIC
Max. payload with guide roller	2000 kg	1000 kg
Pull cable length	3.3 m	2.2 m
Pull cable diameter	6.0 mm	4.8 mm
Max. effective distance	1.6 m	1.2 m
Product weight	5.2 kg	2.8 kg
Automatic brake	•	•
Load hook with safety catch	•	•
Safety clip	•	•
Twist-free wire cable	•	•
Reversing lock	•	•
Article number	22.601.50	22.601.40



4 006825 643244



4 006825 643237

HAND ROPE WINCHES



	TC-WI 800 CLASSIC	TC-WI 500 CLASSIC
Max. tractive force	800 kg	500 kg
Pull cable length	20 m	10 m
Pull cable diameter	4.8 mm	4.2 mm
Product weight	4.7 kg	2.5 kg
Automatic brake	•	•
Load hook with safety catch	•	•
Safety clip	•	•
Twist-free wire cable	•	•
Reversing lock	•	•
Article number	22.601.70	22.601.60



4 006825 643916



4 006825 643909

PALLET TRUCK



	TC-PT 2500 CLASSIC
Max. load capacity	2500 kg
Fork height	80 mm - 190 mm
Diameter of load-bearing rollers	80 mm
Diameter of steering wheels	180 mm
Fork length	1150 mm
Fork width	540 mm
Product weight	62.0 kg
Safety handle with integral selector lever	•
Automatic return of the drawbar	•
Article number	20.225.30



4 006825 615654

WORK BENCH



	WB 50
Max. load capacity	50 kg
Width	605 mm
Height	785 mm
Depth	235 - 350 mm
Folding	•
Accessories	4 plastic jaws
Article number	22.101.10



4 006825 501476

TOOL AND GEAR WAGGONS



	TC-TW 150 CLASSIC
Max. load capacity	150 kg
Width	685 mm
Height	875 mm
Depth	455 mm
Drawer 1	4x 50 mm
Drawer 2	2x 100 mm
Drawer 3	1x 205 mm
Product weight	52.5 kg
Article number	45.101.51



4 006825 640960



	TC-TW 100 CLASSIC
Max. load capacity	75 kg
Width	616 mm
Height	658 mm
Depth	330 mm
Drawer 1	4x 70 mm
Drawer 2	1x 240 mm
Drawer 3	-
Product weight	18.7 kg
Article number	45.101.70



4 006825 614305

INVERTER GENERATORS (PETROL)



	TC-IG 2000 CLASSIC NEW	TC-IG 1100 CLASSIC NEW
Power rating at 400 V	–	–
Power rating at 230 V	2000 W S2 5 min 1800 W S1	1100 W S2 5 min 1000 W S1
Max. engine power	2400 W	1400 W
Speed	4500 min ⁻¹	3600 min ⁻¹
Engine displacement	105.6 cm ³	79 cm ³
Fuel tank capacity	4 l	6.5 l
Running time two-thirds load	5.3 h	5.4 h
Product weight	21.6 kg	20.9 kg
Tank with level indicator	–	•
Voltmeter	–	•
Inverter technology	•	•
Overload switch	•	•
Low oil stop	•	•
Electric start-up	–	–
Type of generator	Synchronous with inverter technology	Synchronous with inverter technology
Motor	Four-stroke, air cooled	Four-stroke, air cooled
Number of sockets	2 pcs 230 V, 2 pcs USB	1x 230 V
Article number	41.525.90	41.525.80



4 006825 652413



4 006825 651089

POWER GENERATORS (PETROL)



	TC-PG 55/E5 CLASSIC	TC-PG 35/E5 CLASSIC
Power rating at 400 V	5500 W (2 min) 3600 W (S1)	–
Power rating at 230 V	3300 W (2 min) 3000 W (S1)	3100 W (2 min) 2600 W (S1)
Max. engine power	7500 W	4100 W
Speed	3000 min ⁻¹	3000 min ⁻¹
Engine displacement	389 cm ³	208 cm ³
Fuel tank capacity	25 l	15 l
Running time two-thirds load	11.7 h	10.7 h
Product weight	82.8 kg	42.1 kg
Tank with level indicator	•	•
Voltmeter	–	•
Automatic voltage regulation (AVR)	•	•
Overload switch	•	•
Low oil stop	•	•
Electric start-up	•	–
Type of generator	Synchronous	Synchronous
Motor	Four-stroke, air cooled	Four-stroke, air cooled
Number of sockets	2x 230 V, 1x 400 V	2x 230 V
Article number	41.525.62	41.525.51



4 006825 644159



4 006825 644142

POWER GENERATORS (PETROL)



	TC-PG 25/1/E5 CLASSIC	TC-PG 10/E5 CLASSIC
Power rating at 400 V	–	–
Power rating at 230 V	2400 W (2 min) 2100 W (S1)	800 W (1 min) 680 W (S1)
Max. engine power	4100 W	1000 W
Speed	3000 min ⁻¹	3000 min ⁻¹
Engine displacement	208 cm ³	63.5 cm ³
Fuel tank capacity	15 l	4 l
Running time two-thirds load	12.5 h	6.6 h
Product weight	38.8 kg	18.8 kg
Tank with level indicator	•	–
Voltmeter	•	–
Automatic voltage regulation (AVR)	•	•
Overload switch	•	•
Low oil stop	•	–
Electric start-up	–	–
Type of generator	Synchronous	Synchronous
Motor	Four-stroke, air cooled	Two-stroke, air cooled
Number of sockets	2x 230 V	1x 230 V
Article number	41.526.00	41.525.35



4 006825 657319



4 006825 648027

ACCESSORIES – SCREWING

CORDLESS DRILLS ACCESSORIES



	Drills and Bits Set	Drills and Bits Set	Drills and Bits Set
Items supplied	24-piece	39-piece	39-piece
Screwdriver bits	•	•	•
Drill bits for metal	•	•	•
Wood drill bits	–	–	•
Masonry drill bits	–	–	•
Packaging	Storage case	Storage case	Storage case
Article number	49108806	49108911	49108956



CORDLESS DRILLS ACCESSORIES



	Bits Set	Set of Drill Bit Cassettes
Items supplied	34-piece	15-piece: 3 drill bit cassettes with 5 bits in each
Screwdriver bits	•	–
Drill bits for metal	–	•
Wood drill bits	–	•
Masonry drill bits	–	•
Packaging	Storage case	Drill bit cassettes
Article number	49108801	49109157



CORDLESS IMPACT DRIVERS ACCESSORIES



	Impact Bits Set
Items supplied	12-piece
Packaging	Patented bit box
Application	Specially for use with impact drivers
Set comprising	10 bits, bit holder, handle
Article number	49155025



ACCESSORIES – DRILLING + MIXING


ROTARY HAMMERS ACCESSORIES



	SDS-plus Drill Bits/Chisels Set	SDS-plus Drill Bits Set
Items supplied	10 hammer drill bits, 2 chisels	12 hammer drill bits
Drill chuck	SDS-plus	SDS-plus
Length	110 - 260 mm	110 - 260 mm
Drill bits Ø	5 - 16 mm	5 - 14 mm
Chisels	1x flat 20 mm, 1x pointed	-
Packaging	Plastic case	Plastic case
Article number	49240295	49240281



ROTARY HAMMERS ACCESSORIES



	SDS-max Drill Bits/Chisels Set	SDS-max Drill Bits Set
Items supplied	3 hammer drill bits, 2 chisels	3 chisels
Drill chuck	SDS-max	SDS-max
Length	400 mm	400 mm
Drill bits Ø	18, 20, 25 mm	-
Chisels	1x flat 25 mm, 1x pointed	2x flat (25 / 40 mm), 1x pointed
Packaging	Plastic case	Storage tube
Article number	49194005	49190103



ROTARY HAMMERS ACCESSORIES



	Flat chisel 40 x 410 mm Hex	Pointed Chisel 410 mm Hex
Items supplied	1 chisel	1 chisel
Drill chuck	SDS-hex	SDS-hex
Length	410 mm	410 mm
Width	40 mm	-
Article number	49191045	49191145



Einhell by kwf PAINT/MORTAR MIXERS ACCESSORIES							
	Type	Article number	EAN	Items supplied	Ø	Length	Stirrer mount
	Lacquer Mixer	49497005	4 009314 970050	1 pc	80 mm	400 mm	Hex
	Paint Mixer	49497215	4 009314 972153	1 pc	100 mm	600 mm	Hex
	Mortar Mixer	49497615	4 009314 976151	1 pc	90 mm	600 mm	Hex
	Mortar Mixer M14	49497625	4 009314 976250	1 pc	90 mm	600 mm	M14
	Paint Mixer M14	49497635	4 009314 976359	1 pc	120 mm	600 mm	M14
	Mixers Set M14	49497695	4 009314 976953	2 pcs	135 mm (paint mixer) / 120 mm (mortar mixer)	585 mm (paint mixer) / 585 mm (mortar mixer)	M14
	Twin Mixer Mortar	49497795	4 009314 977950	1 pc	120 mm	550 mm	Hex

ACCESSORIES – CUTTING

Einhell by kwf ANGLE GRINDERS ACCESSORIES									
	Type	Article number	EAN	Items supplied	Ø	Ø hole	Grit size	Number of strips	Can be used for
	Sanding Mops/ Sanding Plates Set	49795505	4 009317 955054	2-piece	115 mm	22 mm	40 grit, 80 grit - 1 of each	62 each	Metalworking and woodworking
	Sanding Mops/ Sanding Plates Set	49795705	4 009317 957058	2-piece	125 mm	22 mm	40 grit, 80 grit - 1 of each	62 each	Metalworking and woodworking
	Sanding Mops/ Sanding Plates Set	49795805	4 009317 958055	2-piece	150 mm	22 mm	40 grit, 80 grit - 1 of each	76 each	Metalworking and woodworking

Einhell by kwf ANGLE GRINDERS ACCESSORIES								
	Type	Article number	EAN	Items supplied	Ø	Ø hole	Thickness	Can be used for
 	Diamond Cutting Wheels Set	49797605	4 009317 976059	1 turbo, 1 segmented cutting wheel	230 mm	22 mm	2.6 mm / 3.3 mm	Bricks, concrete blocks, engineering bricks, tiles
	Thin Cutting Wheels Set	49711949	4 009317 119494	1 pc	150 mm	22 mm	1.6 mm	Metal and stainless steel
	Thin Cutting Wheels Set	49711946	4 009317 119463	5 pcs	150 mm	22 mm	1.4 mm	Metal and stainless steel
	Diamond Thin Cutting Wheel	49721550	4 009317 215509	1 pc	150 mm	22 mm	1.6 mm	Stone, concrete, tiles, ceramic, fired stoneware, marble, granite
	Thin Cutting Wheels Set	49711945	4 009317 119456	10 pcs	125 mm	22 mm	1.0 mm	Metal and stainless steel
	Diamond Thin Cutting Wheel	49724550	4 009317 245506	1 pc	125 mm	22 mm	1.2 mm	Stone, concrete, tiles, ceramic, fired stoneware, marble, granite
	Thin Cutting Wheels Set	49711944	4 009317 119449	10 pcs	115 mm	22 mm	1.0 mm	Metal and stainless steel
	Diamond Thin Cutting Wheel	49721150	4 009317 211501	1 pc	115 mm	22 mm	1.2 mm	Stone, concrete, tiles, ceramic, fired stoneware, marble, granite

 ANGLE GRINDERS ACCESSORIES					
	Type	Article number	EAN	Mount	Packaging
	Quick Fix Nut	49717705	4 009317 177050	M14	Colour box

ANGLE GRINDERS ACCESSORIES					
	Type	Article number	EAN	For angle grinders with wheels Ø	Packaging
	TS 115/125 Cutting Stand	44.310.44	4 006825 632736	115 / 125 mm	Colour box
	TS 230/1 Cutting Stand	44.310.51	4 006825 632743	230 mm	Colour box

ACCESSORIES – MILLING + PLANING

 BISCUIT JOINTERS ACCESSORIES							
	Type	Article number	EAN	Ø	Ø hole	Cutting width	Number of teeth
	TCT Cutter Blade	49758941	4 009317 589419	100 mm	22 mm	3.8 mm	6

 ROUTERS ACCESSORIES					
	Type	Article number	EAN	Items supplied	Packaging
	Gang Cutter Set	49757291	4 009317 572916	15 cutters	Wooden case

 PLANERS ACCESSORIES							
	Type	Article number	EAN	Items supplied	Length	Material	Packaging
	Blade Set	49568315	4 009315 683157	2 reversible blades	82 mm	Hard metal	Colour box

ACCESSORIES – SAWING

Einhell by kwb JIGSAWS ACCESSORIES					
	Type	Article number	EAN	Items supplied	Packaging
	Jigsaw Blades Set	49617350	4 009316 173503	10 saw blades: 6x saw blades for hardwood and softwood (fine, medium, rough - 2 of each), 2x saw blades wood down cut for laminate/wooden boards/plastics, 2x saw blades for metal/aluminium/plastics/wood with metal remains	Plastic cassette
	Jigsaw Blades Set 4-piece Akku-Top	49625427	4 009316 254271	2x saw blades wood down cut for laminate/wooden boards/plastics, 1x saw blade for softwood and hardwood, 1x saw blade for metal/aluminium/plastics/wood with metal remains	Blister card

Einhell by kwb CIRCULAR SAWS ACCESSORIES								
	Type	Article number	EAN	Ø	Cutting width / blade thickness	Ø hole	Number of teeth	Type of saw blade
	TCT Saw Blade for Woodworking	49583359	4 009315 833590	150 mm	1.6 mm / 1.0 mm	Ø 16 mm	20	carbide tipped
	TCT Saw Blade for Woodworking	49584759	4 009315 847597	165 mm	1.6 mm / 1.0 mm	Ø 20 mm	24	carbide tipped
	TCT Saw Blade for Woodworking	49586956	4 009315 869568	190 mm	2.0 mm / 1.4 mm	Ø 30 mm	30	carbide tipped

Einhell by kwb MINI CIRCULAR SAWS ACCESSORIES							
	Type	Article number	EAN	Ø	Ø hole	Number of teeth	Rim shape diamond cutting wheel
	Saw Blades Set	49575915	4 009315 759159	89 mm	10 mm	74 (HSS) / 36 (TCT)	Continuous rim

CIRCULAR SAWS ACCESSORIES							
	Type	Article number	EAN	Can be used for	Set	Length (total)	Pack-aging
	Guide Bar Aluminium 2x 1000 mm	45.021.18	4  006825 632675	TE-PS 165 TC-CS 1250 TC-CS 1410 TE-CS 165 TE-CS 190/1 TE-CS 18/150 Li TE-CS 18/165-1 Li TE-CS 18/190 Li BL	2-piece	2000 mm	Colour box

Einhell by kwb ALL PURPOSE SAWS ACCESSORIES				
	Type	Article number	EAN	Set comprising
	All Purpose Saw Blades Set 3-piece Akku-Top	49576105	4 009315 761053	saw blades (1 of each) for wood (fine cut), wood (rough cut), metal/plastics/wood with metal remains/bi-metal

**MULTIFUNCTIONAL TOOLS
ACCESSORIES**


	Starter Kit	Floor Installation Kit	Tile Kit
Items supplied	17-piece	4-piece	4-piece
Scraper	-	•	-
Plunge-cut blades	2x wood/plastic, 1x metal	2x wood/plastic	-
Segment saw blade	1x wood/metal/plastic	1x wood/metal/plastic	1x tile joints/lime sand brick/aerated concrete
Grater	-	-	1x mortar / tile adhesive / carpet scraps
Hook-and-loop disc	1x 93 mm	-	-
Abrasive paper (wood, metal, plastic)	40 grit, 80 grit, 120 grit - 4 of each	-	-
Silicone joint scraper	-	-	1x 28 x 50 mm
Silicone joint smoothing trowel	-	-	for narrow and wide silicone joints
Article number	49708950	49708850	49708750


ACCESSORIES – GRINDING/SANDING

 GRINDING AND ENGRAVING TOOLS ACCESSORIES						
	Type	Article number	EAN	Items supplied	Can be used for	Packaging
	Accessories Set	49510950	4 009315 109503	61-piece	grinding/engraving tools	Storage case
	Abrasive Papers Set	49510951	4 009315 109510	38-piece	grinding/engraving tools and bench grinders	Storage case

 ORBITAL SANDERS ACCESSORIES								
	Type	Article number	EAN	Abrasive paper size	Items supplied	Grit size	With holes	Can be used for
	Abrasive Papers Set	49817985	4 009318 179855	187 x 93 mm	15 pcs	60 / 120 / 180 grit (5 of each)	•	Wood and metal
	Abrasive Papers Set	49818975	4 009318 179855	230 x 115 mm	15 pcs	40 / 80 / 120 grit (5 of each)	•	Wood and metal

 BAND SANDERS ACCESSORIES							
	Type	Article number	EAN	Abrasive paper size	Items supplied	Grit size	Can be used for
	Grinding Belts Set	49912575	4 009319 125752	75 x 533 mm	5 pcs	2x 40 grit, 2x 80 grit, 1x 120 grit	Wood and metal

Einhell by kwk DELTA SANDERS ACCESSORIES								
	Type	Article number	EAN	Abrasive paper size	Items supplied	Grit size	With holes	Can be used for
	Abrasive Papers Set	49492874	4 009314 928747	93 x 93 x 93 mm	20 pcs	8x 60 grit, 6x 120 grit, 6x 180 grit	•	Wood and metal

Einhell by kwk MULTI SANDERS ACCESSORIES								
	Type	Article number	EAN	Abrasive paper size	Items supplied	Grit size	With holes	Can be used for
	Abrasive Papers Set	49496174	4 009314 961744	150 x 150 x 150 mm	15 pcs	60 / 120 / 180 grit (5 of each)	•	Wood and metal

Einhell by kwk ROTATING SANDERS ACCESSORIES								
	Type	Article number	EAN	Abrasive paper size	Items supplied	Grit size	With holes	Can be used for
	Abrasive Papers Set	49491974	4 009314 919745	125 mm	25 pcs	9x 60 grit, 8x 120 grit, 8x 180 grit	•	Wood and metal

Einhell by kwk WALL PROCESSING SYSTEM ACCESSORIES								
	Type	Article number	EAN	Items supplied	Ø	Abrasive mesh, universal	Corundum grinding/sanding wheel, white	Corundum grinding/sanding wheel, red
	Abrasive Meshes / Grinding/Sanding Wheels Set	49490905	4 009314 909050	5-piece	180 mm	3x 80 grit, 2x 120 grit for filling compound/paint/acrylic lacquer/synthetic resin/rust	–	–
	Abrasive Set	49490965	4 009314 909654	15-piece	180 mm	4x 80 grit, 2x 120 grit for filling compound/acrylic lacquer	4x 80 grit, 2x 120 grit for lacquer/hardwood/softwood	2x 80 grit, 1x 120 grit for wood/metal/plastics

 Einhell by kwb WALL PROCESSING SYSTEM ACCESSORIES							
	Type	Article number	EAN	Items supplied	Application	Ø	Segment height
	Grinding Brush	49490985	4 009314 909852	1 pc	Derusting and cleaning metal and wood	180 mm	–
	Diamond Sanding Plate	49726855	4 009317 268550	1 pc	Cleaning concrete, screed, mortar, natural stone	180 mm	6 mm

 DRYWALL POLISHERS ACCESSORIES								
	Type	Article number	EAN	Items supplied	Ø	Abrasive mesh, universal	Corundum grinding/sanding wheel, white	Corundum grinding/sanding wheel, red
	Abrasive Meshes / Grinding/Sanding Wheels Set	49491006	4 009314 910063	5-piece	225 mm	3x 80 grit, 2x 120 grit	–	–
	Abrasive Paper Set	49491066	4 009314 910667	15-piece	225 mm	4x 80 grit, 2x 120 grit for filling compound/acrylic lacquer	4x 80 grit, 2x 120 grit for lacquer/hardwood/softwood	2x 80 grit, 1x 120 grit for wood/metal/plastics

 DRYWALL POLISHERS ACCESSORIES					
	Type	Article number	EAN	Items supplied	Set comprising
	Abrasive Meshes / Grinding/Sanding Wheels Set	49491005	4 009314 910056	5-piece	3x abrasive mesh, universal, Ø 225 mm (2x 80 grit, 1x 120 grit) for filling compound/acrylic lacquer, 2x delta abrasive mesh 287 x 287 x 287 mm (2x 80 grit)
	Abrasive Set	49491065	4 009314 910650	15-piece	4x abrasive mesh, universal, Ø 225 mm (3x 80 grit, 1x 120 grit) for filling compound/acrylic lacquer, 2x delta abrasive mesh, 287 x 287 x 287 mm (2x 80 grit), 5x grinding/sanding wheels, Ø 225 (4x 80 grit, 1x 120 grit), 2x delta abrasive paper, 287 x 287 x 287 mm (80 grit) for lacquer/plastics, 1x corundum grinding/sanding wheel, red, Ø 225 mm (80 grit), 1x corundum delta abrasive paper, red, 287 x 287 x 287 mm (80 grit)
	Abrasive Set (Delta Sanders)	49491075	4 009314 910759	5-piece	2x delta abrasive mesh, 287 x 287 x 287 mm (2x 80 grit), 2x delta abrasive paper, 287 x 287 x 287 mm (80 grit), 1x corundum delta abrasive paper, red, 287 x 287 x 287 mm (80 grit)

CORDLESS POLISHING/SANDING MACHINES ACCESSORIES					
	Type	Article number	EAN	Can be used for	Set comprising
	Polishing Bonnets	20.930.95	4 006825 631517	CE-CB 18/254 Li	1 textile bonnet, 1 synthetic bonnet
	Polishing/Grinding Set 180 mm	20.932.33	4 006825 551846	CE-CP 18/180 Li E	2x synthetic bonnet, 1x foam pad, 6x abrasive paper (60 / 80 / 120 grit, 2 of each)
	Polishing/Grinding Set 150 mm (incl. plate)	20.932.45	4 006825 653977	CE-CP 18/180 Li E	1x sanding plate 150 mm, 2x synthetic bonnet, 1x foam pad, 6x abrasive paper (60 / 80 / 120 grit, 2 of each)

OTHER ACCESSORIES

ELECTRIC PAINT SPRAY SYSTEMS ACCESSORIES

	Type	Article number	EAN	Filling quantity	Packaging
	Paint Spray Attachment	42.600.03	4 006825 619515	800 ml	Colour box
	Paint Tub	42.600.02	4 006825 619508	1000 ml	Colour box
	Paint Tub	42.600.01	4 006825 619492	800 ml	Colour box



HOT GLUE GUN ACCESSORIES

	Type	Article number	EAN	Ø	Length	Quantity
	Glue Sticks	49538955	4 009315 389554	7 mm	150 mm	24 pcs
	Glue Sticks	49539355	4 009315 393551	11 mm	200 mm	24 pcs



TACKERS ACCESSORIES

	Type	Article number	EAN	Type	Length	Width	Quantity	Suitable for
	Staples	49353508	4 009313 535083	53	8 mm	11.4 mm	1000 pcs	TC-CT 3.6 Li / TC-EN 20 E
	Nails	49355614	4 009313 556149	47 / 55	14 mm	1.8 mm	1000 pcs	TC-CT 3.6 Li / TC-EN 20 E

CORDLESS TACKERS ACCESSORIES

	Type	Article number	EAN	Type	Length	Width	Quantity	Suitable for
	Staples	41.378.75	4 006825 658385	E	19 mm	5.7 mm	3000 pcs	TE-CN 18 Li
	Nails	41.378.74	4 006825 658378	J	32 mm	1.0 mm	3000 pcs	TE-CN 18 Li

LASER TECHNOLOGY ACCESSORIES

	Type	Article number	EAN	Working height	Tilt angle adjustment	Storage case	Product weight	Packaging
	Tripod	22.701.15	4 006825 616255	37 - 110 cm	•	•	0.5 kg	Colour box

ACCESSORIES – STATIONARY POWER TOOLS

MITRE SAWS ACCESSORIES



	E-Stand
Mounting width	340 - 445 mm
Mounting depth	max. 410 mm
Working height	81 cm
Article number	43.106.20



MITRE SAWS ACCESSORIES



	MSS 1610
Total length	1100 - 1610 mm
Load capacity	max. 100 kg
Working height	845 - 945 mm
Load-bearing length of machine support	max. 455 mm
User-friendly adjustment facilities	•
Workpiece trays	•
Height-adjustable foot	•
Storage boxes	•
Folding	•
Carry handle	•
Machine supports	1 pair
Article number	43.106.15



STATIONARY SAWS ACCESSORIES – SLIDING TABLE



	ST 315
Angular adjustment	0° - 55°
Suitable for	TC-TS 315 U, TE-TS 315 U, TE-TS 315 UD
Article number	43.405.59



Einhell by kwf MITRE SAWS AND TABLE SAWS ACCESSORIES									
	Type	Article number	EAN	Ø	Ø hole	Cutting width / blade thickness	Number of teeth	Type of saw blade	Storage
  	TCT Saw Blade	49587151	4 009315 871516	200 mm	16 mm	2.4 mm / 1.6 mm	20	carbide tipped	–
	TCT Thin Cut Blade	49587852	4 009315 878522	210 mm	30 mm	1.8 mm / 1.2 mm	40	carbide tipped	–
	TCT Saw Blade	49587861	4 009315 878614	210 mm	30 mm	2.4 mm / 1.6 mm	48	carbide tipped	–
	TCT Thin Cut Blade	49587862	4 009315 878621	210 mm	30 mm	1.8 mm / 1.2 mm	64	carbide tipped	–
	TCT Saw Blades Set, 3-piece	49587805	4 009315 878058	210 mm	30 mm	2.5 mm / 1.6 mm	24 / 42 / 60	carbide tipped	Plastic tray
	TCT Saw Blade	49588261	4 009315 882611	216 mm	30 mm	2.4 mm / 1.6 mm	60	carbide tipped	–
	TCT Saw Blade	49588251	4 009315 882512	216 mm	30 mm	2.4 mm / 1.6 mm	48	carbide tipped	–
	TCT Thin Cut Blade	49589352	4 009315 893525	250 mm	30 mm	1.8 mm / 1.2 mm	42	carbide tipped	–
	TCT Saw Blade	49589341	4 009315 893419	250 mm	30 mm	3.2 mm / 2.2 mm	24	carbide tipped	–
	TCT Saw Blade	49589351	4 009315 893518	250 mm	30 mm	3.2 mm / 2.2 mm	48	carbide tipped	–
	TCT Saw Blade	49589552	4 009315 895529	250 mm	30 mm	3.2 mm / 2.2 mm	60	carbide tipped	–
	TCT Saw Blades Set, 2-piece	49589305	4 009315 893051	250 mm	30 mm	3.2 mm / 2.2 mm	24 / 60	carbide tipped	Plastic tray
	TCT Saw Blades Set, 3-piece	49589306	4 009315 893068	250 mm	30 mm	3.2 mm / 2.2 mm	24 / 42 / 60	carbide tipped	Plastic tray
	TCT Thin Cut Blade	49589361	4 009315 893617	254 mm	30 mm	1.8 mm / 1.2 mm	42	carbide tipped	–
	TCT Saw Blade	49589551	4 009315 895512	254 mm	30 mm	3.2 mm / 2.2 mm	48	carbide tipped	–
	TCT Saw Blade	49589561	4 009315 895611	254 mm	30 mm	3.2 mm / 2.2 mm	60	carbide tipped	–
	TCT Saw Blade	49592957	4 009315 929576	305 mm	30 mm	3.0 mm / 2.2 mm	40	carbide tipped	–
	TCT Saw Blade	49593151	4 009315 931517	315 mm	30 mm	3.2 mm / 2.2 mm	48	carbide tipped	–

ASSIGNMENT OF ACCESSORIES TO STATIONARY SAWS

			Sliding Mitre Saws											Mitre Saws				Table Saws																
			TE-SM 36/210 Li - Solo	TE-MS18/210 Li - Solo	TE-TS 36/210 Li - Solo	TE-SM 254 Dual	TE-SM 2534 Dual	TC-SM 2534/1 Dual	TC-SM 254	TC-SM 2531/2 U	TE-SM 2131 Dual	TE-SM 216 Dual	TC-SM 2131/1 Dual	TC-SM 216	TC-MS 2513 L	TC-MS 2112	TC-MS 216	TC-MS3017 T	TC-MS 2513 T	TC-MS 2112 T	TE-CC 250 UF	TE-TS 250 UF	TC-TS 2225 U	TC-TS 254 U	TC-TS 2025/2 U	TC-TS 2025/3 eco	TC-TS 254 eco	TE-TS 315 UD	TE-TS 315 U	TC-TS 315	TC-TS 210	TC-TS 200		
			43.008.80	43.008.90	43.404.50	43.008.75	43.008.70	43.003.95	43.003.85	43.008.05	43.008.60	43.003.65	43.003.90	43.003.80	43.008.50	43.002.95	43.003.70	43.003.47	43.003.45	43.003.17	43.405.39	43.405.68	43.405.15	43.405.10	43.404.90	43.404.95	43.405.05	43.405.58	43.405.57	43.405.56	43.404.25	43.404.15		
ø 200 mm	TCT Ø 200 x 16 x 2.4 mm t20	49587151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	●		
ø 210 mm	TCT Thin Cut Ø 210 x 30 x 1.8 mm t40	49587852	●	●	●	-	-	-	-	-	●	-	●	-	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TCT Ø 210 x 30 x 2.4 mm t48	49587861	●	●	●	-	-	-	-	-	●	-	●	-	-	●	-	-	-	●	-	-	-	-	-	-	-	-	-	-	●	-	-	
	TCT Thin Cut Ø 210 x 30 x 1.8 mm t64	49587862	●	●	●	-	-	-	-	-	●	-	●	-	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TCT Ø 210 x 30 x 2.4 mm t24/t48/t60	49587805	●	●	●	-	-	-	-	-	-	●	-	●	-	-	●	-	-	-	●	-	-	-	-	-	-	-	-	-	-	●	-	-
ø 216 mm	TCT Ø 216 x 30 x 2.4 mm t60	49588261	-	-	-	-	-	-	-	-	-	●	-	●	-	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TCT Ø 216 x 30 x 2.4 mm t48	49588251	-	-	-	-	-	-	-	-	-	●	-	●	-	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ø 250 mm	TCT Thin Cut Ø 250 x 30 x 1.8 mm t42	49589352	-	-	-	-	●	●	-	-	-	-	-	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TCT Ø 250 x 30 x 3.2 mm t24	49589341	-	-	-	-	●	●	-	-	-	-	-	-	●	-	-	-	●	-	●	●	-	-	●	●	-	-	-	-	-	-	-	-
	TCT Ø 250 x 30 x 3.2 mm t48	49589351	-	-	-	-	●	●	-	-	-	-	-	-	●	-	-	-	●	-	●	●	-	-	●	●	-	-	-	-	-	-	-	-
	TCT Ø 250 x 30 x 3.2 mm t60	49589552	-	-	-	-	●	●	-	-	-	-	-	-	●	-	-	-	●	-	●	●	-	-	●	●	-	-	-	-	-	-	-	-
	TCT Ø 250 x 30 x 3.2 mm t24/t60	49589305	-	-	-	-	●	●	-	-	-	-	-	-	●	-	-	-	●	-	●	●	-	-	●	●	-	-	-	-	-	-	-	-
	TCT Ø 250 x 30 x 3.2 mm t24/t42/t60	49589306	-	-	-	-	●	●	-	-	-	-	-	-	●	-	-	-	●	-	●	●	-	-	●	●	-	-	-	-	-	-	-	-
ø 254 mm	TCT Thin Cut Ø 254 x 30 x 1.8 mm t42	49589361	-	-	-	●	-	-	●	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TCT Ø 254 x 30 x 3.2 mm t48	49589551	-	-	-	●	-	-	●	●	-	-	-	-	-	-	-	-	-	-	-	-	●	●	-	-	●	-	-	-	-	-	-	-
	TCT Ø 254 x 30 x 3.2 mm t60	49589561	-	-	-	●	-	-	●	●	-	-	-	-	-	-	-	-	-	-	-	-	●	●	-	-	●	-	-	-	-	-	-	-
ø 305 mm	TCT Ø 305 x 3.0 x 30 mm t40	49592957	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ø 315 mm	TCT Ø 315x 30 x 3.2 mm t48	49593151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	●	●	●	-	-	-	

• Use possible

– Use not possible

Einhell by kwb STATIONARY PLANERS ACCESSORIES								
	Type	Article number	EAN	Can be used for	Length	Height	Thickness	Quantity
	Spare Blades	49568602	4 009315 686028	TH-SP 204, TC-SP 204	210 mm	17.2 mm	1.5 mm	2 pcs
	Spare Blades	49568902	4 009315 689029	TE-SP 330	330 mm	17.0 mm	1.5 mm	3 pcs

Einhell by kwb SCROLL SAW ACCESSORIES							
	Type	Article number	EAN	Quantity	Length	Size	Can be used for
	Scroll Saw Blades Set	49316350	4 009313 163507	5 pcs	130 mm	1x size 1 (fine), 2x size 3 (medium), 1x size 4 (medium-rough), 1x size 11 (rough)	Wood
	Scroll Saw Blades Set	49316352	4 009313 163521	10 pcs	130 mm	0 (extra-fine)	Wood
	Scroll Saw Blades Set	49316359	4 009313 163590	10 pcs	130 mm	3 (medium), spiral-shaped, round tooth pattern	Wood

Einhell by kwb BAND SAWS ACCESSORIES								
	Type	Article number	EAN	Length	Width	Thickness	Number of teeth	Can be used for
	Saw Band	49081505	4 009310 815058	1400 mm	8.0 mm	0.65 mm	6/25.4 mm	Wood / metal
	Saw Band	49081506	4 009310 815065	1712 mm	6.0 mm	0.65 mm	6/25.4 mm	Wood / metal
	Saw Band	49081509	4 009310 815096	2320 mm	13 mm	0.65 mm	4/25.4 mm	Wood / metal

Einhell by kwb WOODWORKING LATHES ACCESSORIES					
	Type	Article number	EAN	Items supplied	Comprising
	Turning Tools Set	49455250	4 009314 552508	5 pcs	Flat chisel, mortise chisel, gouge, round chisel, pointed chisel (1 of each)

Einhell by kwb WOODWORKING LATHES ACCESSORIES							
	Type	Article number	EAN	Mount	Gripping diameter outer jaws	Gripping diameter inner jaws	Product weight
	Four-jaw Chuck	49455295	4 009314 552959	Inner thread M18	45 - 134 mm	18 - 52 mm	2.5 kg

LASER TECHNOLOGY ACCESSORIES							
	Type	Article number	EAN	Hose length / diameter	Ø adapter	Extractor adapter up to 36 mm	Blind stoppers
	Vacuum Adapter Set	43.106.30	4 006825 587715	1200 mm / 36 mm	100 mm	•	•

CORDLESS WET AND DRY VACUUM CLEANERS / WET AND DRY VACUUM CLEANERS ACCESSORIES

	Type	Article number	EAN	For tank volume	Quantity	Suitable for
	Foam Filters 10 l	23.511.35	4 006825 641424	10 l	5 pcs	TE-VC 18/10 Li
	Dirt Bags 10 l	23.512.60	4 006825 641394	10 l	5 pcs	TE-VC 18/10 Li
	Fabric Filter	23.511.40	4 006825 231151	–	1 pc	see list on page 153
	Foam Filters	23.511.32	4 006825 644098	–	5 pcs	see list on page 153
	Non-woven Bags 40 l	23.511.95	4 006825 625691	30 - 50 l	5 pcs	see list on page 153
	Non-woven Bags 25 l	23.511.90	4 006825 625684	20 - 25 l	5 pcs	see list on page 153
	Non-woven Bags 15 l	23.511.85	4 006825 625554	12 - 15 l	5 pcs	see list on page 153
	Dirt Bags 40 l	23.511.80	4 006825 607468	40 - 50 l	5 pcs	see list on page 153
	Dirt Bags 30 l	23.511.70	4 006825 528763	30 l	5 pcs	see list on page 153
	Dirt Bags 25 l	23.511.50	4 006825 231281	25 l	5 pcs	see list on page 153
	Dirt Bags 20 l	23.511.52	4 006825 236040	20 l	5 pcs	see list on page 153
	Dirt Bags 15 l	23.511.65	4 006825 623154	15 l	5 pcs	see list on page 153
	Dirt Bags 12 l	23.511.59	4 006825 606065	12 l	5 pcs	see list on page 153

**WET AND DRY
VACUUM CLEANERS
ACCESSORIES**


	Fine Ash Filter	Ash Filter
Capacity	18 l	12 l
Items supplied	1 pc	1 pc
Suction hose length / diameter	100 cm / 36 mm	100 cm / 36 mm
Suitable for	see list on page 153	see list on page 153
Article number	23.516.12	23.516.06



CORDLESS WET AND DRY VACUUM CLEANERS / WET AND DRY VACUUM CLEANERS ACCESSORIES

	Type	Article number	EAN	Items supplied	Suitable for
	Dual Dust Filter System	23.512.50	4 006825 630138	1 HEPA filter, (class: H13 (> 0.3 µm)), 1 dual filter bag	see list on page 153
	Pleated Filter for dust class L	23.511.26	4 006825 657944	1 pc	see list on page 153
	Pleated Filter	23.511.10	4 006825 231090	1 pc	see list on page 153
	Pleated Filter with Lid	23.511.13	4 006825 566512	1 pc	see list on page 153
	Flexible Crevice Nozzle, long	23.512.04	4 006825 653953	1 pc	see list on page 153
	Small Universal Nozzle	23.512.10	4 006825 630053	1 pc	see list on page 153
	Universal Floor Nozzle	23.512.15	4 006825 630060	1 pc	see list on page 153
	Drilling Nozzle	23.512.33	4 006825 653960	1 pc	see list on page 153
	Hard Upholstery Brush	23.512.20	4 006825 630077	1 pc	see list on page 153
	Soft Upholstery Brush	23.512.25	4 006825 630084	1 pc	see list on page 153
	Round Carpet Brush	23.512.30	4 006825 630091	1 pc	see list on page 153
	Set of Nozzles I	23.512.35	4 006825 630107	2 nozzles, 1 brush	see list on page 153
	Set of Nozzles II	23.512.55	4 006825 635676	2 brushes, 1 nozzle	see list on page 153

CORDLESS WET AND DRY VACUUM CLEANERS / WET AND DRY VACUUM CLEANERS ACCESSORIES



NEW



	Car Cleaning Set	Premium Suction Hose	Suction Hose
Items supplied	6-piece set	1 heavy-duty suction hose, 3 adapters	1 hose, 3 adapters
Suction hose length	300 cm	300 cm	300 cm
Suction hose diameter	36 mm	36 mm	36 mm
Suitable for	see list on page 153	see list on page 153	see list on page 153
Article number	23.512.45	23.620.05	23.620.00



ASSIGNMENT OF ACCESSORIES TO WET AND DRY VACUUM CLEANERS

[illegible]

- Use not possible

ASH VACUUM CLEANERS ACCESSORIES



	Screw-on Pleated Filter AV	Pre-Filter AV
Items supplied	1 pc	1 pc
Suitable for	TC-AV 1620 DW / TC-AV 1618 D	all Einhell ash vacuum cleaners
Article number	23.513.10	23.513.15



HIGH PRESSURE CLEANERS ACCESSORIES

	Type	Article number	EAN	Max. operation pressure	Length	Quantity
	Patio Cleaner	41.440.15	4 006825 652000	170 bar	–	1
	Fix Brush	41.440.16	4 006825 652246	170 bar	–	1
	Rotating Brush	41.440.17	4 006825 652253	170 bar	–	1
	Horizontal Brush	41.440.18	4 006825 652260	170 bar	–	1
	PVC High Pressure Hose	41.440.19	4 006825 652277	200 bar	600 cm	1
	Angled Nozzle	41.440.20	4 006825 652284	180 bar	–	1
	Foam Producer	41.440.21	4 006825 652291	170 bar	–	1
	Turbo Nozzle Plastic	41.440.22	4 006825 652307	170 bar	–	1
	Pipe Cleaning Hose	41.440.23	4 006825 652314	200 bar	1500 cm	1
	Metal Extension with Angled Nozzle	41.440.24	4 006825 652321	180 bar	–	1

COMPRESSED AIR STAPLERS/NAILERS ACCESSORIES

	Type	Article number	EAN	Type	Length	Width	Quantity	Suitable for	Packaging
	Staples	41.378.61	4 006825 505788	E, chisel points	40 mm	5.7 mm	3000 pcs	all Einhell compressed air tackers	Colour box
	Staples	41.378.60	4 006825 504446	E, chisel points	25 mm	5.7 mm	3000 pcs		Colour box
	Staples	41.378.55	4 006825 504439	E, chisel points	16 mm	5.7 mm	3000 pcs		Colour box
	Staples	41.378.50	4 006825 504422	E, chisel points	13 mm	5.7 mm	3000 pcs		Colour box
	Nails	41.378.73	4 006825 505795	J	50 mm	1.0 mm	3000 pcs		Colour box
	Nails	41.378.72	4 006825 504866	J	40 mm	1.0 mm	3000 pcs		Colour box
	Nails	41.378.71	4 006825 504460	J	25 mm	1.0 mm	3000 pcs		Colour box



COMPRESSED AIR ROTATING SANDERS ACCESSORIES

	Type	Article number	EAN	Items supplied	Ø	Grit size	With holes	Suitable for
	Abrasive Papers Set	49492095	4 009314 920956	5 pcs	150 mm	80 grit	•	TC-PE 150

COMPRESSED AIR HAMMERS ACCESSORIES

	Type	Article number	EAN	Items supplied	Suitable for	Packaging
	Needle Scaler Attachment	41.331.20	4 006825 645873	1 pc	TC-PC 45 / TC-PC 45 Set	Colour box
	Chisels Set	41.327.69	4 006825 653946	4 pcs	TC-PC 45 / TC-PC 45 Set	Colour box
	Tensioning Spring	41.327.68	4 006825 650013	1 pc	TC-PC 45 / TC-PC 45 Set	Blister

COMPRESSED AIR ACCESSORIES

	Type	Article number	EAN	Properties	Packaging
	Fabric Hose	41.382.10	4 006825 574166	Length 15 m, Ø internal: 9 mm	Shrink film
	Fabric Hose	41.382.00	4 006825 410099	Length 15 m, Ø innen: 6 mm	Shrink film
	Fabric Hose	41.381.00	4 006825 410082	Length 10 m, Ø internal: 6 mm	Shrink film
	Spiral Hose	41.394.20	4 006825 411744	Length 8 m, Ø internal: 6 mm	Shrink film
	Spiral Hose	41.394.10	4 006825 411737	Length 4 m, Ø innen: 6 mm	Shrink film
	Automatic Hose Roller	41.380.00	4 006825 509564	Length 9 m + 1 m, working pressure: up to 12 bar	Colour box
	Inflation Adapters Kit	41.396.95	4 006825 511475	8-piece	Colour box
	Mini Oiler	41.350.02	4 006825 581614	R 1/4" internal thread, R 1/4" external thread	Blister
	Filter + Pressure Reducer	41.342.00	4 006825 410051	Complete with nipple and quick-lock coupling R 1/4"	Colour box
	Filter + Pressure Reducer	41.341.00	4 006825 410044	Complete with nipple and quick-lock coupling R 3/8"	Colour box
	Combination Conditioning Unit	41.350.01	4 006825 410181	Complete with oiler, nipple and quick-lock coupling R 1/4"	Colour box
	Combination Conditioning Unit	41.350.00	4 006825 410075	Complete with oiler, nipple and quick-lock coupling R 3/8"	Colour box
	Special Compressed Air Oil	41.383.10	4 006825 411270	500 ml	Plastic bottle

COMPRESSED AIR ACCESSORIES					
	Type	Article number	EAN	Properties	Packaging
	Michelin Nipple	41.393.30	4 006825 588712	Ø 6 mm	Blister
	Quick-lock Coupling	41.392.06	4 006825 410334	R 1/4" IT	Blister
	Quick-lock Coupling	41.392.07	4 006825 560824	R 1/4" ET	Blister
	Quick-lock Coupling	41.392.05	4 006825 410327	R 3/8" IT	Blister
	Quick-lock Coupling	41.392.08	4 006825 560831	R 3/8" ET	Blister
	Quick-lock Coupling	41.392.10	4 006825 599046	R 1/2" internal thread	Blister
	Quick-lock Coupling	41.392.09	4 006825 596939	R 1/2" external thread	Blister
	Quick-lock Coupling	41.393.01	4 006825 581638	Ø 6 mm	Blister
	Quick-lock Coupling	41.393.02	4 006825 581645	Ø 9 mm	Blister
	Distributor	41.396.80	4 006825 411713	2 quick-lock couplings 3/8" IT	Blister
	Hose Nozzle	41.396.65	4 006825 581676	Ø 6 mm, R 1/4" et	Blister
	Hose Nozzle	41.396.66	4 006825 581669	Ø 6 mm, R 3/8" et	Blister
	Threaded Nipple	41.396.55	4 006825 562347	R 1/4" external thread	Blister
	Threaded Nipple	41.396.50	4 006825 411683	R 3/8" external thread	Blister
	Threaded Nipple	41.396.40	4 006825 411676	R 1/4" internal thread	Blister
	Threaded Nipple	41.396.45	4 006825 581683	R 3/8" internal thread	Blister
	Grommet	41.396.60	4 006825 411690	Ø 6 mm	Blister
	Grommet	41.396.61	4 006825 581621	Ø 9 mm	Blister
	Double Nipple	41.396.20	4 006825 411652	R 1/4" external thread	Blister
	Double Nipple	41.396.10	4 006825 411645	R 3/8" external thread	Blister
	Reduction	41.396.00	4 006825 411621	R 3/8" et auf R 1/4" it	Blister
	Reduction	41.396.30	4 006825 411669	R 3/8" et auf R 1/4" et	Blister
	Reduction	41.396.05	4 006825 562330	R 1/2" et auf R 3/8" it	Blister
	Hose Connection Tube	41.393.10	4 006825 411720	Ø 6 mm	Blister
	Hose Connection Tube	41.393.20	4 006825 581652	Ø 9 mm	Blister
	Hose Connector Kit	41.395.00	4 006825 410136	Ø 6 mm	Blister
	Clip Kit	41.396.70	4 006825 411706	5 pcs, 8 - 12 mm	Blister

ASSIGNMENT OF AIR TOOLS AND ACCESSORIES TO COMPRESSORS

[illegible]

- Use possible

- Use not possible

 TILE CUTTING MACHINES ACCESSORIES						
	Type	Article number	EAN	Ø	Ø hole	Rim shape
	Diamond Cutting Wheel	49795850	4 009317 958505	180 mm	25.4 mm	Continuous rim
	Diamond Cutting Wheel	49795855	4 009317 958505	200 mm	25.4 mm	Continuous rim
	Turbo Diamond Cutting Wheel	49797650	4 009317 958550	180 mm	25.4 mm	Turbo
	Turbo Diamond Cutting Wheel	49797750	4 009317 976509	200 mm	25.4 mm	Turbo
	Turbo Diamond Cutting Wheel	49797851	4 009317 977506	250 mm	25.4 mm	Turbo
	Turbo Diamond Cutting Wheel	49797950	4 009317 978510	300 mm	25.4 mm	Turbo

 BENCH DRILLS ACCESSORIES								
	Type	Article number	EAN	Ø	Ø hole	Wheel thickness	Grit size	Reducing rings
	Polishing Wheel	49507045	4 009315 070452	75 mm	10 mm	20 mm	400	–
	Grinding Wheel	49507125	4 009315 071251	75 mm	10 mm	20 mm	120	–
	Grinding Wheel	49507465	4 009315 074658	150 mm	32 mm	16 mm	60	12.7 mm
	Grinding Wheel	49507435	4 009315 074351	150 mm	32 mm	16 mm	36	12.7 mm
	Grinding Wheel	49507565	4 009315 075655	150 mm	32 mm	20 mm	60	12.7 mm
	Grinding Wheel	49507535	4 009315 075358	150 mm	32 mm	20 mm	36	12.7 mm
	Grinding Wheel	49507885	4 009315 078854	200 mm	20 mm	40 mm	200	–
	Grinding Wheel	49507765	4 009315 077659	200 mm	32 mm	25 mm	60	16 mm
	Grinding Wheel	49507735	4 009315 077352	200 mm	32 mm	25 mm	36	16 mm

 GRINDING AND ENGRAVING TOOLS ACCESSORIES						
	Type	Article number	EAN	Items supplied	Can be used for	Packaging
	Abrasive Papers Set	49510951	4 009315 109510	38-piece	grinding/engraving tools and bench grinders	Storage case

 WET GRINDERS ACCESSORIES								
	Type	Article number	EAN	Ø	Ø hole	Wheel thickness	Grit size	Reducing rings
	Leather Honing Wheel	49507886	4 009315 078861	182 mm	12.7 mm	30 mm	–	–

Einhell by kwk BELT-DISC SANDERS ACCESSORIES						
	Type	Article number	EAN	Dimensions	Quantity	Grit size
	Grinding Belt Set	49910805	4 009319 108052	686 x 50 mm	5 pcs	2x 60 grit, 2x 80 grit, 1x 120 grit
	Grinding Belt Set	49914605	4 009319 146054	914 x 100 mm	3 pcs	60 grit, 80 grit, 120 grit - 1 of each
	Grinding Belt Set	49915005	4 009319 150051	1219 x 152 mm	3 pcs	60 grit, 80 grit, 120 grit - 1 of each
	Grinding Paper Set	49492074	4 009314 920741	Ø 150 mm	3 pcs	80 grit
	Grinding Paper Set	44.198.44	4 006825 658439	Ø 230 mm	3 pcs	120 grit

Einhell by kwk BENCH DRILLS ACCESSORIES						
	Type	Article number	EAN	Jaw width	Clamping range	Slot spacing
	Bench Vice	49777015	4 009317 770152	75 mm	max. 68 mm	85 mm from mid-point to mid-point

Einhell by kwk METAL CUTTING SAWS ACCESSORIES						
	Type	Article number	EAN	Ø	Ø hole	Thickness
	Cutting Wheel	49791975	4 009317 919759	355 mm	25.4 mm	3.2 mm

POWER TOOLS ACCESSORIES						
	Type	Article number	EAN	Suction hose length	Tank volume	
	Petrol and Oil Suction Pump	34.070.00	4 006825 547276	1.3 m	1.6 l	



SALES SUPPORT

POS | SHOP IN SHOP SYSTEM



- **Flagship Shop in Shop Concept**
(according to catalog
'Modular display concept')

PRINT PRODUCTS



- **Folders**



- **Brochures**

POS | PERMANENT SECONDARY DISPLAYS



- **Modular Display Power X-Change Garden**
120 x 80 cm
(according to catalog 'Modular display concept')



- **Modular Display Power X-Change Power Tools**
120 x 80 cm
(according to catalog 'Modular display concept')



- **Wall display Power X-Change Tools + Power Tools**
(according to catalog 'Prime wall display concept')

POWER TOOLS 2021

Is there anything you'd like to ask us about our products?
Would you like to order a part?
Your product isn't working as it should?
We're at your service!
We'll get you some help – fast and without any fuss.



Einhell-Service
Eschenstr. 6
94405 Landau/Isar
Deutschland



+ 49 (0) 9951 959 2000



+ 49 (0) 9951 959 1700



einhell-service.de



Service-DE@einhell.com

Einhell Germany AG
Wiesenweg 22
94405 Landau / Isar – Germany
info@einhell.de – www.einhell.de