

Image Gathering using Both Color and Texture Features

¹V.Srikanth, ²C.Srujana, ³P.Nataraju, ⁴S.Nagaraju, ⁵Ch.Vijayalakshmi

^{1,2,3,4,5}Dept. of ECE, Vignana's Lara Institue of Tech. & science,Vadlamdai, Guntur, AP, India

Abstract

This paper has a further exploration and study of visual feature extraction. According to the HSV (Hue, Saturation, Value) color space, the work of color feature extraction is finished, the process is as follows: quantifying the color space in non-equal intervals, constructing one dimension feature vector and representing the color feature by cumulative histogram. Similarly, the work of texture feature extraction is obtained by using gray-level co-occurrence matrix (GLCM) or color co-occurrence matrix (CCM). Through the quantification of HSV color space, we combine color features and GLCM as well as CCM separately. Depending on the former, image retrieval based on multi-feature fusion is achieved by using normalized Euclidean distance classifier. Through the image retrieval experiment, indicate that the use of color features and texture based on CCM has obvious advantage.

Keywords

Image retrieval; GLCM; CCM

1. Introduction

The need for efficient content-based image retrieval has increased tremendously in many application areas such as biomedicine, military, commerce, education, and web image classification and searching. Currently, rapid and effective searching for desired images from large-scale image database becomes an important and challenging research topic [1,2]. Content-based Image Retrieval (CBIR) technology overcomes the defects of traditional text-based image retrieval technology, such as heavy workload and strong subjectivity. It makes full use of image content features (colour, texture, shape, etc.), which are analysed and extracted automatically by computer to achieve the effective retrieval [3,4]. Using a single feature for image retrieval can not be a good solution for the accuracy and efficiency. High-dimensional feature will reduce the query efficiency; low-dimensional feature will reduce query accuracy, so it may be a better way using multi features for image retrieval. Colour and texture are the most important visual features. Firstly, we discuss the colour and texture features separately. On this basis, a new method using integrated features is provided, and experiment is done on the real images, satisfactory result is achieved, verify the superiority of integrated feature than the single feature.

A. Feature extraction of HSV color

HSV color space is widely used in computer graphics, visualization in scientific computing and other fields [5]. In this space, hue is used to distinguish colors, saturation is the percentage of white light added to a pure color and value refers to the perceived light intensity [6]. The advantage of HSV color space is that it is closer to human conceptual understanding of colors and has the ability to separate chromatic and achromatic components.

B. Non-interval quantization

Because of a large range of each component, if directly calculate the characteristics for retrieval, then computation

will be very difficult to ensure rapid retrieval. It is essential to quantify HSV space component to reduce computation and improve efficiency. At the same time, because the human eye to distinguish colors is limited, do not need to calculate all segments. Unequal interval quantization according the human color perception has been applied on H, S, V components. Based on the color model of substantial analysis, we divide color into eight parts. Saturation and intensity is divided into three parts separately in accordance with the human eyes to distinguish. In accordance with the different colors and subjective color perception quantification, quantified hue(H), saturation(S) and value(V) are showed as equation (3). In accordance with the quantization level above, the H, S, V three-dimensional feature vector for different values of with different weight to form one-dimensional feature vector named G [7]:

$$G = Q_S Q_V H + Q_V S + V \quad (1)$$

Where QS is quantified series of S, QV is quantified series of V.

Here we set QS = QV = 3, then

$$G = 9H + 3S + V \quad (2)$$

$$H = \begin{cases} 0 & \text{if } h \in [316, 20] \\ 1 & \text{if } h \in [21, 40] \\ 2 & \text{if } h \in [41, 75] \\ 3 & \text{if } h \in [76, 155] \\ 4 & \text{if } h \in [156, 190] \\ 5 & \text{if } h \in [191, 270] \\ 6 & \text{if } h \in [271, 295] \\ 7 & \text{if } h \in [296, 315] \end{cases} \quad S = \begin{cases} 0 & \text{if } s \in [0, 0.2) \\ 1 & \text{if } s \in [0.2, 0.7) \\ 2 & \text{if } s \in [0.7, 1) \end{cases} \quad V = \begin{cases} 0 & \text{if } v \in [0, 0.2) \\ 1 & \text{if } v \in [0.2, 0.7) \\ 2 & \text{if } v \in [0.7, 1) \end{cases} \quad (3)$$

In this way, three-component vector of HSV form one-dimensional vector, which quantize the whole color space for the 72 kinds of main colors. So we can handle 72 bins of one-dimensional histogram. This quantification can be effective in reducing the images by the effects of light intensity, but also reducing the computational time and complexity.

C. Characteristics of color cumulative histogram

Color histogram is derived by first quantize colors in the image into a number of bins in a specific color space, and counting the number of image pixels in each bin. One of the weaknesses of color histogram is that when the characteristics of images should not take over all the values, the statistical histogram will appear in a number of zero values. The emergence of these zero values would make similarity measure does not accurately reflect the color difference between images and statistical histogram method to quantify more sensitive parameters. Therefore, this paper represents the one-dimensional vector G by constructing a cumulative histogram of the color characteristics of image after using non-interval HSV quantization for G.

III. Texture feature extraction

A. Texture feature extraction based on GLCM

GLCM creates a matrix with the directions and distances between pixels, and then extracts meaningful statistics from the matrix as texture features. GLCM texture features commonly used are shown in the following:

$$P(i, j/d, \theta) = \frac{P(i, j/d, \theta)}{\sum_i \sum_j P(i, j/d, \theta)} \quad (4)$$

GLCM expresses the texture feature according to the correlation of the couple pixels gray-level at different positions. It quantificationally describes the texture feature. In this paper, four features are selected, include energy, contrast, entropy, inverse difference.

$$E = \sum_x \sum_y P(x, y)^2 \quad (5)$$

ENERGY

Contrast is the main diagonal near the moment of inertia, which measure the value of the matrix is distributed and images of local changes in number, reflecting the image clarity and texture of shadow depth. Contrast is large means texture is deeper.

$$I = \sum_x \sum_y (x - y)^2 P(x, y) \quad (6)$$

CONTRAST

Entropy measures image texture randomness, when the space co-occurrence matrix for all values are equal, it achieved the minimum value; on the other hand, if the value of co-occurrence matrix is very uneven, its value is greater. Therefore, the maximum entropy implied by the image grey Distribution is random.

$$S = - \sum_x \sum_y P(x, y) \log P(x, y) \quad (7)$$

ENTROPY

It measures local changes in image texture number. Its value in large is illustrated that image texture between the different regions of the lack of change and partial very evenly. Here $p(x, y)$ is the grey-level value at the coordinate (x, y) .

B. Feature extraction based on CCM

Assuming colour image is divided into $N \times N$ image sub-block, for anyone image sub-block The same operation is done with I (intensity of the image). The statistic features extracted from CCM are as follows:

$$H = \sum_x \sum_y \frac{1}{1 + (x - y)^2} P(x, y) \quad (8)$$

Inverse difference:

$$I = \sum_i \sum_j (i - j)^2 \cdot m(i, j) \quad (9)$$

Contrast:

$$S = - \sum_i \sum_j m(i, j) \cdot \log[m(i, j)] \quad (10)$$

Entropy:

IV. Experiment and analysis

In this paper, experimental data set contains 1000 images from Corel database of images, divided into 10 categories, each category has 100 images. Experimental images covers a wealthy of content, including landscapes, animals, plants, monuments, transport (cars, planes) and so on. Selection of

each type in the 80 images as training samples, 20 samples for testing. In section III, we study two kinds of feature extraction techniques: feature extraction techniques based on the HSV color space and texture feature extraction technology. At texture feature extraction techniques, we introduce two different extraction methods the gray co-occurrence matrix and CCM. Color and texture are just in part describing the characteristics of images. Image database varies some images dramatic ups and downs in gray-level, showing a very strong texture characteristic, and some images from a number of smooth but the colors are different regional composition.




Fig. 1: Algorithm scheme

Only simple features of image information can not get comprehensive description of image content. We consider the color and texture features combining not only be able to express more image information, but also to describe image from the different aspects for more detailed information in order to obtain better search results. Retrieval algorithm flow is as follows: As shown in the fig. 1, the similarity measure from two types of characteristic features, including color features and texture features. Two types of characteristics of images represent different aspects of property. So during the Euclidean similarity measure when necessary the appropriate weights to combine them to consider this end. Therefore, in carrying out Euclidean similarity measure we should consider necessary appropriate weights to combine them. We construct the Euclidean calculation model as follows:

$$D(A, B) = W_1 D(F_{CA}, F_{CB}) + W_2 D(F_{TA}, F_{TB})$$

NORMALIZED FORM AS FOLLOWS

$$D(A, B) = \omega_1 \frac{\sqrt{2} - D(F_{CA}, F_{CB})}{\sqrt{2}} + \omega_2 \frac{\sqrt{2} - D(F_{TA}, F_{TB})}{\sqrt{2}}$$

Here W_1 is the weight of color features, W_2 is the weight of texture features, F_{CA} and F_{CB} represents the 72-dimensional color features for image A, B. For a method based on GCM, F_{TA} and F_{TB} on behalf of 4-dimensional texture features correspond to image A and B, another based on CCM, F_{TA} and F_{TB} on behalf of 16-dimensional texture features. Here, we combine color

features and two different kinds of texture features separately; the value of w through experiments shows that at the time $W_1 = W_2 = 0.5$, with better retrieval performance. The following experiments are part of search results and test statistics. Figure 2, 3 for the same retrieved images were compared, figure 4 for the classic picture plane conducted a search. Table 1 shows the image retrieval result. In this table, recall and precision are computed. Obviously, in three feature extraction mode, integrated feature has effective performance, especially, color combined with CCM is better than others.



Fig. 2: Retrieval Result Based on HSV Colour Space+ GLCM



Fig. 3: Retrieval Result Based on Colour + CCM

V. Conclusion

This paper presents an approach based on HSV color space and texture characteristics of the image retrieval. Through the quantification of HSV color space, we combine color features and gray-level co-occurrence matrix as well as CCM separately, using normalized Euclidean distance classifier. Through the image retrieval experiment, indicating that the use of color features and texture characteristics of the image retrieval method is superior to a single color image retrieval method, and color characteristics combining color texture features for the integrated characteristics of color image retrieval has obvious advantages retrieval. Apart from reflecting the CCM texture features, it also reflects the composition of its color, and improve the performance of image retrieval has important research value.

References

- [1] Rui, Y., Huang, T. S., Mehrotra, S. [Sharad], "Retrieval with

relevance feedback in MARS", In Proc of the IEEE Int'l Conf. on Image Processing, New York, pp. 815-818, 1997.

- [2] H. T. Shen, B. C. Ooi, K. L. Tan, "Giving meanings to www images" Proceedings of ACM Multimedia, pp. 39-48, 2000.
- [3] B S Manjunath, W Y Ma, "Texture feature for browsing and retrieval of image data", IEEE Transaction on PAMI, Vol 18, No. 8, pp.837-842, 1996.
- [4] Y. Rui, C. Alfred, T. S. Huang, "Modified descriptor for shape representation, a practical approach", In: Proc of First Int's workshop on Image Database and Multimedia Search, 1996.
- [5] Cao LiHua, Liu Wei, Li GuoHui, "Research and Implementation of an Image Retrieval Algorithm Based on Multiple Dominant Colors", Journal of Computer Research & Development, Vol 36, No. 1, pp.96-100, 1999.
- [6] J. R. Smith, F. S. Chang, "Tools and Techniques for Color Image Retrieval", Symposium on Electronic Imaging: Science and Technology-Storage and Retrieval for Image and Video Database IV, pp. 426-237, 1996.
- [7] Song Mailing, Li Huan, "An Image Retrieval echnology Based on HSV Color Space", Computer Knowledge and Technology, No. 3, pp.200-201, 2007.
- [8] Shang Lin, Yang YuBin, Wang Liang, Chen ZhaoQian, "An Image Texture Retrieval Algorithm Based on Color Co-occurrence Matrix (MCM)", Journal of NanJing University (Natrual Science). Vol 40, No. 5, pp. 540-547, Sept.2004.
- [9] YANG Yubin, Chen Shifu, Lin Hui, "A Novel Image Retrieval Method Using Texture Features Based on Color-Connected Regions", ACTA ELECTRONICA SINICA, Vol 33, No. 1, pp. 57-62, Jan. 2005.