




# Bestsellers

 **EUROTECNOLOGIA**  
MÁQUINAS E EQUIPAMENTOS INDUSTRIAIS, LDA.

2018 - n°1






2

## S\_Dial WORK Basic & Advanced

- Very easy to use
- Best ratio quality/price on the market
- Basic or advanced functions
- Data output Proximity/Power



Easy to use



Output Proximity/Power



Water &amp; oil protection



Flash memory



805.1301



805.5301

Order number	Model	Range (mm)	Resolution (mm)	Protection	Promo
805.1301	Basic	12.5	0.001	IP51	277 €
805.1501	Basic	25	0.001	IP51	299 €
805.1621	Basic	50	0.001	IP51	499 €
805.5301	Advanced	12.5	0.001	IP54	380 €
805.5501	Advanced	25	0.001	IP54	414 €
805.5621	Advanced	50	0.001	IP54	584 €
805.5661	Advanced	100	0.001	IP54	864 €
805.5681	Advanced	150	0.001	IP54	1'206 €
805.6301	Advanced Smart	12.5	0.001	IP54	491 €



## S\_Dial WORK Nano & Analog

- Analog or 1/10 micron display\*
- Measuring range up to 25mm
- Configurable menus
- Data output Proximity/Power



Analog display\*



Output Proximity/Power



Water & oil protection



1/10 micron display\*



805.5307



805.5506

Order number	Model	Range (mm)	Resolution (mm)	Protection	Promo
805.5306	Nano	12.5	0.0001	IP54	504 €
805.5307	Analog	12.5	0.001	IP54	410 €
805.5506	Nano	25	0.0001	IP54	537 €
805.5507	Analog	25	0.001	IP54	448 €


\*Depends on model



4

## S\_Cal PRO

- With famous Sylvac measuring system
- IP67 version with or without data output
- Measuring range up to 300mm



Depth rod



Output Proximity\*



IP67 protection




Automatic wake-up



910.1402



910.1502




910.9502

Order number	Model	Range (mm)	Depth rod (mm)	Protection	Promo
910.1402	Standard	150	4x1.4	IP67	98 €
910.1407	Standard	150	Ø1.5	IP67	98 €
910.1422	Standard	200	4x1.4	IP67	175 €
910.1432	Standard	300	-	IP67	221 €
910.1502	Proximity	150	4x1.4	IP67	119 €
910.1507	Proximity	150	Ø1.5	IP67	119 €
910.1522	Proximity	200	4x1.4	IP67	198 €
910.1532	Proximity	300	-	IP67	249 €
910.9502	Proximity Micron	150	4x1.4	IP67	243 €
910.9507	Proximity Micron	150	Ø1.5	IP67	243 €
910.2201	Thumb wheel for S_Cal PRO				16 €

\*Only on Proximity and Proximity Micron versions

## S\_Cal EVO

- With famous Sylvac measuring system
- IP67 version with or without data output
- Large assortment available and much more!



Depth rod



Sliding mechanism



IP67 protection



Large display



810.1507




810.1502



810.1506

 **Bluetooth®**

Order number	Model	Range (mm)	Depth rod (mm)	Protection	Promo
810.1502	Standard	150	4x1.4	IP67	92 €
810.1507	Standard	150	Ø1.5	IP67	92 €
810.1522	Standard	200	4x1.4	IP67	181 €
810.1532	Standard	300	-	IP67	240 €
 810.1506	Smart	150	4x1.4	IP67	196 €
810.2204	Thumb wheel for S_Cal EVO Standard				16 €
810.2203	Thumb wheel for S_Cal EVO Smart				16 €





6

## S\_Mike PRO

- Several anvils available
- IP67 protection against liquids and oils
- Output data Proximity on USB/RS232




Displacement 10mm/rot.



Output Proximity



IP67 protection



Non-rotating spindle



803.0300



803.0301



903.1300



803.0302



803.0303



803.0304





803.0305

Order number	Model	Range (mm)	Anvils (mm)	Promo
803.0300	Cylindrical	0-30	Cylindrical Ø6.5	330 €
803.0301	Cylindrical	0-30	Cylindrical Ø2	469 €
803.0302	Knife	0-30	Knife 0.75x6.5	649 €
803.0303	Disc	0-30	Disc Ø25	765 €
803.0304	Flat/ball	0-25	Flat Ø6.5/Ball Ø7	583 €
803.0305	Ball/Ball	0-25	2x Ball Ø7	630 €
803.0306	Cylindrical Smart	0-30	Cylindrical Ø6.5	416 €
903.1300	Set of 3 micrometers from 0 to 102mm			1'345 €



## UL4 Smart

- Measuring range up to 3000mm
- Resolution 0.01mm
- Bluetooth® Wireless technology



	Order number	Range (mm)	Max. error (µm)	Repeatability (µm)	Promo
✱	811.1404	400	30	20	1'029 €
✱	811.1406	600	40	20	1'216 €
✱	811.1410	1000	50	20	1'437 €
✱	811.1415	1500	90	20	2'163 €
✱	811.1420	2000	120	30	2'833 €
✱	811.1425	2500	150	30	3'657 €
✱	811.1430	3000	200	30	4'069 €



8

## Xtreme Smart


- Instruments sets for internal measurement
- Bluetooth® Wireless technology
- The sets include the instrument, rings, heads and certificate



Interchangeable heads



Output data



IP67 protection



Large measuring range



951.6102



955.6103



951.6109



Bluetooth®

Order number XT3D	Order number XT3H	Measuring range (mm)	Promo XT3D	Promo XT3H
951.6102	955.6102	2 - 6	3'492 €	3'605 €
951.6103	955.6103	6 - 10	1'391 €	1'453 €
951.6104	955.6104	10 - 20	1'679 €	1'710 €
951.6105	955.6105	20 - 50	2'318 €	2'246 €
951.6106	955.6106	50 - 100	2'575 €	2'514 €
951.6107	955.6107	100 - 150	2'142 €	2'225 €
951.6108	955.6108	150 - 200	2'890 €	2'977 €
951.6109	955.6116	100 - 200	4'629 €	4'372 €
-	955.6114	6 - 20	-	2'058 €
-	955.6115	20 - 100	-	3'695 €



## Hi\_Cal & Hi\_Gage ONE

- Height gauges manual or motorised
- Measuring range up to 600mm\*
- Intuitive functions
- With output data



**Measurements**



**Motorised\***



**Wide choice of functions**



**Accessories**



930.2151



930.2150



840.0400



830.0150



830.0300

Order number	Model	Repeatability (µm)	Range (mm)	Max error. (µm)	Promo
830.0150	Hi_Cal 150	2	150	2.5+L/175	3'321 €
830.0300	Hi_Cal 300	2	300	2.5+L/175	3'642 €
830.0450	Hi_Cal 450	2	450	2.5+L/175	4'106 €
840.0400	Hi_Gage 400	10	400	40	819 €
840.0600	Hi_Gage 600	10	600	50	926 €
840.9001	Ball probe Ø 8mm for Hi_Gage One (standard)				50 €
840.9002	Tracing probe for Hi_Gage One				75 €
930.2101	Ruby ball probe Ø 3mm for Hi_Cal (standard)				106 €
930.2150	Full accessory set in wooden box for Hi_Cal				725 €
930.2151	Basic accessory set in wooden box for Hi_Cal				484 €

\*Depends on model




10

## D62S & P12D

- New display unit for P12D probes
- 2 inputs for absolute digital M8 probes
- Shockproof
- Absolute digital probes with 12.7mm measuring range



2 M8 inputs



Touchscreen




Analog display



M8 or USB connector\*



Probe P12D with direct output USB connected on Sylcom software



Probe P12D with output M8 connected on the D62S Standard


Order number	Model	Range (mm)	Resolution (µm)	Max. error (µm)	Repeatability (µm)	Promo
804.1062	Display unit D62s Standard with 2 inputs M8. resolution 0.1µm					892 €
801.1012	P12D HR USB	12.7	0.01	0.6	0.08	1'025 €
801.1018	P12D HR USB CF	12.7	0.01	0.6	0.08	1'050 €
801.1212	P12D HR M8	12.7	0.01	0.6	0.08	989 €
801.1218	P12D HR M8 CF	12.7	0.01	0.6	0.08	1'025 €
801.2012	P12D USB	12.7	0.1	1	0.2	811 €
801.2017	P12D USB LF	12.7	0.1	1	0.2	829 €
801.2212	P12D M8	12.7	0.1	1	0.2	779 €

HR = High resolution / CF = Constant force / LF = Low force

\*The USB model is not compatible with the D62S, but only with PC or touchpad.

## D70 & Probes


- Display unit with touchscreen 4.3" for probes
- Resolution up to 0.00001mm\*
- Dedicated probes up to 25mm




Easy to use



Analog display



Tolerance display



Compatibility



Inductive probes

Capacitive probes

Order number	Model	Range (mm)	Resolution (µm)	Max. error/ Precision	Repeatability (µm)	Promo
804.2070	D70S			Display unit for capacitive Sylvac probes		1'284 €
804.2071	D70I			Display unit for inductive Sylvac probes*		1'366 €
804.2072	D70H			Display unit for Heidenhain or 1Vpp probes*		1'366 €
900.1001	P5	5	0.1	1µm	0.2	585 €
900.1010	P10	10	0.1	1µm	0.2	888 €
900.1025	P25	25	0.1	1.2µm	0.2	1'345 €
900.1101	P2i	±2	< 0.1	0.5%	0.15	342 €
900.1102	P2iP	±2	< 0.1	0.5%	0.15	429 €
900.1111	P5i	±5	< 0.1	0.5%	0.15	434 €
900.1112	P5iP	±5	< 0.1	0.5%	0.15	463 €

\*On D70H model

\* Also compatible with TESA and Mahr probes (D70I) and Mitutoyo and Magescale probes with adapter (D70H)





Windows 7 Windows 8  
Windows 10

## Sylcom & Vmux

- Softwares for data transmission
- Multifunctional
- Export to Excel or third-part software
- Up to 128 instruments connected\*



Order number	Description	Number of inputs	Main fonctionnalités	Promo
981.7132	Sylcom Standard (dongle licence)	16	Export to Excel of external software, user management	532 €
981.7129	Sylcom Standard (digital licence***)			532 €
981.7139	Upgrade Sylconnect to Sylcom			273 €
981.7133	Sylcom Advanced (dongle licence)	128 (via M-bus modules)	Standard + M-Bus, more instruments and formulas	380 €
981.7161	Vmux Standard	32	Multiplexer	259 €
981.7100	Dongle Bluetooth® 4.0 (USB)**	8 instruments Smart**/dongle	Connection of Smart instruments**	81 €

\* On Sylcom Advanced software, Sylcom Standard = max. 16, Vmux = max. 32

\*\* Dongle/Instrument with Bluetooth® Wireless technology

\*\*\* Internet connection required to activate the licence

The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Sylvac is under license.  
Other trademarks and trade names are those of their respective owners.

## Your agent :



### Eurotecnologia

Rua D. Nuno Álvares Pereira, 270  
4450-213 Matosinhos, Portugal

T: +351229377785

F: +351229377786

M: +351919713997

E-mail: [info@eurotecnologia.pt](mailto:info@eurotecnologia.pt)

Internet: [www.eurotecnologia.pt](http://www.eurotecnologia.pt)